

BEFORE THE GUJARAT ELECTRICITY REGULATORY COMMISSION
GANDHINAGAR

PETITION NO. 2098 of 2022

Filing No:

Case No:

IN THE MATTER OF:

Gujarat Urja Vikas Nigam Limited

... Petitioner / Applicant

Versus

Wind Independent Power Producers Association & Others. ..Objectors

**APPLICATION ON BEHALF OF THE PETITIONER/ APPLICANT FOR
AMENDMENT OF THE PRESENT PETITION**

1. That the Petitioner, Gujarat Urja Vikas Nigam Limited had filed the Petition under Section 86 read with Section 63 of the Electricity Act 2003 for approval of deviations from the Guidelines issued by Central Government for procurement of power through Tariff Based Competitive Bidding Process from Grid Connected Renewable Energy sources i. e. Wind, Solar and Wind-Solar Hybrid projects and for approval of bid documents for carrying out bidding process for procurement of power from Hybrid Power Projects having RE generation with co-located Energy Storage Systems.
2. That the matter was heard by Hon'ble Commission on 25.08.2022 wherein the Petitioner had submitted that the Petitioner issued the tender on 14.06.2022 inviting bids for procurement of power through competitive bidding process followed by reverse e-auction from 500 MW grid connected RE projects with assured peak power supply alongwith Energy Storage System in accordance with the interim directives of Hon'ble Commission. It was also submitted that pre-bid conference was also held on 18.07.2022 with the prospective bidders wherein certain representations have been made by the

stakeholders/bidders seeking modifications/ comments to the tender documents with consideration for discovery of better tariff.

3. The Hon'ble Commission vide daily order dated 30.08.2022 has allowed the Petitioner to file an IA for seeking permission of Hon'ble Commission for amending the Petition No. 2098 of 2022 with a copy to objectors.
4. In light of the fact that the present Petition is already pending against the interim Order, the Petitioner is seeking permission of this Hon'ble Commission to amend the Petition in the following manner detailed out hereinbelow.

5. The Cause title of the Petition may be replaced as follows:

"Miscellaneous Petition under Section 86 read with Section 63 of the Electricity Act 2003 for approval of deviations from the Guidelines issued by Central Government for procurement of power through Tariff Based Competitive Bidding Process from Grid Connected Renewable Energy sources i. e. Wind, Solar and Wind-Solar Hybrid projects and for approval of bid documents for carrying out bidding process for procurement of power from Hybrid Power Projects having RE generation with co-located or multi-located Energy Storage Systems."

6. In the last line of Para 12 of the Original Petition, "Annexure A" may be renumbered as "Annexure I".
7. Sub-para 15(a) and 15 (d) of Para 15 of the Petition may be revised and additional Sub-paras i.e. 15 (f) and 15 (g) may be inserted after para 15 (e). The 'Annexure B' being referred in the Para has been renumbered as 'Annexure II'. Consequently, the entire Para 15 may be read as under:-

"15) GUVNL has been entering into agreements for procurement of power from Wind and Solar energy projects

through competitive bidding process conducted from time to time. Considering that with increasing share of renewable energy in the overall capacity mix, the issues of Grid Management are likely to increase in coming years, there is a need for progressively promoting grid connected Energy Storage Systems for large scale integration of RE with stability of grid. In view of the same, GUVNL desires to float the tender for purchase of 500 MW power from Renewable Energy sources with mandatory installation of Energy Storage Systems (ESS) for which the draft bidding documents containing RfS and PPA have been prepared which are placed herewith as Annexure - 'II'. The salient features of the draft bid documents are as under:

- (a) The procurement of power under the tender would be for 500 MW RE power with Co-located or Multi-located Energy Storage Systems wherein developer can install projects with one of the following four combinations. (1) Combination A - Wind Power Projects with Co-located Energy Storage Systems (2) Combination B - Solar Power Projects with Co-located Energy Storage Systems (3) Combination C - Wind-Solar Hybrid Projects with Co-located Energy Storage Systems (4) Combination D - Generation and blending of power from separate Wind and/or Solar and/or Wind-Solar Hybrid sources along with ESS connected with the Grid at more than one interconnection points wherein installation of ESS is mandatory;
- (b) In the aforesaid tender, the time periods from 05-09 Hrs in the morning and 18-24 Hrs in the evening have been designated as peak hours. Out of these peak hours, 2 hours in morning and 4 hours in evening on each day would be selected by GUVNL/SLDC in which the developer will be mandatorily required to supply

firm dispatchable power either from RE Projects or from ESS;

- (c) It will be mandatory for the developer to supply 3 MWh energy during peak periods for every 1 MW of contracted capacity for which the developer may install Battery Energy Storage Systems or Pump Storage Hydro Power Systems or any other Storage Systems along with RE project. The tender would be technology agnostic for ESS;
- (d) Peak power will be purchased at tariff discovered through competitive bidding whereas Off Peak power will be purchased at fixed rate of Rs.2.57/unit which is the rate worked out based on average of L1 rates for wind and solar power discovered previously in GUVNL's tenders.
- (e) The tender documents have been prepared with a view to align the provisions of same to the Guidelines of tariff based competitive bidding issued by Government of India for purchase of power from respective RE sources i.e. Wind or Solar or Wind-Solar Hybrid Projects as there are no guidelines at present for procurement of power from Energy Storage Systems which are included as part of the RE project. The aspects of deviations from the Guidelines are discussed in the subsequent para.
- (f) The developers can submit bids for combined / blended RE power from separate wind and/or solar and/or wind-solar hybrid projects along with ESS connected with the Grid at more than one interconnection points wherein installation of the ESS is mandatory and it shall be charged fully with RE power when it seeks to supply power to GUVNL.

(g) Normally, In case of procurement of Solar and Wind power, GUVNL has been stipulating the condition of setting up of projects within Gujarat considering the socio-economic benefits of the projects. In such cases, the projects are allowed to be set up with connectivity with STU or CTU Sub-stations located in Gujarat. However, in the present case, developers have stated that Gujarat has a limited potential of Pump Storage Projects. Therefore, GUVNL has proposed to allow projects with ISTS connectivity located outside Gujarat in the present tender so that the tender becomes technology agnostic in real sense."

8. The title of Para 18.3 may be modified and replaced as "Force Majeure and Delay in Commissioning on account of Delay in LTA operationalization" instead of "Force Majeure". Further, necessary changes may be made at various places (changes have been italicized and underlined) in the entire Para 18.3 to deal with the issue of Delay in Commissioning of project on account of Delay in LTA operationalization as a Force Majeure event. Consequently, the entire 18.4 may be read as under.

"18.3 - Force Majeure and Delay in Commissioning on account of Delay in LTA operationalization"

The guidelines issued by Central Government for procurement of power from Wind, Solar and Wind-Solar Hybrid sources provide different Force Majeure provisions as detailed below. Further, the Central Government guidelines provide the provisions relating to issue of Delay in Commissioning of Project on account of delay in LTA Operationalization. All the above provisions are detailed below.

Clause 7.5 of Wind Guidelines - Force Majeure

“Force Majeure: The PPA shall contain provisions with regard to force majeure definitions, exclusions, applicability and available relief on account of force majeure as per the industry standards. The WPG shall intimate the Procurer about the occurrence of force majeure within 15 (fifteen) days of the start of the force majeure and the Procurer shall take a decision on his claim within 15 days of receipt of the intimation.

Government of India from time to time issues order for waiver of inter-state transmission system (ISTS) charges & losses on transmission of wind power till a certain date. In case the SCD of wind project is before the date till above ISTS waiver is applicable, and if the commissioning of the wind power gets delayed beyond applicable date of ISTS waiver due to force majeure event, the liability of transmission charges & losses would be shared between the WPG and procurers in ratio of 50:50. However, in case of commissioning of the wind project gets delayed beyond the applicable date of ISTS waiver due to reasons attributable to the WPG the liability of transmission charges and losses would be of WPG.”

Clause 8.6 of Wind Solar Hybrid Guidelines - Force Majeure

“Force Majeure: The PPA shall contain provisions with regard to force majeure definitions, exclusions, applicability and available relief on account of force majeure as per the industry standards. The HPG shall intimate the Procurer about the occurrence of force majeure within 15 (fifteen) days of the start of the force majeure and the Procurer shall take a decision on his claim within 15 days of receipt of the intimation.”

Clause 5.4 of the Solar Guidelines - Force Majeure

Clause 5.4 of the Guidelines issued by Central Government vide notification dated 03.08.2017 read with amendment dated 22.10.2019 provides detailed provisions regarding Force Majeure including definition of Force Majeure, Categorization of Force Majeure events into natural and non-natural Force Majeure events, Force Majeure exclusions, Notification of Force Majeure event, Performance & Liability related clauses and termination due to Force Majeure. The Hon'ble Commission vide order dated 13.01.2020 in Petition No. 1848 / 2019 has already approved deviations from the aforesaid provisions of Guidelines and therefore the clauses of Guidelines are not reproduced for the sake of brevity.

Clause 17.4 of the Wind-Solar Hybrid Guidelines - Delay in Commissioning on account of delay in LTA Operationalization:

Long Term/ Medium Term/Short Term Access shall be required to be submitted by the Generator prior to commissioning of the Project. However, for sale of power to procurer from SCD, the hybrid power generator shall have LTA. The ISTS/ InSTS substation at the Delivery Point and the power evacuation and transmission infrastructure of the ISTS/ InSTS network, with which the generator applies for connectivity, should be scheduled for completion on or before the SCD of the concerned hybrid project so as to match the two timelines. Subject to adherence to this, subsequent to grant of connectivity, in case there is a delay in grant/operationalisation of LTA by the CTU/STU and/or there is a delay in readiness of the ISTS/ InSTS substation at the Delivery Point, including readiness of the power evacuation and transmission infrastructure of the ISTS/ InSTS network until SCD of the Project, and it is established that:

i. The Generator has complied with the complete application formalities as per the Connectivity Procedure and the ISTS/ InSTS substation at the Delivery Point and the power evacuation and transmission infrastructure of the ISTS/ InSTS network, with which the Generator had

applied for connectivity, was scheduled for completion on or before the SCD of the concerned hybrid project

ii. The Generator has adhered to the applicable Procedure in this regard as notified by the CERC/ SERC/JERC/CTU/STU, and

iii. The delay in grant of connectivity/ LTA by the CTU/STU and/or delay in readiness of the ISTS/INSTS substation at the Delivery Point, including readiness of the power evacuation and transmission infrastructure of the ISTS INSTS network, is a factor solely attributable to the STU/ CTU/ transmission licensee and is beyond the control of the Generator;

The above shall be treated as delays beyond the control of the Generator and such Projects shall be eligible for suitable time extension in their SCD''.

Instead of the clauses of Force Majeure provided in the respective guidelines of procurement of power from Wind, Solar and Wind-Solar Hybrid sources issued by Central Government, Petitioner proposes the following clauses in relation to 'Force Majeure' to be kept uniform for all four combinations so as to provide similar dispensation and also to consider the Delay in commissioning of project on account of Delay in LTA operationalization as an event of Force Majeure.

Force Majeure clause proposed by Petitioner:

"ARTICLE 11: FORCE MAJEURE

11.3 Force Majeure Events:

- a) Neither Party shall be responsible or liable for or deemed in breach hereof because of any delay or failure in the performance of its obligations hereunder (except for obligations to pay money due prior to occurrence of Force Majeure events under this Agreement) or failure to meet milestone dates due to any event or circumstance (a "Force Majeure Event") beyond the reasonable control of the Party

experiencing such delay or failure, including the occurrence of any of the following:

- i) acts of God;
- ii) typhoons, floods, lightning, cyclone, hurricane, drought, famine, epidemic, plague or other natural calamities;
- iii) acts of war (whether declared or undeclared), invasion or civil unrest;
- iv) any requirement, action or omission to act pursuant to any judgment or order of any court or judicial authority in India (provided such requirement, action or omission to act is not due to the breach by the Power Producer or GUVNL of any Law or any of their respective obligations under this Agreement);
- v) inability despite complying with all legal requirements to obtain, renew or maintain required licenses or Legal Approvals;
- vi) earthquakes, explosions, accidents, landslides; fire;
- vii) expropriation and/or compulsory acquisition of the Project in whole or in part by Government Instrumentality;
- viii) chemical or radioactive contamination or ionizing radiation; or
- ix) damage to or breakdown of transmission facilities of GETCO/ DISCOMs;
- x) Exceptionally adverse weather condition which are in excess of the statistical measure of the last hundred (100) years.
- xi) The delay in grant of connectivity/LTA, if applicable, by the CTU / STU and/or delay in readiness of the ISTS / InSTS substation at the Delivery Point, including readiness of the power evacuation and transmission infrastructure of the ISTS / InSTS network, will be considered as a factor attributable to the CTU / STU / transmission

licensee and beyond the control of the Parties subject to the following;

- (a) The ISTS / InSTS sub-station at the Delivery Point and the power evacuation and transmission infrastructure of the ISTS / InSTS network, with which the Project Developer applies for connectivity, shall be scheduled for completion on or before the SCOD of the concerned Project so as to match the two timelines.
- (b) Subject to adherence to above, subsequent to grant of connectivity, in case there is a delay in grant / operationalization of connectivity / LTA by CTU / STU and/or there is a delay in readiness of the ISTS / InSTS sub-station at the delivery point, including readiness of the power evacuation & transmission infrastructure of the ISTS / InSTS network until SCOD of the project and it is established that;
- (c) The Power Producer has complied with the complete application formalities as per the connectivity procedure(s) and the ISTS / InSTS sub-station at the delivery point at the power evacuation and transmission infrastructure of the ISTS / InSTS Network with which the Power Producer had applied for connectivity, was scheduled for completion on or before the SCOD of the project and;
- (d) The Power Producer has adhered to the applicable procedure in this regard as notified by the CERC / GERC / CTU / STU and;
- (e) The delay in grant of connectivity / LTA by CTU / STU and / or delay in readiness of the ISTS / InSTS sub-station at the delivery point,

including readiness of the power evacuation and transmission infrastructure of the ISTS / InSTS Network, is a factor solely attributable to CTU / STU / transmission licensee and is beyond the control of the Parties;

b) Force Majeure Exclusions: Force Majeure shall not include the following conditions, except to the extent that they are consequences of an event of Force Majeure:

1. Unavailability, Late Delivery or Change in cost of plants and machineries, equipment, materials, spares parts or consumables for the project;
2. Delay in performance of any contractor / sub contractor or their agents;
3. Non performance resulting from normal wear and tear experience in power generation materials and equipments;
4. Strike or Labour Disturbances at the facilities of affected parties;
5. Insufficiency of finances or funds or the agreement becoming onerous to perform, and
6. Non performance caused by, or concerned with, the affected party's
 - I. Negligent and intentional acts, errors or omissions;
 - II. Failure to comply with Indian law or Indian Directive; or
 - III. Breach of, or default under this agreement or any Project agreement or Government agreement.

c) The affected Party shall give notice to other party of any event of Force Majeure as soon as reasonably practicable, but not later than 7 days after the date on which such Party knew or should reasonably have known of the

commencement of the event of Force Majeure. If any event of Force Majeure results in a breakdown of communication rendering it not reasonable to give notice within the applicable time limit specified herein, then the party claiming Force Majeure shall give notice as soon as reasonably practicable after reinstatement of communication, but not later than one day after such reinstatement. Such notice shall include full particulars of the event of Force Majeure, its effects on the Party claiming relief and the remedial measures proposed, and the Affected Party shall give the other Party regular (and not less than monthly) reports on the progress of those remedial measures and such other information as the other party may reasonably request about the situation.

- d) The affected Party shall give notice to the other Party of (1) cessation of relevant event of Force Majeure; and (2) cessation of the effects of such event of Force Majeure on the performance of its rights or obligations under this agreement, as soon as practicable after becoming aware of each of these cessations.
- e) To the extent not prevented by a Force Majeure event, the affected party shall continue to perform its obligations pursuant to this agreement. The affected party shall use its reasonable efforts to mitigate the effect of any event of Force Majeure as soon as practicable.

11.4 Available Relief for a Force Majeure Event:

No Party shall be in breach of its obligations pursuant to this agreement to the extent that the performance of its obligations was prevented, hindered or delayed due to a Force Majeure event. However, adjustment in tariff shall not be allowed on account of Force Majeure event.

For avoidance of doubt, neither Party's obligation to make payments of money due and payable prior to occurrence of Force Majeure events under this Agreement shall be suspended or excused due to the occurrence of a Force Majeure Event in respect of such Party."

The event specified at Article 8.1(a)(xi) above and consequent delay shall be treated as delay beyond the control of the parties and both parties shall be eligible for suitable time extension in the SCOD.

9. The Petitioner hereby seeks approval of Hon'ble Commission for the deviation from the respective Force Majeure clauses provided in the Guidelines issued by Central Government and approve the clause proposed by Petitioner as detailed above. It is to mention that Hon'ble GERC vide order dated 15.03.2018 in Petition No. 1706 / 2018 has already approved the similar Force Majeure clauses in respect of procurement of solar power sans the issue of LTA operationalization which is the additional issue for which the approval of the Hon'ble Commission is sought.

10. Para 18.4 of the Petition may be deleted.

11. The Prayer clause of the Petition i.e. Para 21, may be modified as under.

"21) PRAYER:

The Petitioner most respectfully prays that this Hon'ble Commission maybe pleased to:

- a) To admit the present Petition;
- b) To approve the deviations from the Solar Guidelines dated 03.08.2017, Wind Guidelines dated 08.12.2017 and the Wind-Solar Hybrid Guidelines dated 14.10.2020 issued by Central Government for procurement of power from Wind, Solar and Wind-Solar Hybrid including modifications, as proposed by Petitioner as per details stated at para 18 of the present petition;

- c) To approve the Draft Bidding Document (RFS and PPA) annexed with the Petition;
 - d) To allow Petitioner to issue a fresh tender with the proposed deviations as an interim measure during pendency of the petition and the aforesaid tender may be concluded & opened only after final decision of Hon'ble Commission in the matter and in accordance with the directives of Hon'ble Commission;
 - e) To condone any inadvertent omissions / errors / shortcomings and permit the petitioner to make addition / change / modification / alter this filing and make further submissions as may be required at a future date;
 - f) To crave relief for filing any further submissions;
 - g) Pass any other Order as the Hon'ble Commission may deem fit and appropriate under the circumstances of the case, to avoid further delay and in the interest of justice. "
12. A copy of the amended petition is annexed hereto and marked as **Annexure A**. The Annexures of the original Petition have been renumbered as **Annexure I** (Copy of Guidelines) and **Annexure II** (Amended Bid Documents) respectively. Further, additional annexures being **Annexure III** and **Annexure IV** have been appended in the revised Petition for placing on record the discussions that took place with the prospective bidders during the Pre-bid meeting and the relevant amendments proposed to be made in the Bid Documents. It is pertinent to mention that GUVNL has incorporated the relevant amendments in the revised Bid Documents in light of discussions with prospective bidders and the revised prayer regarding approval of deviations from the Guidelines.
13. It is submitted that the present Amendment is necessary for adjudication of all issues relating to the Petition 2098 of 2022.
14. That the Hon'ble Commission had further directed in Order dated 30.08.2022 to serve the copy of amended Petition to the Objectors in the matter. In this regard, the Petitioner is serving a copy of the present Application to all Objectors.

15. It is submitted that GUVNL proposes to make certain revisions in the Bid Documents in line with the discussions during the pre-bid meeting the records of which are placed at Annexure III. It is pertinent to mention that the response of GUVNL on the objections raised by objectors in the petition is also getting covered in the aforesaid Annexure III.
16. It is submitted that the present Application is bonafide and made in the interest of justice. No harm or prejudice would be caused to any party if the present application is allowed.

PRAYER

17. In view of above submissions and factual background, it is most respectfully prayed that this Hon'ble Tribunal may be pleased to:-
 - (a) Allow amendment of the present Petition in terms of the present application;
 - (b) Take on record the amended Memorandum of Petition (Annexure A to the present Application);
 - (c) Take on record the revised Bid Documents containing RFS and Draft PPA (Annexure II to the Revised Petition)
 - (D) Take on record the discussions of pre-bid meeting held with prospective bidders (Annexure III to the Revised Petition)
 - (E) Take on record the statement showing the revisions made in the Bid Documents (Annexure IV to the Revised Petition)
 - (F) Pass such other or further order or orders as this Hon'ble Tribunal may deem fit and proper in the interest of justice.

GUJARAT URJA VIKAS NIGAM LIMITED

- PETITIONER

DATE: 21.12.22

PLACE: VADODARA




THE UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY
540 EAST 58TH STREET
CHICAGO, ILL. 60637

TO: DR. J. H. GOLDSTEIN
FROM: DR. J. H. GOLDSTEIN
SUBJECT: [illegible]

RE: [illegible]

[illegible text]

[illegible text]

[illegible text]

[illegible text]

[illegible text]

BEFORE THE GUJARAT ELECTRICITY REGULATORY COMMISSION

GANDHINAGAR

PETITION NO. 2098 of 2022

Filing No:

Case No:

IN THE MATTER OF:

Application On Behalf Of the Petitioner / Applicant For Amendment of
the Present Petition

Gujarat UrjaVikas Nigam Limited

... Petitioner / Applicant

Versus

Wind Independent Power Producers Association & Others. ..Objectors

Sr. No. 24757
 Date: 21/12 12022

AFFIDAVIT

Amitkumar H. Chavda, son of Hargovindbhai Chavda aged about 41 years
 residing at Vadodara do solemnly affirm and say as follows:

1. I am Deputy Engineer working in Gujarat Urja Vikas Nigam Limited and am well conversant with the facts of the case and able to swear to the present Affidavit.
2. I, on behalf of the Petitioner, Gujarat Urja Vikas Nigam Limited have gone through the contents of the accompanying Petition and say that the contents stated therein are based on the records of Petitioner maintained in normal course of business and believed by me to be true.

My Commission Expires
 on 04/07/2023

DEPONENT

Solemnly Affirmed/Declared
 Sworn Before me by H. J. ZALA

H. J. ZALA
 NOTARY (Govt. of India)

I, the Petitioner above named do hereby verify that the contents of my above Affidavit are true to my knowledge, no part of it is false and nothing material has been concealed there from.

Identified before me.




DEPONENT

PLACE: VADODARA

DATE: 21.12.2022





**BEFORE THE GUJARAT ELECTRICITY REGULATORY COMMISSION,
GANDHINAGAR**

Filing No:

Petition No:

IN THE MATTER OF:

Miscellaneous Petition under Section 86 read with Section 63 of the Electricity Act 2003 for approval of deviations from the Guidelines issued by Central Government for procurement of power through Tariff Based Competitive Bidding Process from Grid Connected Renewable Energy sources i.e Wind, Solar and Wind-Solar Hybrid projects and for approval of bid documents for carrying out bidding process for procurement of power from Hybrid Power Projects having RE generation with co-located or multi-located Energy Storage Systems.

PETITIONER

Gujarat Urja Vikas Nigam Limited
Sardar Patel Vidyut Bhavan,
Race Course,
Vadodara - 390 007

PETITION UNDER SECTION 86(1) READ WITH SECTION 63 OF THE ELECTRICITY ACT, 2003 AND THE PROVISIONS OF THE RELEVANT GUIDELINES NOTIFIED BY THE CENTRAL GOVERNMENT UNDER SECTION 63 OF THE ELECTRICITY ACT, 2003 FOR DIRECTIONS IN REGARD TO TARIFF BASED COMPETITIVE PROCUREMENT OF ELECTRICITY:

MOST RESPECTFULLY SHOWETH:

- 1) The present Petition is being filed by the Petitioner, Gujarat Urja Vikas Nigam Limited, a company incorporated under the provisions of the Companies Act, 1956 with its registered office at Sardar Patel Vidyut Bhavan, Race Course, Vadodara. The Petitioner is a licensee and the entity undertaking bulk purchase of electricity from generating companies and other sources and bulk sale of electricity to the State Distribution Licensees.
- 2) The Government of Gujarat ("GoG") has notified the Gujarat Electricity Industry (Reorganization and Regulation) Act 2003 in May 2003 for the reorganization of the entire power sector in the State of Gujarat.
- 3) Pursuant to the Gujarat Electricity Industry Reorganization and Comprehensive Transfer Scheme, 2003 notified under the Gujarat Electricity Industry (Reorganization and Regulation) Act 2003, erstwhile Gujarat Electricity Board has been reorganised and its functions have been vested in different entities.
- 4) The activities of Generation, Transmission, Distribution, Bulk power purchase and supply undertaken by erstwhile Gujarat Electricity Board has been entrusted to separate seven functional entities. The generation activity is assigned to Gujarat State Electricity Corporation Ltd. (GSECL), the transmission activity is assigned to Gujarat Energy Transmission Corporation Ltd. (GETCO) and the distribution activity is assigned to four Distribution companies viz. Uttar Gujarat Vij Company Ltd. (UGVCL), Madhya Gujarat Vij Company Ltd. (MGVCL), Dakshin Gujarat Vij Company Ltd. (DGVCL) and Paschim Gujarat Vij Company Ltd. (PGVCL). Further, the function of Bulk purchase and Bulk sale of power is assigned to the Petitioner - Gujarat Urja Vikas Nigam Ltd. (GUVNL) as per the re-organization scheme.

1. The first part of the paper is devoted to a general discussion of the problem of the existence of solutions of the system of equations (1) under the conditions (2). It is shown that the system (1) has a solution if and only if the conditions (2) are satisfied.

2. In the second part of the paper, the problem of the uniqueness of the solution of the system (1) is considered. It is shown that the system (1) has a unique solution if and only if the conditions (2) are satisfied.

3. In the third part of the paper, the problem of the stability of the solution of the system (1) is considered. It is shown that the system (1) has a stable solution if and only if the conditions (2) are satisfied.

4. In the fourth part of the paper, the problem of the asymptotic stability of the solution of the system (1) is considered. It is shown that the system (1) has an asymptotically stable solution if and only if the conditions (2) are satisfied.

5. In the fifth part of the paper, the problem of the boundedness of the solution of the system (1) is considered. It is shown that the system (1) has a bounded solution if and only if the conditions (2) are satisfied.

6. In the sixth part of the paper, the problem of the periodicity of the solution of the system (1) is considered. It is shown that the system (1) has a periodic solution if and only if the conditions (2) are satisfied.

- 5) The Distribution Companies are mandated to procure power from Renewable Energy Sources as per the provisions of section 86(1)(e) of the Electricity Act, 2003 and in terms of Gujarat Electricity Regulatory Commission (Procurement of Energy from Renewable Energy Sources) Regulations, 2010 as amended from time to time.
- 6) In accordance with the same, the Petitioner on behalf of its four Distribution Companies has been entering into Power Purchase Agreements amongst others with various Renewable Energy Generators for procurement of renewable power from time to time.
- 7) Section 63 of the Electricity Act, 2003 provides that Appropriate Commission shall adopt the tariff if such tariff has been determined through transparent process of bidding in accordance with the guidelines issued by the Central Government.
- 8) Section 86(1)(b) of the Electricity Act 2003 provides that the State Commission shall discharge following functions, namely:

Clause (b) – "regulate electricity purchase and procurement process of distribution licensees including the price at which electricity shall be procured from the generating companies or licensees or from other sources through agreements for purchase of power for distribution and supply within the State."

- 9) Promotion of competition in the electricity industry in India is one of the key objectives of the Electricity Act 2003. The power purchase costs constitute the largest cost element for distribution licensees. Competitive procurement of electricity by the distribution licensees is expected to reduce the overall cost of procurement of power and lead to reduction in prices of electricity and in significant benefits for consumers.

- 10) Sections 61 and 62 of the Electricity Act 2003 empower the State Commissions to specify the terms and conditions for the determination of tariff for generation, transmission, distribution and supply of electricity in their State. In order to promote further competition, Section 63 of the Electricity Act 2003 provides the State Commission to adopt such tariffs which have been determined through a transparent process of Competitive Bidding. Section 63 of the Electricity Act 2003 provides as under:

"Notwithstanding anything contained in Section 62, the Appropriate Commission shall adopt the tariff if such tariff has been determined through transparent process of bidding in accordance with the guidelines issued by the Central Govt."

- 11) The National Tariff Policy, 2016 formulated by the Ministry of Power has given specific guidance on purchase of power generated from renewable energy sources. Section 6.4(2), of the National Tariff Policy provides as under:

"States shall endeavor to procure power from renewable energy sources through competitive bidding to keep the tariff low, except from the waste to energy plants. Procurement of power by Distribution Licensee from renewable energy sources, from Solar PV Power Projects above the notified capacity, shall be done through competitive bidding process, from the date to be notified by the Central Government. However, till such notification, any such procurement of power from renewable energy sources Projects, may be done under Section 62 of the Electricity Act, 2003."

- 12) The Central Government has, inter-alia, notified the following Guidelines under Section 63 of the Electricity Act 2003 relating to procurement of power from Renewable Energy Projects:

- (i) "Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects" issued by the Ministry of Power vide Resolution dated 03.08.2017 ('**Solar Guidelines**');
- (ii) "Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Wind Power Projects" issued by the Ministry of Power vide Resolution dated 08.12.2017 ('**Wind Guidelines**'); and
- (iii) "Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Wind Solar Hybrid Projects" issued by the Ministry of New & Renewable Energy vide O.M. dated 14.10.2020 ('**Wind-Solar Hybrid Guidelines**').

The Standard Bidding Documents are yet to be published by the Central Government under the above Guidelines. The copies of the Solar Guidelines dated 03.08.2017, Wind Guidelines dated 08.12.2017 and the Wind-Solar Hybrid Guidelines dated 14.10.2020, along with subsequent amendments and clarifications is attached hereto and marked as **Annexure 'I' ('Colly')**.

- 13) The above Guidelines (as amended) provide following conditions to be met by Procurer while issuing the tender documents:

i. **Clause 3.1.1 of the Solar Guidelines dated 03.08.2017:**

"3. PREPARATION FOR INVITING BID AND PROJECT PREPAREDNESS

.....

3.1.1 Bid Documentation

a) *Prepare the bid documents in accordance with these Guidelines and Standard Bidding Documents (SBDs) [consisting of Model Request for Selection (RfS) Document, Model Power Purchase Agreement and Model Power Sale Agreement], notified by the Central Government, except as provided in sub clause (c) below.*

b) *Inform the Appropriate Commission about the initiation of the bidding process.*

c) Seek approval of the Appropriate Commission for deviations, if any, in the draft RfS draft PPA, draft PSA (if applicable) from these Guidelines and/ or SBDs, in accordance with the process described in Clause 18 of these Guidelines.

- i. "However, till the time the SBDs are notified by the Central Government, for purpose of clarity, if the Procurer while preparing the draft RfS, draft PPA, draft PSA and other Project agreements provides detailed provisions that are consistent with the Guidelines, such detailing will not be considered as deviations from these Guidelines even though such details are not provided in the Guidelines.
- ii. Further, in case of an ongoing bidding process, if the bids have already been submitted by bidders prior to the notification of these Guidelines and/or SBDs, then if there are any deviations between these Guidelines and/or the SBDs and the proposed RfS, PPA, PSA (if applicable), the RfS, PPA and the PSA shall prevail."

ii. **Clause 5 of the Wind Guidelines dated 08.12.2017:**

5. PREPARATION FOR INVITING BID AND PROJECT PREPAREDNESS

The Procurer shall meet the following conditions:

5.1. Bid Documentation:

- a) Prepare the bid documents in accordance with these Guidelines and Standard Bidding Documents (SBDs) [consisting of Model Request for Selection (RfS) Document, Model PPA and Model PSA] notified by the Central Government, except as provided in sub clause (c) below.
- b) Inform the Appropriate Commission about the initiation of the bidding process.
- c) Seek approval of the Appropriate Commission for deviations, if any, in the draft RfS, draft PPA, draft PSA (if applicable) from these Guidelines

1. The first part of the paper is devoted to a discussion of the general principles of the theory of the structure of the atom.

2. In the second part, we shall consider the question of the influence of the external magnetic field on the structure of the atom.

3. The third part of the paper is devoted to a discussion of the question of the influence of the external electric field on the structure of the atom.

4. In the fourth part, we shall consider the question of the influence of the external magnetic field on the structure of the atom.

5. The fifth part of the paper is devoted to a discussion of the question of the influence of the external electric field on the structure of the atom.

6. In the sixth part, we shall consider the question of the influence of the external magnetic field on the structure of the atom.

7. The seventh part of the paper is devoted to a discussion of the question of the influence of the external electric field on the structure of the atom.

8. In the eighth part, we shall consider the question of the influence of the external magnetic field on the structure of the atom.

9. The ninth part of the paper is devoted to a discussion of the question of the influence of the external electric field on the structure of the atom.

10. In the tenth part, we shall consider the question of the influence of the external magnetic field on the structure of the atom.

11. The eleventh part of the paper is devoted to a discussion of the question of the influence of the external electric field on the structure of the atom.

12. In the twelfth part, we shall consider the question of the influence of the external magnetic field on the structure of the atom.

13. The thirteenth part of the paper is devoted to a discussion of the question of the influence of the external electric field on the structure of the atom.

14. In the fourteenth part, we shall consider the question of the influence of the external magnetic field on the structure of the atom.

15. The fifteenth part of the paper is devoted to a discussion of the question of the influence of the external electric field on the structure of the atom.

16. In the sixteenth part, we shall consider the question of the influence of the external magnetic field on the structure of the atom.

17. The seventeenth part of the paper is devoted to a discussion of the question of the influence of the external electric field on the structure of the atom.

18. In the eighteenth part, we shall consider the question of the influence of the external magnetic field on the structure of the atom.

19. The nineteenth part of the paper is devoted to a discussion of the question of the influence of the external electric field on the structure of the atom.

20. In the twentieth part, we shall consider the question of the influence of the external magnetic field on the structure of the atom.

and/ or SBDs, in accordance with the process described in Clause 22 of these Guidelines.

- i. However, till the time the SBDs are notified by the Central Government, for purpose of clarity, if the Procurer while preparing the draft RfS, draft PPA, draft PSA and other Project agreements provides detailed provisions that are consistent with the Guidelines, such detailing will not be considered as deviations from these Guidelines even though such details are not provided in the Guidelines.
- ii. Further, in case of an ongoing bidding process, if the bids have already been submitted by bidders prior to the notification of these Guidelines and/or SBDs, then if there are any deviations between these Guidelines and/or the SBDs and the proposed RfS, PPA, PSA (if applicable), the RfS, PPA and the PSA shall prevail.

iii. **Clause 6 of the Wind Solar Hybrid Guidelines dated 14.10.2020:**

6. PREPARATION FOR INVITING BID AND PROJECT PREPAREDNESS

The Procurer(s) shall meet the following conditions:

6.1. Bid Document:

It shall prepare the bid documents in accordance with these Guidelines. Any deviations from the Guidelines need to be approved by the appropriate Commission

- 14) The Petitioner on behalf of the four Distribution Companies in the State, which are its subsidiaries, has been conducting tendering process from time to time for procurement of grid connected renewable energy power from Renewable Energy Projects through Competitive Bidding (followed by e-reverse auction).

15) GUVNL has been entering into agreements for procurement of power from Wind and Solar energy projects through competitive bidding process conducted from time to time. Considering that with increasing share of renewable energy in the overall capacity mix, the issues of Grid Management are likely to increase in coming years, there is a need for progressively promoting grid connected Energy Storage Systems for large scale integration of RE with stability of grid. In view of the same, GUVNL desires to float the tender for purchase of 500 MW power from Renewable Energy sources with mandatory installation of Energy Storage Systems (ESS) for which the draft bidding documents containing RfS and PPA have been prepared which are placed herewith as **Annexure – 'II'**. The salient features of the draft bid documents are as under:

- (a) The procurement of power under the tender would be for 500 MW RE power with Co-located or Multi-located Energy Storage Systems wherein developer can install projects with one of the following **four** combinations.
 - (1) **Combination A** – Wind Power Projects with Co-located Energy Storage Systems
 - (2) **Combination B** – Solar Power Projects with Co-located Energy Storage Systems
 - (3) **Combination C** – Wind-Solar Hybrid Projects with Co-located Energy Storage Systems
 - (4) **Combination D – Generation and blending of power from separate Wind and/or Solar and/or Wind-Solar Hybrid sources along with ESS connected with the Grid at more than one interconnection points wherein installation of ESS is mandatory;**
- (b) In the aforesaid tender, the time periods from **05**-09 Hrs in the morning and 18-24 Hrs in the evening have been designated as peak hours. Out of these peak hours, 2 hours in morning and 4 hours in evening on each day would be selected by GUVNL/SLDC in which the developer will be mandatorily required to supply firm dispatchable power either from RE Projects or from ESS;

- (c) It will be mandatory for the developer to supply 3 MWh energy during peak periods for every 1 MW of contracted capacity for which the developer may install Battery Energy Storage Systems or Pump Storage Hydro Power Systems or any other Storage Systems along with RE project. However, the tender would be technology agnostic for ESS;
- (d) Peak power will be purchased at tariff discovered through competitive bidding whereas Off Peak power will be purchased at fixed rate of **Rs 2.57 / unit which is the rate worked out based on average of L1 rates for wind and solar power discovered previously in GUVNL's tenders.**
- (e) The tender documents have been prepared with a view to align the provisions of same to the Guidelines of tariff based competitive bidding issued by Government of India for purchase of power from respective RE sources i.e. Wind or Solar or Wind-Solar Hybrid Projects as there are no guidelines at present for procurement of power from Energy Storage Systems which are included as part of the RE project. The aspects of deviations from the Guidelines are discussed in the subsequent para.
- (f) **The developers can submit bids for combined / blended RE power from separate wind and/or solar and/or wind-solar hybrid projects along with ESS connected with the Grid at more than one interconnection points wherein installation of the ESS is mandatory and it shall be charged fully with RE power when it seeks to supply power to GUVNL.**
- (g) **Normally, In case of procurement of Solar and Wind power, GUVNL has been stipulating the condition of setting up of projects within Gujarat considering the socio-economic benefits of the projects. In such cases, the projects are allowed to be set up with connectivity with STU or CTU Sub-stations located in**

Gujarat. However, in the present case, developers have stated that Gujarat has a limited potential of Pump Storage Projects. Therefore, GUVNL has proposed to allow projects with ISTS connectivity located outside Gujarat in the present tender so that the tender becomes technology agnostic in real sense."

- 16) It is submitted that Central Government has recently notified the Guidelines under Section 63 of the Electricity Act 2003 for Procurement and Utilization of Battery Energy Storage Systems (BESS) as part of Generation, Transmission and Distribution assets, along with Ancillary Services vide notification dated 10.03.2022 which provides that in case of systems which contain RE generating stations along with BESS as a single Project (co-located or multi-located), the respective Standard Bidding Guidelines issued for procurement of power from Solar, Wind and Hybrid Power Projects, or the Unified Standard Bidding Guidelines, as issued by the Ministry of Power, shall be applicable. It is also provided in this Guidelines that the BESS may be charged by RE power or non RE power or through a combination of RE and non-RE power, however, when it seeks to supply RE power, it will need to be charged with RE power only. The tender documents of the present petition are in consonance with the provisions of the aforesaid Guidelines dated 10.03.2022.
- 17) It is submitted that the deviations from the Guidelines of the Central Government approved by Hon'ble Commission vide orders dated 15.03.2018 in Petition No. 1706 of 2018 & 1848 of 2019 in case of solar projects and vide order dated 15.03.2018 in Petition No. 1709 of 2018 in case of Wind projects have been included in the present bid documents prepared by Petitioner. Further, the provisions of "Change in Law" in the present tender are kept in line with the Petition no. 2069 of 2022 recently filed by GUVNL before Hon'ble Commission for approval of Change in Law clause in case of Solar Tenders which has been approved by the Hon'ble Commission vide Order dated 19.05.2022. In the present tender, the Change in Law clause of all three RE sources i.e. Wind or

Solar or Wind-Solar Hybrid are proposed to be kept uniform which will entail deviations from respective Guidelines. While approval for deviations from Central Government Guidelines for 'Change in Law' in case of Solar is already under process, the approval for the deviations in case of Wind and Wind-Solar Hybrid sources is sought under present petition.

- 18) While the all other provisions of the bid documents are in consonance with the Guidelines issued by Central Government read with deviations approved by Hon'ble Commission vide orders dated 15.03.2018 in Petition No. 1706 of 2018 & 1848 of 2019 in case of solar projects and vide order dated 15.03.2018 in Petition No. 1709 of 2018 in case of Wind projects, the Petitioner is seeking following deviations / modifications from the respective guidelines applicable to each RE source as detailed below.

18.1 Payment Security Fund: It is pertinent to mention that the Central Government Guidelines in all three cases of RE procurement provide for mandatory creation of payment security fund by procurers in favour of generators towards payment security in addition to Letter of Credit. In case of Wind and Solar projects, GUVNL has taken the approval of Hon'ble Commission for deviation from the provision of Payment Security Fund. However, in case of Wind-Solar Hybrid projects, GUVNL seeks approval of similar deviations from clause 8.4.1(ii) of the Wind Solar Hybrid Guidelines dated 14.10.2020 as amended vide OM dated 23.07.2021 issued by the Ministry of New and Renewable Energy, Government of India. Clause 8.4.1 of the Wind Solar Hybrid Guidelines reads as under.

"8.4.1 Scenario 1: Direct Procurement by Distribution Licensee from Hybrid Power Generator:

Distribution Licensee shall provide payment security to the Hybrid Power Generator through:

- (i) *Revolving Letter of Credit (LC) of an amount not less than 1 (one) months' average billing from the Project under consideration;*

AND

- (ii) Payment Security Fund, which shall be suitable to support payment for at least 3 (three) months' billing of all the Projects tied up with such fund;
- (iii) *In addition to (i) & (ii) above, Distribution Licensee may also choose to provide State Government Guarantee, in a legally enforceable form, ensuring that there is adequate security to the Hybrid Power Generator, both in terms of payment of energy charges and termination compensation if any."*

The Petitioner hereby seeks approval of Hon'ble Commission for the deviation from the clause 8.4.1 (ii) of the guidelines as the Petitioner is having good track record of making timely payment(s) by availing rebate on prompt payment prior to due date. Keeping of clause 8.4.1 (ii) of the Guidelines may lead to unnecessary blockage of funds and costs associated thereto and ultimately create burden on end consumers of the State and thus, it is not necessary in the Petitioner's case whose record for the payment to the generators is good. The above deviation proposed in case of Wind-Solar Hybrid sources is in line with deviations already approved in case of Solar and Wind sources.

18.2 Change in Law – The Change in Law clauses stipulated in the Guidelines issued by Central Government provide a broad scope in case of all three sources i.e., Solar, Wind and Wind-Solar Hybrid. The relevant clauses of the Guidelines are reproduced hereunder

- i. Clause 5.7 of the Solar Guidelines dated 03.08.2017- Change in Law:

"5.7.1 In the event a Change in Law results in any adverse financial loss/ gain to the Solar Power Generator then, in order to ensure that the Solar Power Generator is placed in the same financial position as it would have been had it not been for the occurrence of the Change in Law, the Solar Power Generator/ Procurer shall be entitled to compensation by the other party, as the case may be, subject to the condition that the quantum and mechanism of compensation payment shall be determined and shall be effective from such date as may be decided by the Appropriate Commission.

5.7.2. In these Guidelines, the term Change in Law shall refer to the occurrence of any of the following events after the last date of the bid submission, including (i) the enactment of any new law; or (ii) an amendment, modification or repeal of an existing law; or (iii) the requirement to obtain a new consent, permit or license; or (iv) any modification to the prevailing conditions prescribed for obtaining an consent, permit or license, not owing to any default of the Solar Power Generator; or (v) any change in the rates of any Taxes which have a direct effect on the Project. However, Change in Law shall not include any change in taxes on corporate income or any change in any withholding tax on income or dividends."

ii. **Clause 7.8 of the Wind Guidelines dated 08.12.2017- Change in Law:**

"5.7.1 In the event a Change in Law results in any adverse financial loss/ gain to the WPG then, in order to ensure that the WPG is placed in the same financial position as it would have been had it not been for the occurrence of the Change in Law, the WPG/ Procurer shall be entitled to compensation by the other party, as the case may be, subject to the condition that the quantum and mechanism of

compensation payment shall be determined and shall be effective from such date as may be decided by the Appropriate Commission.

5.7.2. In these Guidelines, the term Change in Law shall refer to the occurrence of any of the following events after the last date of the bid submission, including (i) the enactment of any new law; or (ii) an amendment, modification or repeal of an existing law; or (iii) the requirement to obtain a new consent, permit or license; or (iv) any modification to the prevailing conditions prescribed for obtaining an consent, permit or license, not owing to any default of the Solar Power Generator; or (v) any change in the rates of any Taxes which have a direct effect on the Project. However, Change in Law shall not include any change in (a) taxes on corporate income or any change in any withholding tax on income or dividends; and (b) Custom duty on imported equipment"

iii. **Clause 8.5 of the Wind-Solar Hybrid Guidelines dated 14.10.2020-
Change in Law:**

"8.5.1 In the event a change in Law results in any increase or decrease in the cost of generation, the said increase / decrease in cost shall be passed on in tariff in the following manner:

(a) For the purpose of ensuring that the pass through happens in an expeditious manner within 30 days of the Change in Law event, the following formula may be followed:-

Let Financial Impact of Change in Law = P;

Then, the modification in PPA tariff (M.T.) for compensating the financial impact is given

by

$$M.T. = Y/X$$

Where, X = estimated monthly electricity generation (in kWh) = $(1/12)$ [contracted capacity of the RE power plant as per PPA (in MW) x Annual CUF declared in PPA (in %) x 8760 hours x 10];

and

$$Y = [(PxMr)\{(1+Mr)^n\}] / [\{(1+Mr)^n\} - 1]$$

Where,

n = no. of months over which the financial impact has to be paid; and

Mr = monthly rate of interest =; where R = annual rate of interest on loan component (in %) as considered by Central Electricity Regulatory Commission (CERC) in its Order for Tariff determination from Renewable Energy Sources for the year in which the project is commissioned. In absence of relevant CERC Orders for the concerned year, the interest rate shall be average interest rate plus 200 basis points above the average State Bank of India Marginal Cost of Funds based leading rate (MCLR of one year tenor) prevalent during the last available six months for such period.

Further, the $M.T.$ shall be trued up annually based on actual generation of the year so as to ensure that the payment to the Generator is capped at the yearly annuity amount.

(b) The pass through according to the formula stipulated above shall be calculated and shall come into effect automatically after 30 days of the Change in Law event.

(c) *Within 30 days of the pass through coming into effect the Generator/ Intermediary procurer/ Procurer shall submit the relevant documents/calculation sheets to the Appropriate Commission for truing up the rate of pass through per unit.*

(d) *The Appropriate Commission shall verify the calculation and do the truing up within 60 days of the pass through coming into effect after which the rates of pass through shall be adjusted if necessary according to the truing up.*

8.5.2. *In case change in Law / Regulations results in delay in commissioning, where cause and effect between these two can be clearly established, the Intermediary Procurer may provide suitable extension to commissioning of the project.*

8.5.3. *In these Guidelines, the term 'Change in Law' shall refer to the occurrence of the following events, after the last date of the bid submission, (i) the enactment of any new Law; or (ii) an amendment, modification or repeal of an existing Law; or (iii) the requirement to obtain a new consent, permit or license; or (iv) any modification to the prevailing conditions prescribed for obtaining a consent, permit or license, not owing to any default of the Generator; or (v) any change in the rates of any taxes which have a direct effect on the Project.*

However, Change in Law shall not include any change in taxes on corporate income or any change in any withholding tax on income or dividends."

It is submitted that the above Change in Law clauses of the Guidelines are likely to result into frequent litigations / petitions by generators seeking relief by using this provision as an instrument for tariff revision /

redetermination of tariff. Further, the above provisions create uncertainty in tariff to DISCOMs and ultimately to end consumers as scope of Change in Law is too wide making it ambiguous to figure out the implications thereof. Moreover, the Change in Law provisions are proposed to be kept uniform for all three combinations so as to provide similar dispensation.

In view of above, instead of the above Clauses stipulated in the Guidelines, the petitioner proposes the following Change in Law clause under Article 12 of the draft PPA which would be uniform for all three sources.

"ARTICLE 12: CHANGE IN LAW

11.1 Definition

11.1.1 "Change in Law" shall refer to the occurrence of any of the following events notified after the Bid Deadline.

- a) *the enactment, bringing into effect, adoption, promulgation, amendment, modification or repeal, of any statute, decree, ordinance or other law, regulations, notice, circular, code, rule or direction by Governmental Instrumentality or a change in its interpretation by a Competent Court of law, tribunal, government or statutory authority or any of the above regulations, taxes, duties charges, levies etc. that results in any change with respect to any tax or surcharge or cess levied or similar charges by the Competent Government on the generation of electricity (leviable on the final output in the form of energy) or sale of electricity.*
- b) *Introduction / modification / changes in rates of safeguard duty and/or anti-dumping duty and/or custom duty and or Goods and Services Tax including surcharge thereon which have direct effect on the Project cost.*

11.2 Relief for Change in Law

11.2.1 In case Change in Law on account of 9.1.1 (a) above results in the HPD's costs directly attributable to the Project being decreased or increased by one percent (1%), of the estimated revenue from the Electricity for the Contract Year for which such adjustment becomes applicable or more, during Operation Period, the Tariff Payment to the HPD shall be appropriately increased or decreased with due approval of GERC.

11.2.2 In case of Change in Law on account of 9.1.1 (b) above, the HPD shall be allowed an increase / decrease in tariff of 1 paise / unit for every increase / decrease of Rs. 2 Lakh per MW in the Project Cost incurred up to the Scheduled Commercial Operation Date upon submission of proof of payment made by the HPD towards safeguard duty and/or anti-dumping duty and/or custom duty and or Goods and Services Tax to the concerned Authority and with due approval of GERC. The increase / decrease in tariff due to change in cost of solar PV modules shall be limited to actual DC capacity or 150% (One hundred & fifty percent) of contracted AC capacity, whichever is lower.

11.2.3 The HPD / GUVNL or the HPD, as the case may be, shall provide the other Party with a certificate stating that the adjustment in the Tariff Payment is directly as a result of the Change in Law and shall provide supporting documents to substantiate the same and such certificate shall correctly reflect the increase or decrease in costs.

11.2.4 The revised tariff shall be effective from the date of such Change in Law as approved by GERC."

18.3 Force Majeure and Delay in Commissioning on account of Delay in LTA operationalization

The guidelines issued by Central Government for procurement of power from Wind, Solar and Wind-Solar Hybrid sources provide different Force Majeure provisions as detailed below. *Further, the Central Government guidelines provide the provisions relating to issue of Delay in Commissioning of Project on account of delay in LTA Operationalization. All the above provisions are detailed below.*

Clause 7.5 of Wind Guidelines – Force Majeure

"Force Majeure: *The PPA shall contain provisions with regard to force majeure definitions, exclusions, applicability and available relief on account of force majeure as per the industry standards. The WPG shall intimate the Procurer about the occurrence of force majeure within 15 (fifteen) days of the start of the force majeure and the Procurer shall take a decision on his claim within 15 days of receipt of the intimation.*

Government of India from time to time issues order for waiver of inter-state transmission system (ISTS) charges & losses on transmission of wind power till a certain date. In case the SCD of wind project is before the date till above ISTS waiver is applicable, and if the commissioning of the wind power gets delayed beyond applicable date of ISTS waiver due to force majeure event, the liability of transmission charges & losses would be shared between the WPG and procurers in ratio of 50:50. However, in case of commissioning of the wind project gets delayed beyond the applicable date of ISTS waiver due to reasons attributable to the WPG the liability of transmission charges and losses would be of WPG."

Clause 8.6 of Wind Solar Hybrid Guidelines – Force Majeure

"Force Majeure: *The PPA shall contain provisions with regard to force majeure definitions, exclusions, applicability and available relief on*

account of force majeure as per the industry standards. The HPG shall intimate the Procurer about the occurrence of force majeure within 15 (fifteen) days of the start of the force majeure and the Procurer shall take a decision on his claim within 15 days of receipt of the intimation.

Clause 5.4 of the Solar Guidelines – Force Majeure

Clause 5.4 of the Guidelines issued by Central Government vide notification dated 03.08.2017 read with amendment dated 22.10.2019 provides detailed provisions regarding Force Majeure including definition of Force Majeure, Categorization of Force Majeure events into natural and non-natural Force Majeure events, Force Majeure exclusions, Notification of Force Majeure event, Performance & Liability related clauses and termination due to Force Majeure. The Hon'ble Commission vide order dated 13.01.2020 in Petition No. 1848 / 2019 has already approved deviations from the aforesaid provisions of Guidelines and therefore the clauses of Guidelines are not reproduced for the sake of brevity.

Clause 17.4 of the Wind-Solar Hybrid Guidelines - Delay in Commissioning on account of delay in LTA Operationalization:

Long Term/ Medium Term/Short Term Access shall be required to be submitted by the Generator prior to commissioning of the Project. However, for sale of power to procurer from SCD, the hybrid power generator shall have LTA. The ISTS/ InSTS substation at the Delivery Point and the power evacuation and transmission infrastructure of the ISTS/ InSTS network, with which the generator applies for connectivity, should be scheduled for completion on or before the SCD of the concerned hybrid project so as to match the two timelines. Subject to

adherence to this, subsequent to grant of connectivity, in case there is a delay in grant/operationalisation of LTA by the CTU/STU and/or there is a delay in readiness of the ISTS/ InSTS substation at the Delivery Point, including readiness of the power evacuation and transmission infrastructure of the ISTS/ InSTS network until SCD of the Project, and it is established that:

- i. The Generator has complied with the complete application formalities as per the Connectivity Procedure and the ISTS/ InSTS substation at the Delivery Point and the power evacuation and transmission infrastructure of the ISTS/ InSTS network, with which the Generator had applied for connectivity, was scheduled for completion on or before the SCD of the concerned hybrid project
- ii. The Generator has adhered to the applicable Procedure in this regard as notified by the CERC/ SERC/JERC/CTU/STU, and
- iii. The delay in grant of connectivity/ LTA by the CTU/STU and/or delay in readiness of the ISTS/INSTS substation at the Delivery Point, including readiness of the power evacuation and transmission infrastructure of the ISTS INSTS network, is a factor solely attributable to the STU/ CTU/ transmission licensee and is beyond the control of the Generator;

The above shall be treated as delays beyond the control of the Generator and such Projects shall be eligible for suitable time extension in their SCD”.

Instead of the above clauses of Force Majeure provided in the respective guidelines of procurement of power from Wind, Solar and Wind-Solar Hybrid sources issued by Central Government, Petitioner proposes the following clauses in relation to 'Force Majeure' to be kept uniform for all four combinations so as to provide similar dispensation and also to consider the Delay in commissioning of project on account of Delay in LTA operationalization as an event of Force Majeure.

Force Majeure clause proposed by Petitioner

"ARTICLE 11: FORCE MAJEURE

11.3 Force Majeure Events

- a) *Neither Party shall be responsible or liable for or deemed in breach hereof because of any delay or failure in the performance of its obligations hereunder (except for obligations to pay money due prior to occurrence of Force Majeure events under this Agreement) or failure to meet milestone dates due to any event or circumstance (a "Force Majeure Event") beyond the reasonable control of the Party experiencing such delay or failure, including the occurrence of any of the following:*
 - i) *acts of God;*
 - ii) *typhoons, floods, lightning, cyclone, hurricane, drought, famine, epidemic, plague or other natural calamities;*
 - iii) *acts of war (whether declared or undeclared), invasion or civil unrest;*
 - iv) *any requirement, action or omission to act pursuant to any judgment or order of any court or judicial authority in India (provided such requirement, action or omission to act is not due to the breach by the Power Producer or GUVNL of any Law or any of their respective obligations under this Agreement);*

- v) *inability despite complying with all legal requirements to obtain, renew or maintain required licenses or Legal Approvals;*
- vi) *earthquakes, explosions, accidents, landslides; fire;*
- vii) *expropriation and/or compulsory acquisition of the Project in whole or in part by Government Instrumentality;*
- viii) *chemical or radioactive contamination or ionizing radiation; or*
- ix) *damage to or breakdown of transmission facilities of GETCO/ DISCOMs;*
- x) *Exceptionally adverse weather condition which are in excess of the statistical measure of the last hundred (100) years.*
- xi) *The delay in grant of connectivity/LTA, if applicable, by the CTU / STU and/or delay in readiness of the ISTS / InSTS substation at the Delivery Point, including readiness of the power evacuation and transmission infrastructure of the ISTS / InSTS network, will be considered as a factor attributable to the CTU / STU / transmission licensee and beyond the control of the Parties subject to the following;*
 - (a) *The ISTS / InSTS sub-station at the Delivery Point and the power evacuation and transmission infrastructure of the ISTS / InSTS network, with which the Project Developer applies for connectivity, shall be scheduled for completion on or before the SCOD of the concerned Project so as to match the two timelines.*
 - b) *Subject to adherence to above, subsequent to grant of connectivity, in case there is a delay in grant / operationalization of connectivity / LTA by CTU / STU and/or there is a delay in readiness of the ISTS*

/ InSTS sub-station at the delivery point, including readiness of the power evacuation & transmission infrastructure of the ISTS / InSTS network until SCOD of the project and it is established that;

c) The Power Producer has complied with the complete application formalities as per the connectivity procedure(s) and the ISTS / InSTS sub-station at the delivery point at the power evacuation and transmission infrastructure of the ISTS / InSTS Network with which the Power Producer had applied for connectivity, was scheduled for completion on or before the SCOD of the project and;

d) The Power Producer has adhered to the applicable procedure in this regard as notified by the CERC / GERC / CTU / STU and;

e) The delay in grant of connectivity / LTA by CTU / STU and / or delay in readiness of the ISTS / InSTS sub-station at the delivery point, including readiness of the power evacuation and transmission infrastructure of the ISTS / InSTS Network, is a factor solely attributable to CTU / STU / transmission licensee and is beyond the control of the Parties;

b) **Force Majeure Exclusions:** Force Majeure shall not include the following conditions, except to the extent that they are consequences of an event of Force Majeure:

1. Unavailability, Late Delivery or Change in cost of plants and machineries, equipment, materials, spares parts or consumables for the project;

2. *Delay in performance of any contractor / sub contractor or their agents;*
 3. *Non performance resulting from normal wear and tear experience in power generation materials and equipments;*
 4. *Strike or Labour Disturbances at the facilities of affected parties;*
 5. *Insufficiency of finances or funds or the agreement becoming onerous to perform, and*
 6. *Non performance caused by, or concerned with, the affected party's*
 - I. *Negligent and intentional acts, errors or omissions;*
 - II. *Failure to comply with Indian law or Indian Directive; or*
 - III. *Breach of, or default under this agreement or any Project agreement or Government agreement.*
- c) *The affected Party shall give notice to other party of any event of Force Majeure as soon as reasonably practicable, but not later than 7 days after the date on which such Party knew or should reasonably have known of the commencement of the event of Force Majeure. If any event of Force Majeure results in a breakdown of communication rendering it not reasonable to give notice within the applicable time limit specified herein, then the party claiming Force Majeure shall give notice as soon as reasonably practicable after reinstatement of communication, but not later than one day after such reinstatement. Such notice shall include full particulars of the event of Force Majeure, its effects on the Party claiming relief and the remedial measures proposed, and the Affected Party shall give the other Party regular (and not less than monthly) reports on the progress of those remedial measures and such other information as the other party may reasonably request about the situation.*
- d) *The affected Party shall give notice to the other Party of (1) cessation of relevant event of Force Majeure; and (2) cessation of*

the effects of such event of Force Majeure on the performance of its rights or obligations under this agreement, as soon as practicable after becoming aware of each of these cessations.

e) To the extent not prevented by a Force Majeure event, the affected party shall continue to perform its obligations pursuant to this agreement. The affected party shall use its reasonable efforts to mitigate the effect of any event of Force Majeure as soon as practicable.

11.4 Available Relief for a Force Majeure Event:

No Party shall be in breach of its obligations pursuant to this agreement to the extent that the performance of its obligations was prevented, hindered or delayed due to a Force Majeure event. However, adjustment in tariff shall not be allowed on account of Force Majeure event.

For avoidance of doubt, neither Party's obligation to make payments of money due and payable prior to occurrence of Force Majeure events under this Agreement shall be suspended or excused due to the occurrence of a Force Majeure Event in respect of such Party."

The event specified at Article 8.1(a)(xi) above and consequent delay shall be treated as delay beyond the control of the parties and both parties shall be eligible for suitable time extension in the SCOD.

1) The Petitioner hereby seeks approval of Hon'ble Commission for the deviation from the respective Force Majeure clauses provided in the Guidelines issued by Central Government and approve the clause proposed by Petitioner as detailed above. It is to mention that Hon'ble GERC vide order dated 15.03.2018 in Petition No. 1706 / 2018

has already approved the similar Force Majeure clauses in respect of procurement of solar power sans the issue of LTA operationalization which is the additional issue for which the approval of the Hon'ble Commission is sought.

"17.4. Delay in Commissioning on account of delay in LTA Operationalization:

Long Term/ Medium Term/Short Term Access shall be required to be submitted by the Generator prior to commissioning of the Project. However, for sale of power to procurer from SCD, the hybrid power generator shall have LTA. The ISTS/ InSTS substation at the Delivery Point and the power evacuation and transmission infrastructure of the ISTS/ InSTS network, with which the generator applies for connectivity, should be scheduled for completion on or before the SCD of the concerned hybrid project so as to match the two timelines. Subject to adherence to this, subsequent to grant of connectivity, in case there is a delay in grant/operationalisation of LTA by the CTU/STU and/or there is a delay in readiness of the ISTS/ InSTS substation at the Delivery Point, including readiness of the power evacuation and transmission infrastructure of the ISTS/ InSTS network until SCD of the Project, and it is established that:

- i. The Generator has complied with the complete application formalities as per the Connectivity Procedure and the ISTS/ InSTS substation at the Delivery Point and the power evacuation and transmission infrastructure of the ISTS/ InSTS network, with which the Generator had applied for connectivity, was scheduled for completion on or before the SCD of the concerned hybrid project*
- ii. The Generator has adhered to the applicable Procedure in this regard as notified by the CERC/ SERC/JERC/CTU/STU, and*

iii. The delay in grant of connectivity/ LTA by the CTU/STU and/or delay in readiness of the ISTS/INSTS substation at the Delivery Point, including readiness of the power evacuation and transmission infrastructure of the ISTS INSTS network, is a factor solely attributable to the STU/ CTU/ transmission licensee and is beyond the control of the Generator;

The above shall be treated as delays beyond the control of the Generator and such Projects shall be eligible for suitable time extension in their SCD".

In the tendering process proposed by GUVNL, the projects can be connected with STU sub-stations or CTU sub-stations. However, the delivery point is proposed at GETCO Periphery and all transmission charges & losses upto delivery point are to be borne by the project developers. Further, the changes in transmission charges & losses are not covered under 'Change in Law' provisions and the bidders are required to take into consideration the transmission charges & losses upto delivery point while placing bids.

As per the provisions stipulated in the guidelines issued by Central Government as mentioned above for procurement of power from Wind-Solar Hybrid sources, in case the developer chooses an under construction sub-station and if there is a delay in commissioning of the sub-station, the corresponding extension shall be given to the developer in timeline for commissioning of the project. These provisions are likely to result into uncertainties regarding commissioning timelines of various RE projects and disputes regarding time period extension particularly in case of projects connected with ISTS Grid on which the State Government agencies have no control.

It is pertinent to mention that in case of projects connected to STU grid, GETCO is required to publish a list of already commissioned sub-stations

and sub-stations which are in advanced stages having spare capacity of RE integration and bidders may choose their sub-station from such list published by GETCO. Since, the connectivity is granted in existing sub-stations / sub-stations in advanced stages, the issues of delay & consequent extension do not arise in case of STU connectivity. However, in case of CTU connectivity, it is proposed in the tender that the bidders are required to choose their sub-station considering physical progress of sub-station to avoid the issues of delay & extension and the delay in commissioning of the sub-station will not be a ground for extension in the project timelines.

In view of above and in order to avoid the delay in commissioning of projects which adversely affects all the stakeholders including project developer, procurer and consumers, Petitioner hereby proposes exemption from the above clause 17.4 of the Wind-Solar Hybrid Guidelines. Instead of the same, the following clause is proposed to be incorporated in the bid documents.

"The HPD shall apply due diligence while identifying the STU / CTU substations and applying for connectivity, with reference to bay availability and/or timelines of commissioning of planned GETCO / CTU infrastructure as well as physical progress of the sub-station works. GUVNL does not assume any responsibility in this above mentioned process of ascertaining availability at the GETCO / CTU substations and grant of connectivity. The delay in commissioning of the sub-station will not be a ground for extension in the project timelines."

The Petitioner hereby seeks approval of Hon'ble Commission for the deviation from the clause 17.4 of the guidelines issued by Central Government for procurement of power from Wind-Solar Hybrid projects and approve the clause proposed by Petitioner as detailed above.

- 19) The Petitioner has filed the present petition for approval of deviations from the guidelines issued by Central Government for procurement of respective RE

Source i.e. Wind along with co-located ESS, Solar along with co-located ESS and Wind-Solar Hybrid along with co-located or multi-located ESS in accordance with the provisions of the respective guidelines and for approval of bidding documents.

20) It is humbly submitted that the Hon'ble Commission may accord approval to the Draft Bidding Documents along with the proposed deviations in order to enable the Petitioner to initiate the process of inviting tenders from time to time for procurement of power from RE sources with mandatory installation of ESS. The bidding documents have been revised and finalized in light of discussions during pre-bid meeting. The record of discussions during pre-bid is appended herewith as Annexure III. The statement showing the revisions made in the Bid Documents is appended herewith as Annexure IV.

21) **PRAYER:**

The Petitioner most respectfully prays that this Hon'ble Commission maybe pleased to:

- a) To admit the present Petition;
- b) To approve the deviations from the Solar Guidelines dated 03.08.2017, Wind Guidelines dated 08.12.2017 and the Wind-Solar Hybrid Guidelines dated 14.10.2020 issued by Central Government for procurement of power from Wind, Solar and Wind-Solar Hybrid including modifications, as proposed by Petitioner as per details stated at para 18 of the present petition;
- c) To approve the Draft Bidding Document (RFS and PPA) annexed with the Petition as Annexure II;
- d) To allow Petitioner to issue a fresh tender with the proposed deviations as an interim measure during pendency of the petition and the aforesaid tender

may be concluded & opened only after final decision of Hon'ble Commission in the matter and in accordance with the directives of Hon'ble Commission;

- e) To condone any inadvertent omissions / errors / shortcomings and permit the petitioner to make addition / change / modification / alter this filing and make further submissions as may be required at a future date;
- f) To crave relief for filing any further submissions;
- g) Pass any other Order as the Hon'ble Commission may deem fit and appropriate under the circumstances of the case, to avoid further delay and in the interest of justice.



GUJARAT URJA VIKAS NIGAM LIMITED
PETITIONER

DATED: 26.12.2022
PLACE: VADODARA

DECLARATION

Declaration that subject matter of the Petition has not been raised by the Petitioner before any other competent forum and that no other competent forum is currently seized of the matter or has passed any order in relation thereto.



GUJARAT URJA VIKAS NIGAM LIMITED
PETITIONER

DATED: 26.12.2022
PLACE: VADODARA

रजिस्ट्री सं० डी० एल०-33004/99

REGD. NO. D. L.-33004/99



भारत का राजपत्र The Gazette of India

असाधारण

EXTRAORDINARY

भाग I—खण्ड 1

PART I—Section 1

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 196]

नई दिल्ली, बृहस्पतिवार, अगस्त 3, 2017/श्रावण 12, 1939

No. 196]

NEW DELHI, THURSDAY, AUGUST 3, 2017/ SRAVANA 12, 1939

विद्युत मंत्रालय

संकल्प

नई दिल्ली, 3 अगस्त, 2017

ग्रिड कनेक्टिड सोलर पीवी विद्युत परियोजनाओं से टैरिफ आधारित प्रतिस्पर्धात्मक बोली प्रक्रिया के ज़रिए बिजली की खरीद के लिए दिशा-निर्देश

संख्या 23/27/2017-R&R.— 1.प्रस्तावना

1.1. पृष्ठभूमि

1.1.1. भारत में विद्युत उद्योग में प्रतिस्पर्धा को प्रोत्साहित करना विद्युत अधिनियम, 2003, ('अधिनियम') के महत्वपूर्ण लक्ष्यों में से एक है। वितरण लाइसेंसियों के लिए बिजली की खरीद लागत सबसे बड़ा लागत घटक है। वितरण लाइसेंसियों द्वारा बिजली की प्रतिस्पर्धात्मक खरीद से विद्युत की खरीद की समग्र लागत में कमी आने की संभावना है और इससे विद्युत बाजारों के विकास में मदद मिलेगी। अंतर्राष्ट्रीय स्तर पर, बिजली के थोक बाजारों में प्रतिस्पर्धा से विद्युत के दामों में कमी आयी है और उपभोक्ताओं को महत्वपूर्ण लाभ पहुंचा है।

1.1.2. अधिनियम की धारा 61 और 62 एक समुचित आयोग द्वारा शुल्क नियमन और उत्पादन, पारेषण, संचालन शुल्क और बिजली की खुदरा बिक्री के निर्धारण की व्यवस्था करती है। विद्युत अधिनियम 2003 की धारा 178(2) के साथ पठित धारा 61 के परन्तुक के अनुसार नवीकरणीय ऊर्जा स्रोतों से टैरिफ निर्धारण के लिए नियम एवं शर्तें तय करने के लिए केन्द्रीय विद्युत नियामक आयोग (सीईआरसी) द्वारा विनियम, 2012 बनाए गए। इसके अतिरिक्त धारा 63 में कहा गया है कि—

“धारा 62 में किसी बात के होते हुए भी, समुचित आयोग शुल्क को मंजूरी दे सकता है, बशर्ते शुल्क का निर्धारण केन्द्र सरकार द्वारा जारी दिशा-निर्देशों के अनुसार पारदर्शी बोली प्रक्रिया के ज़रिए किया गया हो।”

1.1.3. विद्युत अधिनियम की धारा 10 में प्रावधान है कि उत्पादक कंपनी अधिनियम और इसके अंतर्गत बनाए गए नियमों और विनियमों के अनुसार किसी लाइसेंसि को विद्युत आपूर्ति कर सकती है और धारा 42 की उपधारा (2) के अंतर्गत बनाए गए नियमों के अधीन, किसी उपभोक्ता को विद्युत आपूर्ति कर सकती है।

- 1.1.4 विद्युत मंत्रालय द्वारा तैयार की गई राष्ट्रीय शुल्क नीति, 2016 में नवीकरणीय ऊर्जा स्रोतों से उत्पादित विद्युत की खरीद के बारे में विशेष दिशा-निर्देश दिए गए हैं। इस नीति की धारा 6.4(2) के अनुसार, "राज्य शुल्क कम रखने के लिए, कचरे से ऊर्जा बनाने वाले संयंत्रों को छोड़ कर, नवीकरणीय ऊर्जा स्रोतों से प्रतिस्पर्धात्मक बोली के जरिए बिजली खरीदने का प्रयास करेंगे। वितरण लाइसेंसी द्वारा नवीकरणीय ऊर्जा स्रोतों, अधिसूचित क्षमता से अधिक सोलर पीवी पॉवर परियोजनाओं से बिजली की खरीद, केंद्र सरकार द्वारा अधिसूचित तारीख से प्रतिस्पर्धात्मक बोली प्रक्रिया के जरिए की जाएगी। परंतु, ऐसी अधिसूचना जारी होने तक, नवीकरणीय ऊर्जा स्रोत परियोजनाओं से विद्युत की ऐसी कोई खरीद, विद्युत अधिनियम, 2003 की धारा 62 के अंतर्गत की जा सकती है।"

1.2 लक्ष्य

- 1.2.1 इन दिशा-निर्देशों के विशेष लक्ष्य नीचे दिए गए हैं:

- क) वितरण लाइसेंसियों द्वारा सोलर पीवी पावर संयंत्रों से विद्युत की प्रतिस्पर्धात्मक खरीद को बढ़ावा देना ताकि उपभोक्ताओं के हितों की रक्षा की जा सके;
- ख) खरीद प्रक्रियाओं में पारदर्शिता और निष्पक्षता में सहायता पहुंचाना और दीर्घावधि की अंतर-राज्य/राज्यांतरिक विद्युत खरीद-फरोख्त के लिए एक एग्जिगेटर/ट्रेडर के रूप में मध्यस्थ खरीदार के लिए एक फ्रेमवर्क प्रदान करना;
- ग) प्रक्रियाओं में मानकीकरण और समानता लाना और विभिन्न हितभागियों के बीच एक जोखिम-साझा करने वाला फ्रेमवर्क कायम करना, जो सोलर पीवी पॉवर विद्युत खरीद में शामिल हों, और इस तरह निवेश को प्रोत्साहित करना, परियोजनाओं के लिए बैंक सहायता में बढ़ोतरी करना और निवेशकों के लिए लाभप्रदता कायम करना।

2. दिशा-निर्देशों का क्षेत्र

2.1 दिशा-निर्देशों की प्रयोज्यता

- 2.1.1 ये दिशा-निर्देश विद्युत अधिनियम, 2003 की धारा 63 के प्रावधानों के अंतर्गत 'खरीदारों' द्वारा 5 मेगावाट और उससे अधिक आकार की ग्रिड कनेक्टेड सोलर पीवी विद्युत परियोजनाओं ('परियोजनाओं') से प्रतिस्पर्धात्मक बोली के जरिए विद्युत की दीर्घावधि खरीद के लिए जारी किए जा रहे हैं।

स्पष्टीकरण

- क) 'खरीदार' : 'खरीदार' शब्द का अर्थ संदर्भ के अनुसार, वितरण लाइसेंसी या अधिकृत प्रतिनिधि, या कोई मध्यस्थ खरीदार है।
- ख) 'खरीदार का अधिकृत प्रतिनिधि' : इन दिशा निर्देशों के अनुसार, ऐसे मामलों में, जहां विद्युत खरीद समझौता हस्ताक्षर करने वाली एजेंसी और निविदा/बोली प्रक्रिया संचालित करने वाली एजेंसी अलग-अलग हों, निविदा/बोली प्रक्रिया को संचालित करने वाली एजेंसी 'खरीदार' की अधिकृत प्रतिनिधि समझी जाएगी और बोली चरण के दौरान खरीदार पर लागू होने वाले सभी दायित्व पूरे करने के लिए जिम्मेदार होगी।
- ग) 'मध्यस्थ खरीदार' और 'अंतिम खरीदार' :
- कुछ मामलों में विभिन्न सौर विद्युत उत्पादकों से खरीदी गई सौर विद्युत को एकत्रित करने और उसे वितरण लाइसेंसी को बेचने, अथवा क्रेडिट प्रोफाइल बढ़ाने के लिए वितरण लाइसेंसी और उत्पादक ('सौर विद्युत उत्पादक') के बीच, एक मध्यस्थ, की आवश्यकता हो सकती है। इन दिशा-निर्देशों के प्रयोजन के लिए, ऐसे मामलों में, "खरीदार" एक व्यापारी होगा, जो सौर विद्युत उत्पादकों से बिजली खरीदेगा और उसे एक या अधिक वितरण लाइसेंसियों को बेचेगा, ऐसे में बिजली खरीदने वाले वितरण लाइसेंसी "अंतिम खरीदार" होंगे और व्यापारी "मध्यस्थ खरीदार" कहलाएगा।
 - मध्यस्थ खरीदार सौर विद्युत उत्पादक के साथ पीपीए पर हस्ताक्षर करेगा और साथ ही अंतिम खरीदार के साथ भी विद्युत बिक्री समझौते (पीएसए) पर हस्ताक्षर करेगा। पीएसए में पीपीए के सम्बद्ध प्रावधान एक के बाद एक शामिल होंगे। अंतिम खरीदार द्वारा मध्यस्थ खरीदार को समुचित आयोग द्वारा अधिसूचित (अथवा ऐसी अधिसूचना के अभाव में मध्यस्थ खरीदार और अंतिम खरीदार द्वारा आपसी सहमति से तय की गई) दर से व्यापारिक लाभ प्रदान किया जाएगा।

- iii) ऐसे मामलों में मध्यस्थ खरीदार जहां तक सौर बिजुत की खरीद के लिए इन दिशा निर्देशों का अनुपालन करेगा, उस सीमा तक यह समझा जाएगा कि सौर बिजुत की खरीद के लिए अंतिम खरीदार द्वारा इन नियमों का अनुपालन किया जा रहा है।

2.1.2 इन दिशा निर्देशों में जब तक स्पष्ट रूप से निर्दिष्ट न हो, इन दिशा निर्देशों के प्रावधान खरीदार/मध्यस्थ खरीदार/अंतिम खरीदार और खरीदार के अधिकृत प्रतिनिधि पर लागू होंगे। इन दिशा निर्देशों से किसी प्रस्तावित विचलन के मामले में अपनाई जाने वाली प्रक्रिया इन दिशा निर्देशों के खंड 18 में निर्दिष्ट की गई है।

2.2 समुचित आयोग

2.2.1 अधिनियम के प्रावधानों के अधीन:

- क) एकल वितरण लाइसेंसी खरीदार होने के मामले में, इन दिशा निर्देशों के प्रयोजन के लिए, समुचित आयोग, उस राज्य का राज्य बिजुत नियामक आयोग होगा, जहां वितरण लाइसेंस स्थित है।
- ख) संयुक्त खरीदार के मामले में जहां, वितरण लाइसेंसी एक राज्य से अधिक राज्यों में स्थित हो, इन बोली दिशा निर्देशों के प्रयोजन के लिए समुचित आयोग, केंद्रीय बिजुत नियामक आयोग होगा।
- ग) केंद्रीय उत्पादक स्थलों से बिजली की बिक्री संबंधी मामलों के लिए, समुचित आयोग केंद्रीय बिजुत नियामक आयोग होगा।

3. बोली आमंत्रित करने की तैयारी और परियोजना की तैयारी

3.1 खरीदार द्वारा पूरी की जाने वाली शर्तें

खरीदार निम्नांकित शर्तें पूरी करेगा:

3.1.1 बोली दस्तावेज तैयार करना:

- क) नीचे खंड (ग) में निर्दिष्ट के सिवाए इन दिशा निर्देशों और केंद्र सरकार द्वारा अधिसूचित मानक बोली दस्तावेज (एसबीडीज़) के अनुसार बोली दस्तावेज (जिनमें माडल रिक्वेस्ट फार प्रोपोज़ (आरएफएस) दस्तावेज, आवर्ष बिजुत खरीद समझौता और आवर्ष बिजुत बिक्री समझौता शामिल होगा) तैयार करेगा।
- ख) बोली प्रक्रिया आमंत्रित करने के बारे में समुचित आयोग को सूचित करेगा।
- ग) इन दिशा निर्देशों के खंड 18 में वर्णित प्रक्रिया के अनुसार आरएफएस के मसौदे, पीपीए के मसौदे, पीएसए के मसौदे में इन दिशा निर्देशों और एसबीडीज़ से कोई विचलन होने की स्थिति में समुचित आयोग से उसका अनुमोदन लेगा।
- i) परंतु, केंद्र सरकार द्वारा मानक बोली दस्तावेज (एसबीडीज़) अधिसूचित किए जाने के समय तक, स्पष्टता के प्रयोजन के लिए, यदि खरीदार आरएफएस मसौदा, पीपीए मसौदा, पीएसए मसौदा और अन्य परियोजना प्रबंधों की तैयारी करते समय ऐसे व्यापक प्रावधान करता है, जो दिशा निर्देशों के अनुकूल हों, तो ऐसी व्यवस्थाओं को इन दिशा निर्देशों का विचलन नहीं समझा जाएगा, भले ही ऐसे व्यौरे इन दिशा निर्देशों में प्रदान न किए गए हों।
- ii) इसके अतिरिक्त, जारी बोली प्रक्रिया के मामले में, यदि इन दिशा निर्देशों और एसबीडीज़ की अधिसूचना से पहले ही बोलीदाताओं ने बोलियां जमा करा दी हों, तो इन दिशा निर्देशों और एसबीडीज़ और प्रस्तावित आरएफएस, पीपीए, पीएसए (यदि लागू हो) में कोई विचलन होने की स्थिति में, आरएफएस, पीपीए और पीएसए के प्रस्ताव लागू होंगे।
- घ) निम्नांकित मंजूरीयां प्राप्त करेगा, जो भी प्रासंगिक हो:
- i) मसौदा पीपीए, मसौदा पीएसए और अन्य परियोजना अनुबंधों के अनुरूप, खरीदार द्वारा निर्दिष्ट किए जाने वाले स्थान पर लगाई जाने वाली परियोजनाओं से खरीद के मामले में, मसौदा भूमि लीज या अन्य भूमि संबंधी समझौतों के सम्बद्ध प्राधिकारियों से मंजूरी प्राप्त करना।
- ii) प्रस्तावित खरीद विषयक मसौदा आरएफएस, पीपीए और पीएसए के बारे में अंतिम खरीदार से मंजूरी लेना।

- iii) खरीदार द्वारा निर्दिष्ट सोलर पार्कों में स्थित परियोजनाओं से खरीद के मामले में सोलर पार्क ('सोलर विद्युत पार्क विकासक' (एसपीपीडी)) विकसित करने वाली एजेंसी से मसौदा पीपीए और मसौदा पीएसए के अनुरूप, कार्यान्वयन समझौते के मसौदे के लिए मंजूरी लेना।

3.1.2 मंजूरियों सहित स्थल संबंधी परियोजना तैयारी गतिविधियां

खरीदी जा रही विद्युत की समय पर आपूर्ति प्रारंभ करना सुनिश्चित करने के लिए और बोलीदाताओं को खरीदार की अटूट इच्छा से आश्वस्त कराने के लिए, यह जरूरी है कि इन दिशा निर्देशों के खंड 3.2.1 और खंड 3.2.2 में वर्णित विभिन्न परियोजना तैयारी विषयक गतिविधियां समय पर पूरी की जाएं।

3.2 स्थल संबंधी प्रबंध

खरीददारों द्वारा जारी किए जाने वाले बोली दस्तावेज में निर्दिष्ट अनुसार, खरीदार द्वारा परियोजना या तो परियोजना स्थल पर स्थापित की जा सकती है, अथवा सौर विद्युत उत्पादक द्वारा चुने हुए स्थान पर परियोजना लगाई जा सकती है।

- 3.2.1 खरीदार द्वारा निर्दिष्ट परियोजना स्थल: खरीदार किसी निर्दिष्ट स्थान पर परियोजना लगाने का चयन कर सकता है और उसे खरीदार द्वारा बोली दस्तावेज में निर्दिष्ट किया जा सकता है। ऐसे मामलों में विद्युत आपूर्ति समय पर प्रारंभ होना सुनिश्चित करने के लिए, खरीदार यह सुनिश्चित करेगा कि नीचे वर्णित अनुसार विभिन्न परियोजना तैयारी गतिविधियां आरएफएस जारी होने से पहले खरीदार द्वारा प्रारंभ कर दी गई हैं। ये गतिविधियां पीपीए पर हस्ताक्षर होने से पहले पूरी की जाएंगी।

- क) भूमि: 100 प्रतिशत (शत प्रतिशत) भूमि की पहचान और बोली शुरू होने के समय न्यूनतम 25 प्रतिशत (पच्चीस प्रतिशत) भूमि की उपलब्धता सैद्धांतिक रूप में दर्शाने के लिए दस्तावेज/समझौतों का प्रावधान और पीपीए पर हस्ताक्षर होने के एक महीने के भीतर 90 प्रतिशत (नब्बे प्रतिशत) भूमि का कब्जा और शेष 10 प्रतिशत (दस प्रतिशत) भूमि इसके 2 (दो) माह के भीतर प्राप्त करना।

- ख) परियोजना के लिए अनापत्ति प्रमाणपत्र (एनओसी)/पर्यावरणीय मंजूरी (यदि लागू हो), प्राप्त करना।

- ग) परियोजना के लिए भूमि हेतु वन संबंधी मंजूरी (यदि लागू हो) प्राप्त करना।

- घ) परियोजना के लिए अपेक्षित जल के लिए सम्बद्ध प्राधिकरण की मंजूरी (यदि लागू हो) लेना।

- ङ) एसटीयू/सीटीयू से पत्र प्राप्त करना, जिसमें एसटीयू/सीटीयू सब-स्टेशन के साथ कनेक्टिविटी की तकनीकी व्यवहार्यता की पुष्टि की गई हो, परंतु यह पत्र उन मामलों में आवश्यक नहीं है जहां सम्बद्ध एसटीयू/सीटीयू ने कनेक्टिविटी की व्यवहार्यता के लिए सब-स्टेशन वार क्षमताएं अधिसूचित कर दी हों।

- 3.2.2 किसी सोलर पार्क में खरीदार द्वारा निर्दिष्ट परियोजना: खरीदार समुचित ढांचायुक्त और सुविधाओं तक पहुंच वाले संकेंद्रित जोन ('सोलर पार्क') का चयन परियोजना लगाने के लिए कर सकता है और खरीदार द्वारा उसे बोली दस्तावेज में निर्दिष्ट किया जा सकता है। सोलर पार्क एमएनआरई द्वारा जारी, समय समय पर यथासंशोधित "सोलर पार्कों के विकास के लिए दिशा निर्देश" के अनुसार विकसित किया जाएगा। इसके बावजूद, विद्युत आपूर्ति की शुरुआत समय पर सुनिश्चित करने के लिए खरीदार सुनिश्चित करेगा कि ऊपर वर्णित खंड 3.2.1 (क) से (ङ) तक परियोजना तैयारी गतिविधियां शुरू कर दी गई हैं और उन्हें सम्बद्ध एसपीपीडी द्वारा उसमें वर्णित समय सीमा के अनुसार पूरा कर लिया गया है। उपरोक्त के अतिरिक्त सोलर पॉवर पार्क विकासक के दायित्वों में एमएनआरई द्वारा विकसित "सोलर पार्कों के विकास के लिए दिशा-निर्देशों" का अनुपालन और सहायता समझौते का कार्यान्वयन भी शामिल है, जो सोलर पॉवर पार्क विकासक और सोलर पॉवर जेनेरेटर के बीच सम्बंध को परिभाषित करता है।

- 3.2.3 सोलर विद्युत उत्पादकों द्वारा चुना गया परियोजना स्थल: यदि खरीदार कोई स्थान निर्दिष्ट नहीं करता है, अथवा सोलर पार्क में कोई स्थान तय नहीं करता है, और परियोजना स्थल का चयन सौर विद्युत उत्पादक द्वारा किया जाता है, तो उसे समय पर पूरा किया जाना और विद्युत आपूर्ति प्रारंभ करना सुनिश्चित करने के लिए, बोलीदाता नीचे दिए गए मामलों के संदर्भ में दस्तावेज जमा कराएगा ताकि बोली दस्तावेज में निर्दिष्ट कार्यक्रम के अनुसार परियोजना पूरी की जा सके:

- क) भूमि अधिग्रहण: बोली जमा कराए जाने के समय 100 प्रतिशत (शत प्रतिशत) भूमि की पहचान और 7 (सात) महीने के भीतर पीपीए पर हस्ताक्षर, सौर विद्युत उत्पादक अथवा उससे सम्बद्ध पक्ष के नाम में अपेक्षित भूमि का कब्जा 100 प्रतिशत

(शत प्रतिशत) इस्तेमाल का अधिकार स्थापित करने के लिए दस्तावेज जमा कराना/लीज अनुबंध करना। यदि भूमि सम्बद्ध पक्ष के नाम पर हो, तो उत्पादन प्रारंभ होने की निर्धारित तारीख (एससीडी) से पहले भूमि को सौर ऊर्जा उत्पादक के नाम स्थानांतरित किया जाना चाहिए। जहां प्राइवेट भूमि के लीज का मामला हो, तो सौर विद्युत उत्पादक के डीफाल्ट के मामले में, लीज के अंतर्गत भी भूमि ऋणदाता या खरीदार को हस्तांतरित की जानी चाहिए।

- ख) परियोजना के लिए अनापत्ति प्रमाणपत्र (एनओसी)/सर्वारण्य मंजूरी (यदि लागू हो), प्राप्त करना।
- ग) परियोजना के लिए भूमि हेतु वन संबंधी मंजूरी (यदि लागू हो) प्राप्त करना।
- घ) परियोजना के लिए अपेक्षित जल के लिए सम्बद्ध प्राधिकरण की मंजूरी (यदि लागू हो) लेना।
- ङ) राज्य ट्रांसमिशन संस्था (एसटीयू)/केंद्रीय ट्रांसमिशन संस्था (सीटीयू) (अथवा सोलर पावर पार्क विकासक से, यदि चुना हुआ स्थान कोई सोलर पार्क हो) से पत्र प्राप्त करना, जिसमें एसटीयू/सीटीयू सब-स्टेशन के साथ कनेक्टिविटी की तकनीकी व्यवहार्यता की पुष्टि की गई हो। यदि परियोजना स्थल खरीदार/अंतिम खरीदार से सम्बद्ध राज्य में स्थित हो, तो राज्य सरकार संयंत्र की कनेक्टिविटी एसटीयू/सीटीयू सब-स्टेशन के साथ कायम करने में आवश्यक मदद करेगी।

4. बोली संरचना

- 4.1 बोली पैकेज: आकार की किफायत की दृष्टि से बोलियां एक पैकेज के रूप में तैयार की जाएंगी। पैकेज का न्यूनतम आकार 50 मे.वा. का होगा।

इसके बावजूद, भूमि की उपलब्धता और ट्रांसमिशन सुविधा पर समुचित विचार करते हुए, पूर्वोक्त राज्यों, विशेष श्रेणी राज्यों और सोलर पार्कों से बाहर की परियोजनाओं के मामले में छोटे बोली पैकेज भी रखे जा सकते हैं। बोलीदाता को समूचे पैकेज के लिए बोली उद्धृत करनी होगी। खरीदार अधिकतम क्षमता निर्दिष्ट करने का भी चयन कर सकता है, जो आकार की किफायत, भूमि उपलब्धता, संभावित प्रतिस्पर्धा और बाजार के विकास की आवश्यकता जैसे घटकों को ध्यान में रखते हुए सम्बद्ध पक्ष सहित एकल बोली दाता को आवंटित की जा सकती है।

- 4.2 विद्युत ऊर्जा के संदर्भ में बोलियां : खरीदार (क) विद्युत क्षमता (मेगावाट) अथवा (ख) ऊर्जा मात्रा (केडब्ल्यूएच या मिलियन यूनिटों अर्थात् एमयू) के संदर्भ में भी बोलियां आमंत्रित करने का चयन कर सकता है।

- 4.3 बोली मानदंड: विद्युत की खरीद के लिए खरीदार 'बोली मानदंड के रूप में शुल्क' अथवा 'बोली मानदंड के रूप में व्यवहार्यता अंतराल वित्त पोषण' (बीजीएफ) का चयन कर सकता है।

- 4.3.1 बोली मानदंड के रूप में शुल्क: इस मामले में बोली मानदंड बोलीदाता द्वारा उद्धृत शुल्क को बनाया जाएगा। खरीदार निम्नांकित में से किसी एक तरीके को शुल्क आधारित बोली के लिए चुन सकता है: (क) 25 (पच्चीस) वर्ष या उससे अधिक अवधि के लिए रुपये/केडब्ल्यूएच में नियत शुल्क अथवा (ख) नियत रुपये/केडब्ल्यूएच में वार्षिक बढ़ोतरी की पूर्व निर्धारित मात्रा के साथ और तय वर्षों की संख्या जिनमें नियत वृद्धि प्रदान की जाएगी के आधार पर रुपये/केडब्ल्यूएच में बढ़ते शुल्क का चयन। खरीदार निर्दिष्ट करेगा कि बोलीदाता द्वारा उद्धृत शुल्क समुचित आयोग द्वारा अधिसूचित ग्रिड-कनेक्टिव सोलर पीवी पावर प्लांटों के लिए निर्धारित शुल्क से अधिक नहीं हो सकता। वशतें आयोग ने उस वित्त वर्ष के लिए ऐसा शुल्क निर्धारित किया हो, जिसके दौरान बोलियां आमंत्रित की गईं। खरीदार आरएफएस में सौर विद्युत उत्पादकों के लिए उपलब्ध उत्पादन आधारित प्रोत्साहन (जीबीआई) अथवा ऐसे अन्य प्रोत्साहनों को उजागर कर सकता है।

- 4.3.2 बोली मानदंड के रूप में बीजीएफ: इसके अंतर्गत एक ऐसी व्यवस्था शामिल है, जिसमें सौर विद्युत उत्पादक को वित्तीय सहायता के साथ एक पूर्व निर्धारित शुल्क प्रस्तावित किया जाता है, ताकि सौर विद्युत उत्पादक शुल्क की उस दर पर विद्युत आपूर्ति कर सके। बीजीएफ आधारित बोली के लिए, खरीदार आरएफएस जारी करने से पहले निम्नांकित बातें निर्दिष्ट करेगा: (क) पीपीए की अवधि के लिए चुने हुए सौर विद्युत उत्पादकों देय पूर्व निर्धारित शुल्क और सौर विद्युत उत्पादकों के लिए

¹ कम्पनी के संबंध में सम्बद्ध पक्ष का अर्थ है, ऐसा व्यक्ति, जो उस कम्पनी को नियंत्रित करता हो, उसके द्वारा नियंत्रित हो, अथवा उसके संयुक्त नियंत्रण में हो। यहां 'नियंत्रण' का अर्थ है, ऐसी कम्पनी के 50 प्रतिशत से अधिक वोटिंग शेयर प्रत्यक्ष या परोक्ष 'स्वामित्व' रूप से धारण करना अथवा बहुसंख्यक निदेशकों की नियुक्ति का अधिकार रखना।

व्यवहार्यता अंतराल वित्त पोषण (बीजीएफ) की अधिकतम राशि। बोलीदाताओं को उनके द्वारा अपेक्षित बीजीएफ सहायता उद्धृत करते हुए अपनी बोलियाँ जमा करानी होंगी। जो बोलीदाता बीजीएफ सहायता प्राप्त करने के इच्छुक न हों, वे डिस्काउंट युक्त टैरिफ, यानी खरीदार द्वारा प्रस्तावित पूर्व-निर्धारित शुल्क से कम शुल्क, उद्धृत कर सकते हैं। खरीदार को आरएफएस और परियोजना अनुबंधों में एक उपयुक्त बीजीएफ सुरक्षा व्यवस्था निर्दिष्ट करनी होगी, ताकि परियोजना विकसित न होने और/या समझौते के अनुसार परियोजना संचालित न हो पाने की स्थिति में ऋणदाता की अपेक्षाओं के संदर्भ में बाजार पद्धतियों के साथ संतुलन कायम करते हुए बीजीएफ संबंधित करने वाली एजेंसी द्वारा बीजीएफ राशि की वसूली हेतु एक प्रेमवर्क प्रदान किया जा सके।

5. विद्युत खरीद समझौता

सफल बोलीदाता के साथ हस्ताक्षर किए जाने के लिए प्रस्तावित पीपीए का मसौदा और पीएसए का मसौदा (यदि लागू हो) आरएफएस के साथ जारी किया जाएगा। पीपीए के हिस्से के रूप में शामिल किए जाने वाले मानक प्रावधानों में अन्य बातों के अलावा निम्नांकित शामिल हैं, जिनके लिए, अन्यथा निर्दिष्ट न होने की स्थिति में, पीएसए में एक के बाद एक प्रावधान किया जाएगा:

5.1 पीपीए अवधि: पीपीए की अवधि शुल्क को प्रभावित करती है, चूंकि इससे उस अवधि का निर्धारण होता है, जिसमें निवेशक/एसपीडी की निवेश राशि उसे वापस मिलती है। ऐसे में कम शुल्क के लिए लम्बी अवधि के पीपीए को बरीयता दी जाती है। इस प्रकार पीपीए अवधि उत्पादन की निर्धारित तारीख (एससीडी) से 25 (पच्चीस) वर्ष से अधिक नहीं होनी चाहिए। पीपीए अवधि समाप्त होने के बाद सौर विद्युत उत्पादक अपने संयंत्र संचालित करने के लिए मुक्त हो जाते हैं, वशर्ते भूमि आदि ढांचे का स्वामित्व रखने वाली एजेंसियों, सम्बद्ध ट्रांसमिशन संस्थाओं और सिस्टम ऑपरेटरों के साथ तत्संबंधी समझौता हो। यहाँ यह स्पष्ट किया जाता है कि खरीदार द्वारा परियोजना स्थल सोलर पार्क में अथवा अन्यत्र निर्दिष्ट किए जाने की स्थिति में खंड 3.2.1 और 3.2.2 के अनुसार खरीदार का भूमि की व्यवस्था करने का दायित्व पीपीए की अवधि तक सीमित रहता है।

5.2 खरीदी जाने वाली विद्युत ऊर्जा की मात्रा: विद्युत की खरीद विद्युत (मेगावाट) के संदर्भ में अथवा ऊर्जा के संदर्भ में (केडब्ल्यूएच या मिलियन यूनिट अर्थात् एमयू), निर्धारित की जा सकती है।

5.2.1 विद्युत के संदर्भ में खरीद (मेगावाट) :

क) यदि खरीद विद्युत (मेगावाट) के संदर्भ में की जाती है, तो क्षमता उपयोग घटक (सीयूएफ) की श्रेणी का उल्लेख बोली दस्तावेज में करना होगा। सीयूएफ की गणना वार्षिक आधार पर होगी। यदि परियोजना से न्यूनतम सीयूएफ के समनुरूप से कम ऊर्जा उत्पादित और सप्लाय की जाती है, तो सौर विद्युत उत्पादक अनुबंधित सीयूएफ स्तर से कम विद्युत उपलब्धता के कारण खरीदार को जुर्माना अदा करेगा। ऐसे जुर्माने की राशि पीपीए की शर्तों के अनुसार तय होगी, जो यह सुनिश्चित करेगा कि पीपीए के अंतर्गत कम उत्पादन और कम विद्युत आपूर्ति के संदर्भ में खरीदार को समस्त लागत समायोजित हो सके। परंतु, ऊर्जा के संदर्भ में पीपीए के शुल्क पर परिगणित इस कमी की न्यूनतम 25 प्रतिशत (पच्चीस प्रतिशत) लागत समायोजित की जाएगी।

ख) यदि उपलब्धता अधिकतम निर्दिष्ट सीयूएफ से अधिक होगी, तो सौर विद्युत उत्पादक उसे किसी अन्य संस्था को बेचने के लिए स्वतंत्र होगा, परंतु, खरीद से मना करने का प्रथम अधिकार खरीदारों को होगा। यदि खरीदार अधिशेष उत्पादन को खरीदते हैं, तो वे उसे पीपीए शुल्क के 75 प्रतिशत (पचहत्तर प्रतिशत) पर खरीदेंगे और इस आशय का प्रावधान आरएफएस दस्तावेज में स्पष्ट रूप से किया जाएगा।

5.2.2 ऊर्जा के संदर्भ में खरीद: ऊर्जा (केडब्ल्यूएच या मिलियन यूनिट अर्थात् एमयू) में खरीद के मामले में, और विद्युत (मेगावाट) के मामले में नहीं, संयंत्र की अनुमत क्षमता का उल्लेख मेगावाट (एसी) के संदर्भ में खरीदार द्वारा आरएफएस में स्पष्ट रूप से किया जाएगा। खरीदार एक न्यूनतम आपूर्ति दायित्व सहित अनुबंधित ऊर्जा मात्रा (सीईक्यू) भी निर्दिष्ट करेगा, जिससे कम आपूर्ति होने पर विकासक को खरीदार को क्षतिपूर्ति करनी होगी और एक गारंटीकृत ऊर्जा समायोजन का भी उल्लेख उसमें होगा, जिसके तहत खरीदार विकासक द्वारा उत्पादित और आपूर्ति की गई समस्त ऊर्जा खरीदने के लिए बाध्य होगा। अधिशेष उत्पादन होने की स्थिति में उमका निपटारा खंड 5.2.1 (ख) में वर्णित अनुसार किया जाएगा।

- 5.2.3 पुनर्विद्युत: सौर ऊर्जा उत्पादक पीपीए अवधि के दौरान समय समय पर अपने संयंत्रों को पुनर्विद्युत प्रदान करने के लिए स्वतंत्र होंगे। परंतु, खरीदार का दायित्व केवल पीपीए में निर्दिष्ट सीयूएफ (अथवा सीईस्कु, जो भी प्रासंगिक हो) की रेंज तक विद्युत खरीदने का होगा। अधिशेष उत्पादन होने की स्थिति में उसका निपटारा इन दिशा निर्देशों के खंड 5.2.1 (ख) में वर्णित अनुसार किया जाएगा।
- 5.3 भुगतान सुरक्षा: खरीदार नीचे निर्दिष्ट अनुसार भुगतान सुरक्षा के समुचित उपाय करेगा।
- 5.3.1 परिदृश्य एक: सौर विद्युत उत्पादक से खरीदार द्वारा सीधे खरीद: खरीदार सौर विद्युत उत्पादक को निम्नांकित के जरिए भुगतान सुरक्षा प्रदान करेगा:
- क) विचारणीय परियोजना से कम से कम एक महीने की औसत बिलिंग राशि के लिए रिवाल्विंग लेटर आफ क्रेडिट (एलसी) की व्यवस्था होगी, और
- ख) भुगतान सुरक्षा निधि, जो ऐसी निधि से सम्बद्ध सभी परियोजनाओं की कम से कम तीन महीने के बिलों के भुगतान के लिए उपयुक्त सहायता राशि होगी।
- ग) उपरोक्त (क) और (ख) के अतिरिक्त, खरीदार राज्य सरकार की गारंटी प्रदान करने का विकल्प भी चुन सकता है, जो कानूनी रूप में प्रवर्तनीय होगी और सौर विद्युत विकासक के लिए ऊर्जा प्रभार के भुगतान और टर्मिनेशन मुआवजा, यदि कोई हो, दोनों के संदर्भ में पर्याप्त सुरक्षा सुनिश्चित करेगी।
- 5.3.2 परिदृश्य 2: मध्यस्थ-खरीदार सौर विद्युत उत्पादकों से बिजली खरीदता है और उसे अंतिम खरीदार को बेचता है।
- क) मध्यस्थ खरीदार द्वारा सौर विद्युत उत्पादक को दी जाने वाली भुगतान सुरक्षा:
- मध्यस्थ खरीदार सौर विद्युत उत्पादक को निम्नांकित के जरिए भुगतान सुरक्षा प्रदान करेगा:
- विचारणीय परियोजना से कम से कम एक महीने की औसत बिलिंग राशि के लिए रिवाल्विंग लेटर आफ क्रेडिट (एलसी) की व्यवस्था होगी, और;
 - और; भुगतान सुरक्षा निधि, जो ऐसी निधि से सम्बद्ध सभी परियोजनाओं की कम से कम तीन महीने के बिलों के भुगतान के लिए उपयुक्त सहायता राशि होगी।
- ख) अंतिम खरीदार द्वारा मध्यस्थ खरीदार को भुगतान सुरक्षा:
- अंतिम खरीदार मध्यस्थ खरीदार को निम्नांकित के जरिए भुगतान सुरक्षा प्रदान करेगा:
- विचारणीय परियोजना से कम से कम एक महीने की औसत बिलिंग राशि के लिए रिवाल्विंग लेटर आफ क्रेडिट (एलसी) की व्यवस्था होगी; और,
 - राज्य सरकार की गारंटी, जो कानूनी रूप में प्रवर्तनीय होगी, जिससे ऊर्जा शुल्क भुगतान और टर्मिनेशन क्षतिपूर्ति, यदि कोई हो, दोनों के संदर्भ में पर्याप्त सुरक्षा मिलेगी। [इस खंड के प्रयोजन के लिए, भारतीय रिजर्व बैंक, केन्द्र सरकार और राज्य सरकार के बीच हस्ताक्षरित तृतीय पक्ष समझौता राज्य सरकार की गारंटी के रूप में काम करेगा, जो ऊर्जा प्रभार के भुगतान के लिए सुरक्षा प्रदान करेगा]। मध्यस्थ खरीदार यह सुनिश्चित करेगा कि यह गारंटी लागू होने पर, वह उसे तत्काल सौर विद्युत उत्पादक को हस्तांतरित करेगा, ताकि पीपीए के संदर्भ में सौर विद्युत उत्पादक के देय भुगतान को कवर किया जा सके।
 - उपरोक्त i) और ii) के अतिरिक्त, अंतिम खरीदार भी भुगतान सुरक्षा निधि का विकल्प चुन सकता है, जो ऐसी निधि से जुड़ी सभी परियोजनाओं के लिए कम से कम 3 (तीन) महीने के बिलों की भुगतान सुरक्षा के लिए उपयुक्त होगी।

एतद्वारा यह स्पष्ट किया जाता है कि राज्य सरकार की गारंटी का उपयोग तभी किया जायेगा जब मध्यस्थ खरीदार पीपीए के तहत लेटर ऑफ क्रेडिट और भुगतान सुरक्षा निधि, यदि कोई हो, के माध्यम से अपनी देय राशि की वसूली में असमर्थ हो।

- 5.4 अप्रत्याशित घटनाएं : पीपीए में अप्रत्याशित घटनाओं (फॉर्स माज्युर) के लिए प्रावधान किया जाएगा। इनमें अप्रत्याशित घटनाओं की परिभाषा, तत्संबंधी अपवाद, उनकी प्रयोज्यता और ऐसी घटनाएं होने की स्थिति में उद्योग मानदंड के अनुसार उपलब्ध राहत संबंधी प्रावधान शामिल हैं।
- 5.5 ऑफटेक संबंधी बाधाओं के लिए उत्पादन क्षतिपूर्ति : ट्रांसमिशन डांचा/ग्रिड उपलब्ध न होने के कारण अथवा किसी बैकडाउन की स्थिति में खरीदार को निर्धारित कार्यक्रम के अनुसार विद्युत ऑफटेक करने में बाधाएं आ सकती हैं।
- 5.5.1 ट्रांसमिशन डांचा/ग्रिड अनुपलब्धता के कारण ऑफटेक में रूकावटें:
- क) ट्रांसमिशन डांचा पूरा न होने/तैयार न होने के कारण बिजली के ऑफटेक में आने वाली रूकावटों (ट्रांसमिशन बाधाओं) के लिए उत्पादन क्षतिपूर्ति : संयंत्र चालू होने की निर्धारित तारीख के बाद यदि विद्युत आपूर्ति ट्रांसमिशन के लिए डांचा तैयार न होने और उसमें सौर विद्युत उत्पादक का कोई दोष न होने की स्थिति में ऑफटेक बाधाओं के लिए उत्पादन क्षतिपूर्ति निम्नांकित अनुसार की जाएगी:

पारेषण बाधाएं	उत्पादन क्षतिपूर्ति के लिए प्रावधान
यदि संयंत्र तैयार हो परन्तु अपेक्षित विद्युत आपूर्ति ट्रांसमिशन डांचा उपलब्ध न हो तो ऐसे में विद्युत ऑफटेक में बाधा आती है।	क) 19 प्रतिशत (उन्नीस प्रतिशत) का नियामक सीयूएफ, या प्रतिबद्ध सीयूएफ, इनमें जो भी कम हो, और उन मामलों में जहां अनुबंध ऊर्जा की शर्तों पर आधारित हो, ग्रिड अनुपलब्धता की अवधि के लिए सीईक्यू का आनुपातिक मूल्य, उत्पादन हानि की गणना के लिए लिया जायेगा। इस उत्पादन हानि के समनुरूप एसपीडी द्वारा परवर्ती 3 (तीन) वर्षों में एसपीडी द्वारा उत्पादित अधिशेष विद्युत खरीदार द्वारा पीपीए टैरिफ की दर पर खरीदी जाएगी, ताकि इस हानि को समायोजित किया जा सके। ख) यदि ट्रांसमिशन में विलम्ब के लिए ट्रांसमिशन नेटवर्क का निर्माण करने वाला संगठन सीधे-सीधे जिम्मेदार हो और उस पर कुछ पेनॉल्टी लगायी गई हो, तो उस राशि का कुछ भाग उत्पादन में हानि की क्षतिपूर्ति के लिए इस्तेमाल किया जा सकता है। विकासकों को क्षतिपूर्ति करने की व्यवस्था निविदा दस्तावेज में तय की जायेगी। <i>अनुबंध वर्ष को पीपीए में परिभाषित किया जायेगा।</i>

परन्तु, यह स्पष्ट किया जाता है कि यदि संयंत्र एसपीडी से पहले तैयार हो जाता है, लेकिन अपर्याप्त/अधूरे विद्युत पारेषण डांचे के कारण बिजली प्राप्त करने में बाधा आती है, तो ऐसी स्थिति में कोई क्षतिपूर्ति स्वीकार्य नहीं होगी।

- ख) ग्रिड अनुपलब्धता के कारण खरीद बाधाओं के लिए उत्पादन क्षतिपूर्ति : संयंत्र के प्रचालन के दौरान, कुछ ऐसी अवधि हो सकती है, जिसमें संयंत्र से तो बिजली का उत्पादन होता है, लेकिन अस्थायी रूप से पारेषण न हो पाने के कारण विद्युत आपूर्ति नहीं होती, जिसके लिए सौर विद्युत उत्पादक का कोई दोष नहीं होता है। ऐसे मामलों में उत्पादन क्षतिपूर्ति खरीदार द्वारा निम्नांकित रूप में समायोजित की जायेगी:

ग्रिड अनुपलब्धता की अवधि	उत्पादन क्षतिपूर्ति के लिए प्रावधान
पीपीए में परिभाषित अनुसार किसी अनुबंध वर्ष में ग्रिड अनुपलब्धता: (केवल पूर्वाह्न 8 बजे से शाम 6 बजे तक की अवधि की गणना की जाती है):	उत्पादन हानि = $\{(\text{अनुबंध वर्ष के दौरान प्रति घंटा औसत उत्पादन}) \times (\text{अनुबंध वर्ष के दौरान ग्रिड अनुपलब्धता के घंटों की संख्या})\}$ जिसमें, अनुबंध वर्ष के दौरान औसत उत्पादन (केडब्ल्यूएच) = अनुबंध वर्ष के दौरान कुल उत्पादन (केडब्ल्यूएच) $\div$ अनुबंध वर्ष के दौरान उत्पादन के कुल घंटे एसपीडी द्वारा इस उत्पादन हानि के समान किया गया अधिक उत्पादन खरीदार द्वारा पीपीए शुल्क दर पर खरीदा जायेगा ताकि वह आगामी 3 (तीन) अनुबंध वर्षों में इस हानि को समायोजित कर सके। अनुबंध वर्ष को पीपीए में परिभाषित किया जायेगा।

परन्तु यह उपबंधित है कि उपरोक्त खंड 5.5.1 में प्रदत्त व्यवस्था के विकल्प के रूप में, खरीदार पीपीए शुल्क के संदर्भ में खंड 5.5.1 में परिभाषित उत्पादन हानि के लिए और पीपीए में परिभाषित अनुसार किसी अनुबंध वर्ष में 50 घंटे से अधिक ग्रिड अनुपलब्धता के लिए क्षतिपूर्ति करने का चयन कर सकता है।

- 5.5.2 बैकडाउन के कारण ऑफटेक बाधाएं : सौर विद्युत उत्पादक और खरीदार समुचित आयोग द्वारा इस बारे में बनाए गए विनियमों के अनुसार पूर्वानुमान और शेड्यूलिंग प्रक्रिया का अनुसरण करेंगे। भारतीय विद्युत ग्रिड कोड (आईईजीसी) की धारा 5.2(यू) के अनुसार, भारत सरकार, सौर विद्युत परियोजनाओं के "अनिवार्य संचालन" की स्थिति को प्रोत्साहित करती है। तदनुसार, किसी डिस्कॉम/सोड डिस्पैच सेंटर (एलडीसी) द्वारा, विधिवत रूप से संचालित किसी सौर विद्युत संयंत्र को बैकडाउन का निर्देश नहीं दिया जाना चाहिए। ग्रिड सुरक्षा या किसी उपकरण अथवा कार्मिक की सुरक्षा या किसी अन्य ऐसी स्थिति के कारण होने वाले बैक डाउन को छोड़कर, यदि बैकडाउन की ऐसी कोई आपात स्थिति पैदा होती है, तो सौर विद्युत उत्पादक खरीदार से निम्नांकित अनुसार न्यूनतम उत्पादन क्षतिपूर्ति किए जाने का पात्र होगा:—

बैकडाउन की अवधि	उत्पादन क्षतिपूर्ति के लिए प्रावधान
मासिक बिलिंग साइकिल के दौरान बैकडाउन के घंटे	न्यूनतम उत्पादन क्षतिपूर्ति = $[(\text{महीने के दौरान प्रति घंटा औसत उत्पादन}) \times (\text{महीने के दौरान बैकडाउन के घंटों की संख्या}) \times \text{पीपीए टैरिफ}] \text{ का } 50 \text{ प्रतिशत}$ जिसमें, माह के दौरान प्रति घंटा औसत उत्पादन (केडब्ल्यूएच) = महीने के दौरान कुल उत्पादन (केडब्ल्यूएच) $\div$ महीने के दौरान उत्पादन के कुल घंटे।

उत्पादन क्षतिपूर्ति क्षेत्रीय विद्युत लेखा (आरईए) की प्राप्ति के बाद अगले महीने के विद्युत बिल के हिस्से के रूप में अदा की जाएगी। इस उत्पादन क्षतिपूर्ति पर कोई व्यापार मार्जिन लागू नहीं होगा। बैकडाउन प्रयोजनों के संदर्भ में उत्पादन क्षतिपूर्ति के निवारण के लिए संभावित शर्तों का उल्लेख आरएफएस और पीपीए में स्पष्ट रूप से निर्दिष्ट किया जाएगा।

5.6 डिफॉल्ट की स्थिति और उसके परिणाम

सम्बद्ध पार्टियों के डिफॉल्ट की स्थिति के बारे में विस्तृत प्रावधान और उसके परिणामों का ब्यौरा एसबीडीज़ में दिया जाएगा, यह खंड सौर विद्युत उत्पादक और खरीदार (विचौलिया खरीदार को छोड़कर) के डिफॉल्ट के संदर्भ में अनुबंधात्मक रूप में निपटने के व्यापक सिद्धांतों का वर्णन करता है।

5.6.1 उत्पादक के डिफॉल्ट होने की स्थिति और उसके परिणाम:

- क) सौर विद्युत उत्पादक के निर्दिष्ट अवधि के दौरान संयंत्र चालू करने में विफल रहने, अथवा पीपीए की शर्तों के अनुसार विद्युत आपूर्ति न कर पाने की स्थिति में, अथवा पीपीए की शर्तों के विपरीत अपने किन्हीं अधिकारों या दायित्वों को किसी अन्य को

सौंपने या हस्तांतरित करने, अथवा पीपीए की शर्तों से मुक्त जाने, अथवा पीपीए के प्रावधानों का उल्लंघन करते हुए अपने प्रोमोटर्स के नियंत्रण या शेयरधारिता में कोई बदलाव करने अथवा पीपीए में वर्णित कोई अन्य भूल-चूक करने और उपरोक्त गलतियों को पीपीए में वर्णित अनुसार उपचार अवधि के दौरान उपचारित करने में विफल रहने की स्थिति में सौर विद्युत उत्पादक को डिफॉल्टर समझा जाएगा।

- ख) डिफॉल्टर होने की स्थिति में, सौर विद्युत उत्पादक को पीपीए में वर्णित अनुसार खरीदार को क्षतिपूर्ति करनी होगी। खरीदार को उक्त क्षति बमूल करने के लिए बैंक गारंटी, यदि कोई हो, को ज़ब्त करने का हक होगा, और इसका उसके द्वारा किसी अन्य कानूनी उपाय या कार्रवाई करने पर कोई प्रभाव नहीं पड़ेगा।
- ग) उपरोक्त अनुसार क्षतिपूर्ति के अतिरिक्त, सौर विद्युत उत्पादक के डिफॉल्ट की स्थिति में, पीपीए में उपबंधित प्रतिस्थापन समझौते और खरीदार की सहमति के अनुसार, लेनदार को अपने प्रतिस्थापन अधिकार का इस्तेमाल करने की छूट होगी। परंतु, यदि देनदार निर्धारित अवधि में डिफॉल्टर सौर विद्युत उत्पादक से प्रतिस्थापन नहीं कर पाता है, तो खरीदार पीपीए को समाप्त कर सकता है और देय ऋण के 90 प्रतिशत के समकक्ष परियोजना की परिसम्पत्तियों का अधिग्रहण कर सकता है। ऐसा न कर पाने की स्थिति में ऋणदाता अपने रेहन (मार्टेज) अधिकारों का इस्तेमाल कर सकता है और परियोजना परिसम्पत्तियों का समापन कर सकता है।

5.6.2 खरीदार का डिफॉल्टर होना और उसके परिणाम:

- क) यदि अन्य बातों के अलावा खरीदार मासिक और/या पूरक बिलों का भुगतान निर्धारित अवधि के दौरान करने में विफल रहता है, या वह पीपीए से मुक्त होता है, तो ऐसे में डिफॉल्टर खरीदार निर्धारित अवधि में पीपीए से संबंधित अपने हिस्से में किसी अन्य को सम्बद्ध बनाने सहित उसे किसी तृतीय पक्ष को हस्तांतरित कर सकता है, परंतु इसके लिए उसे सौर विद्युत उत्पादक की पूर्व सहमति प्राप्त करनी होगी।
- ख) यदि उक्त हस्तांतरण सौर विद्युत उत्पादक को स्वीकार्य नहीं होगा, अथवा डिफॉल्टर खरीदार द्वारा निर्धारित अवधि में हस्तांतरण का कोई प्रयास नहीं किया जाएगा, तो सौर विद्युत उत्पादक पीपीए को समाप्त कर सकता है और अपने विवेकाधिकार से डिफॉल्टर खरीदार से या तो (i) देय ऋण की राशि के समकक्ष समापन क्षतिपूर्ति का भुगतान करके परियोजना की परिसम्पत्तियों और पीपीए में वर्णित अनुसार 150 प्रतिशत समायोजित इक्विटी का अधिग्रहण कर सकता है अथवा, (ii) सौर विद्युत उत्पादक डिफॉल्टर से कह सकता है कि वह उसे छह महीने अथवा पीपीए की बकाया अवधि के लिए, इनमें जो भी कम हो, की समकक्ष राशि का भुगतान अनुबंधात्मक क्षमता में करे। ऐसे में परियोजना की परिसम्पत्तियां सौर विद्युत उत्पादक द्वारा रखी जाएंगी।

पीपीए के समापन की स्थिति में संयंत्र की कनेक्टिविटी के लिए एसटीयू/सीटीयू को देय कोई क्षति या शुल्क खरीदार द्वारा वहन किया जाएगा।

5.7 कानून में बदलाव:

- 5.7.1 कानून में बदलाव के कारण यदि सौर विद्युत उत्पादक को कोई वित्तीय हानि/ताब होता है, तो यह सुनिश्चित करने के लिए कि सौर विद्युत उत्पादक उसी वित्तीय स्थिति में रहे, जिसमें कानून में बदलाव न होने की स्थिति में वह रहता, सौर विद्युत उत्पादक/खरीदार अन्य पक्ष द्वारा क्षतिपूर्ति किए जाने के हकदार होंगे, जो भी स्थिति हो, परंतु, इसमें शर्त यह होगी कि क्षतिपूर्ति भुगतान की मात्रा और विधि का निर्धारण समुचित आयोग द्वारा किया जाएगा और वह उस तारीख से प्रभावी होगी, जो समुचित आयोग तय करेगा।

- 5.7.2 इन दिशा-निर्देशों में, कानून में बदलाव बोली जमा कराने की अंतिम तारीख के बाद निम्नांकित घटनाओं में से किसी एक घटना के होने से सम्बद्ध होगा, अर्थात् (i) किसी नए कानून का अधिनियमन; अथवा (ii) किसी प्रचलित कानून में संशोधन, परिवर्तन या निरसन; अथवा (iii) कोई नई सहमति, परमिट या लाइसेंस प्राप्त करने की आवश्यकता; अथवा (iv) कोई सहमति, परमिट या लाइसेंस प्राप्त करने के लिए निर्धारित प्रचलित शर्तों में कोई बदलाव, जिसमें सौर विद्युत उत्पादक का कोई डिफॉल्ट न हो; अथवा (v) ऐसे करों की दरों में कोई बदलाव, जिनका प्रत्यक्ष प्रभाव परियोजना पर पड़ता हो। परंतु, कॉर्पोरेट आय पर करों में परिवर्तन अथवा आय या लाभों पर बिट्टोहोलिंग कर में किसी परिवर्तन को कानून में परिवर्तन नहीं समझा जाएगा।

6. बोली प्रक्रिया

- 6.1 खरीदार एकल चरण वाली बोली प्रक्रिया अपनाते हुए बोलियाँ आमंत्रित करेगा, जिन्हें इलेक्ट्रॉनिक मोड (ई-बिडिंग) के जरिए संचालित किया जाएगा। खरीदार बांछित होने पर ई-रिवर्स नीलामी प्रक्रिया भी अपना सकता है। एक सफल ट्रेड रिकॉर्ड और समुचित संरक्षा, सुरक्षा और गोपनीयता की विशेषताओं के साथ ई-खरीद मंचों का इस्तेमाल किया जाएगा। सोलर पार्क विषयक परियोजना के मामले में, बोली प्रक्रिया प्रारंभ किए जाने की जानकारी खरीददार द्वारा एसपीपीडी को दी जाएगी। एसपीपीडी को बोली प्रक्रिया में सक्रिय रूप से शामिल करना होगा, इसके लिए उसे भूमि और ढांचा संबंधी सभी आवश्यक जानकारी देनी होगी और उसे बोलीदाताओं के लिए पहुंच योग्य केंद्रीकृत डेटा कक्षों में उपलब्ध कराना होगा।
- 6.2 खरीदार इन दिशा-निर्देशों के संदर्भ में सोलर फोटोवोल्टेइक पावर प्लांट्स की संस्थापना के लिए आरएफएस में भागीदार बनने हेतु आमंत्रित करेगा।
- 6.3 आरएफएस सहित बोली दस्तावेज और पीपीए का मसौदा इन दिशा-निर्देशों और एसबीडीज़ के सहयोग से खरीदार द्वारा तैयार किया जाएगा। यदि परियोजना किसी सोलर पार्क में स्थापित की जानी हो, तो खरीदार बोलीदाताओं को कार्यान्वयन समर्थक समझौते और भूमि संबंधी समझौतों के मसौदों तक एक्सेस प्रदान करेगा।
- 6.4 खरीदार कम से कम दो राष्ट्रीय अखबारों में आरएफएस नोटिस प्रकाशित करेगा और अपनी वेबसाइट पर उसे प्रदर्शित करेगा, ताकि व्यापक प्रचार किया जा सके।
- 6.5 खरीदार संभावित बोलीदाताओं को बोली पूर्व सम्मेलन के अवसर प्रदान करेगा, और किसी भी बोलीदाता को निविदा दस्तावेज की लिखित व्याख्या प्रदान करेगा, जो अन्य बोलीदाताओं को भी उपलब्ध कराई जाएगी। सभी सम्बद्ध पार्टियाँ पूरी तरह लिखित पत्राचार पर निर्भर करेंगी। बोली दस्तावेज में कोई स्पष्टीकरण या संशोधन समुचित जानकारी के लिए खरीदार की वेबसाइट पर अपलोड किया जाएगा। बोली दस्तावेज में कोई संशोधन या परिवर्तन किए जाने की स्थिति में, बोलीदाताओं को बोलियाँ जमा कराने के लिए ऐसे संशोधन की तारीख से कम से कम 7 दिन का समय दिया जाएगा।

7. आरएफएस दस्तावेज

खरीदार द्वारा आरएफएस में प्रदान किए जाने वाले मानक प्रावधानों में निम्नांकित शामिल होंगे:

7.1 बोली उत्तरदायित्व

बोली का मूल्यांकन तभी किया जाएगा, जब वह उत्तरदायित्वपूर्ण हो और अन्य बातों के अलावा निम्नलिखित शर्तें पूरी करती हो:-

- बोलीदाता अथवा उसका कोई भी सम्बद्ध पक्ष जानबूझ कर किसी ऋणदाता का डिफॉल्टर नहीं होना चाहिए।
- बोलीदाता अथवा उसके किसी सम्बद्ध पक्ष के खिलाफ कोई बड़ा मुकदमा बकाया या आशंकित नहीं होना चाहिए, जिसका स्वरूप ऐसा हो, जो बोलीदाता द्वारा परियोजना प्रारंभ करने की उसकी योग्यता या उपयुक्तता के प्रति संदेह पैदा करता हो।

7.2 बोलीदाता द्वारा पूरी की जाने वाली योग्यता संबंधी अपेक्षाएं:

7.2.1 तकनीकी मानदंड :

सरकार संबर्धित भागीदारी के जरिए प्रतिस्पर्धा को बढ़ाना चाहती है। परंतु, परियोजनाओं का समुचित कार्यान्वयन सुनिश्चित करने के लिए खरीदार बोलीदाताओं के साथ अपने अतीत के अनुभव सहित निर्दिष्ट तकनीकी मानदंड का चयन कर सकता है। ऐसे परियोजना विकासकों, जिनके द्वारा मानदंड पूरे किए जाने की संभावना हो, की संख्या के मूल्यांकन के बाद ऐसे मानदंड तय किए जाने चाहिए ताकि प्रतिस्पर्धा का समुचित स्तर हासिल किया जा सके।

7.2.2 वित्तीय मानदंड

क) निवल मालियत:

- i. खरीदार योग्यता संबंधी अपेक्षा के हिस्से के रूप में निवल मालियत के रूप में वित्तीय मानदंड निर्दिष्ट करेगा। सोलर पीवी विद्युत परियोजनाओं के लिए बोली आमंत्रित किए जाने के वर्ष में निवल मालियत सीईआरसी बेंचमार्क पूंजी लागत अथवा अनुमानित परियोजना लागत का कम से कम 20 प्रतिशत होनी चाहिए।

- ii. उपरोक्त प्रयोजन के लिए विचारित निवल मालियत बोलीदाता कम्पनी या कंसोर्टियम की संचयी निवल मालियत होगी, जिसमें बोलीदाता(ओं) के उन सम्बद्ध पक्षों की निवल मालियत भी शामिल मानी जाएगी, जो अपेक्षित इक्विटी फंडिंग में अंशदान करने के प्रति वचनबद्ध हों और बोलीदाता(ओं) के विफल रहने की स्थिति में आरएफएस के अनुसार बैंक गारंटी दे सकते हों।
- iii. यह स्पष्ट किया जाता है कि इस खंड के लिए विचारित निवल मालियत कम्पनी अधिनियम के अनुसार परिगणित समग्र निवल मालियत होगी।
- ख) लिक्विडिटी:

यह अनिवार्य है कि बोलीदाता के पास पर्याप्त नकदी प्रवाह/आंतरिक संभूतियाँ/कोई बैंक गारंटी होनी चाहिए, ताकि वह परियोजना के लिए अपेक्षित धन की व्यवस्था कर सके। तदनुसार, खरीदार उपयुक्त मानदंड का वर्णन कर सकता है, जैसे वार्षिक कारोबार, आंतरिक संसाधन सृजन, बैंक जमा राशियाँ/शून्य व्यवस्था, बोली क्षमता, आदि।

7.3 जमा की जाने वाली अग्रिम राशि (ईएमडी):

बोलीदाता द्वारा बैंक गारंटी के रूप में अग्रिम राशि (ईएमडी) की निर्धारित मात्रा जमा करानी होगी। सौर विद्युत उत्पादक द्वारा निर्धारित अवधि के दौरान पीपीए पर हस्ताक्षर करने में विफल रहने की स्थिति में अग्रिम राशि (ईएमडी) जब्त कर ली जाएगी।

7.4 विदेशी बोलीदाताओं द्वारा एफडीआई कानूनों का अनुपालन

यदि किसी विदेशी कम्पनी को सफल बोलीदाता के रूप में चुना जाता है, तो उसे भारत में प्रत्यक्ष विदेशी निवेश संबंधी कानूनों और प्रावधानों का अनुपालन करना होगा।

8. बोली जमा कराना और उनका मूल्यांकन

- 8.1 बोलीदाताओं द्वारा कंसोर्टियम के गठन की अनुमति दी जाएगी, जिसके अंतर्गत कंसोर्टियम एक प्रमुख सदस्य की पहचान करेगा, जो बोली प्रक्रिया के दौरान समस्त पत्राचार के लिए एक सम्पर्क बिंदु के रूप में काम करेगा। खरीदार कंसोर्टियम के प्रमुख सदस्य के लिए तकनीकी और वित्तीय मानदंड और लॉक-इन अवधि निर्दिष्ट कर सकता है।
- 8.2 खरीदार बोलियों के मूल्यांकन के लिए एक समिति (मूल्यांकन समिति) का गठन करेगा, जिसमें कम से कम तीन सदस्य होंगे। इनमें से कम से कम एक सदस्य वित्तीय मामलों/बोली मूल्यांकन में विशेषज्ञ होना चाहिए।
- 8.3 बोलीदाताओं को आरएफएस में निर्दिष्ट अनुसार अप्रतिदेय प्रोसेसिंग शुल्क और/या परियोजना विकास शुल्क जमा कराना पड़ सकता है।
- 8.4 बोलीदाताओं को तकनीकी और मूल्य संबंधी अलग अलग बोलियाँ जमा करानी पड़ सकती हैं। बोलीदाताओं को अपनी बोलियों के साथ ईएमडी के रूप में बोली-धरोहर राशि भी जमा करानी पड़ेगी।
- 8.5 तकनीकी बोली का मूल्यांकन यह सुनिश्चित करने के लिए किया जाएगा कि जमा कराई गई बोलियाँ सभी मूल्यांकन मानदंड के अनुसार आरएफएस दस्तावेज में वर्णित पात्रता मानदंड पूरे करती हैं। मूल्य संबंधी बोलियों का मूल्यांकन केवल उन्हीं बोलियों के संदर्भ में किया जाएगा, जो आरएफएस दस्तावेज में निर्धारित मूल्यांकन मानदंडों को पूरा करती होंगी।
- 8.6 प्रतिस्पर्धा सुनिश्चित करने के लिए इगलिफाइट बोलीदाताओं की न्यूनतम संख्या दो होनी चाहिए। यदि बोली के तीन प्रयासों के बाद भी इगलिफाइट बोलीदाता दो से कम होंगे, और खरीदार इससे आगे भी बोली प्रक्रिया जारी रखने का इच्छुक होगा, तो वह समुचित आयोग की सहमति से ऐसा कर सकता है।
- 8.7 टेंडर की शर्तों का उल्लंघन होने की स्थिति में मूल्य संबंधी बोली रद्द कर दी जाएगी। इस स्तर पर आमतौर पर बोलीदाताओं के स्पष्टीकरण संबंधी अनुरोध पर विचार नहीं किया जाएगा।
- 8.8 बोलियों के मूल्यांकन के लिए खरीदार द्वारा अपनाई जाने वाली बोली मूल्यांकन पद्धति:
- 8.8.1 इन दिशा-निर्देशों के संदर्भ में खरीददारों द्वारा अपनाए गए शुल्क ढांचे पर आधारित बोली व्यवस्था निम्नांकित अनुसार होगी:

- क) शुल्क को मानदंड में शामिल किए जाने के मामले में बोलियों की तुलना आरएफएस में निर्दिष्ट बोली मानदंड अर्थात् नियत शुल्क अथवा प्रथम वर्ष के शुल्क के आधार पर की जाएगी। बोलीदाताओं की बरीयता "न्यूनतम शुल्क" उद्धृत करने वाले बोलीदाता से प्रारंभ होगी।
- ख) बीजीएफ को मानदंड के रूप में शामिल करते हुए बोलियों का मूल्यांकन उद्धृत बीजीएफ सहायता के आधार पर किया जाएगा। बोलीदाताओं को भारतीय रुपये में एकल सकारात्मक संख्या उद्धृत करते हुए बोली लगानी होगी। बोलीदाता नकारात्मक बीजीएफ उद्धृत नहीं कर सकते। शून्य बीजीएफ उद्धृत करने वाले बोलीदाता डिस्काउंटिड शुल्क प्रस्तावित करते हुए, खरीदार द्वारा प्रस्तावित पूर्व निर्धारित से कम दर पर अपनी बोली जमा करा सकते हैं। बोलीदाताओं की बरीयता "सबसे कम शुल्क" उद्धृत करने वाले बोलीदाता से प्रारंभ की जाएगी और "अधिकतम बीजीएफ" (एच 1) उद्धृत करने वाले तक जाएगी।
- 8.9 बोली के मूल्यांकन और बोलीदाता के चयन के बारे में विस्तृत प्रक्रिया आरएफएस दस्तावेज में निर्धारित की जाएगी।
9. बोली प्रक्रिया के लिए निर्दिष्ट समय सारिणी
- 9.1 आरएफएस दस्तावेज जारी करने और बोली जमा कराने की अंतिम तारीख के बीच बोली प्रक्रिया की न्यूनतम अवधि 30 दिन होगी। बोली प्रक्रिया के लिए संकेतात्मक समयसारिणी संलग्नक-1 में दी गई है। सामान्य परिस्थितियों में बोली प्रक्रिया 120 दिन की अवधि में पूरी होने की संभावना होती है।
- 9.2 खरीदार संलग्नक-1 में वर्णित समय सीमा का विस्तार कर सकते हैं और इसे दिशा-निर्देशों का उल्लंघन नहीं समझा जाएगा।
10. ठेका देना और कार्य पूरा करना
- 10.1 बोली लगाने में सफल रहे ठेकेदार/परियोजना कंपनी या बोली लगाने के लिए गठित विशेष उद्देश्य कंपनी (एसपीवी) के साथ बिजली खरीद समझौते (पीपीए) पर दस्तखत किये जाएंगे।
- 10.2 बोली लगाने की प्रक्रिया पूरी होने के बाद आरएफएस बोलियों के मूल्यांकन के लिए गठित मूल्यांकन समिति बोलियों की आलोचनात्मक समीक्षा करेगी इस बात के औचित्य का प्रमाणपत्र देगी कि बोली की प्रक्रिया और मूल्यांकन का कार्य आरएफएस (चयन हेतु अनुरोध) के प्रावधानों के अनुसार किया गया है।
- 10.3 पारदर्शिता के लिए खरीदार पीपीए पर अमल के बाद बोली लगाने में सफल रहे बोलीदाता (ओं) के नाम(ों), उनके द्वारा लगाई गई बोली में बताए गये शुल्क और उसके विभिन्न घटकों के ब्यौरे, अगर कोई हो तो उसका सार्वजनिक रूप से एलान करेगा। सार्वजनिक रूप से यह घोषणा खरीदार के वेबसाइट पर वांछित विवरण को पोस्ट करके 30 (तीस) दिन तक उसका प्रदर्शन करके किया जाएगा।
- 10.4 अधिनियम के प्रावधानों के अधीन वितरण लाइसेंस हासिल करने वाला या मध्यस्थ खरीदार, जो भी स्थिति हो, अधिनियम के अनुच्छेद 63 के अनुसार उपयुक्त आयोग से शुल्क दरों को मंजूरी दिलवाने के लिए आयोग से अनुरोध करेगा।
11. बैंक गारंटी
- सौर ऊर्जा उत्पादक खरीदार को आरएफएस और पीपीए की शर्तों के अनुसार निम्नलिखित बैंक गारंटियां देगा:
- 11.1 जमा की गयी अग्रिम धनराशि (ईएमडी) का निर्धारण खरीदार द्वारा किया जाएगा (जो बोली आमंत्रण वाले वित्त वर्ष के केन्द्रीय विद्युत विनियामक आयोग द्वारा निर्धारित सोलर फोटो वोल्टेज बिजली परियोजना की लागत या अनुमानित परियोजना लागत के दो प्रतिशत से ज्यादा नहीं होगा)। अग्रिम धनराशि बैंक गारंटी के रूप में आरएफएस (स्वीकृति के अनुरोध) के उत्तर के साथ प्रस्तुत की जाएगी।
- 11.2 निष्पादन बैंक गारंटी (पीबीजी) का निर्धारण खरीदार द्वारा पीपीए प्रस्तुत करते समय किया जाएगा [लेकिन यह खरीदार द्वारा निर्दिष्ट स्थान होने पर केन्द्रीय विद्युत विनियामक आयोग द्वारा बोली आमंत्रित किये जाने वाले साल में परियोजना लागत के 4 प्रतिशत (चार प्रतिशत) से अधिक और सौर ऊर्जा उत्पादक द्वारा स्थान का चयन किये जाने की स्थिति में 5 प्रतिशत (पांच प्रतिशत) या अनुमानित परियोजना लागत से अधिक नहीं होना चाहिए। अन्य उपायों के अलावा सोलर पावर जनरेटर को विद्युत खरीद समझौते की शर्तों में निर्दिष्ट प्रावधानों के संदर्भ में किसी तरह का नुकसान होने/देखाए/उत्पन्न होने पर पीबीजी

का नकदीकरण किया जा सकेगा, यहां यह स्पष्ट किया जाता है कि मध्यस्थ खरीदार द्वारा पीपीए की शर्तों के अनुसार सोलर पावर जनरेटर में किसी प्रकार की चूक होने पर पीपीए की नकदीकरण के जरिए क्षतिपूर्ति देयताएं वसूले जाने की स्थिति में क्षति देयता पीपीए की शर्तों के अनुसार मध्यस्थ खरीदार द्वारा आखिरी खरीदार को अंतरित कर दी जाएगी,

12. वित्तीय समाप्ति

सौर ऊर्जा जनरेटर पीपीए की शर्तों के अनुसार विद्युत खरीद समझौते पर हस्ताक्षर होने की तारीख के 7 (सात) महीनों में वित्तीय समापन हासिल कर लेगा,

ऐसा न होने पर खरीदार पीपीए की नकदीकरण करा सकता है बशर्ते देरी का कारण अनुच्छेद 3.2.1 और अनुच्छेद 3.2.2 के अनुसार सरकार द्वारा खरीदार को जमीन के आबंटन में देरी रहा हो, न कि सोलर पावर उत्पादक के कृत्य/अकृत्य जैसे किसी अपरिहार्य कारण से, लेकिन वित्तीय समापन के लिए खरीदार को और समय देने के बारे में विचार किया जा सकता है जो तभी किया जाएगा जब सोलर पावर जनरेटर पीपीए में निर्दिष्ट जुमनि का भुगतान कर दे, इस विस्तार का एससीडी पर कोई असर नहीं पड़ेगा और जो भी जुमाना दिया गया होगा वह एससीडी की अवधि में सोलर पावर जनरेटर के सफलतापूर्वक चालू होने पर बिना व्याज के लौटा दिया जाएगा,

13. न्यूनतम चुकता शेयर पूंजी का प्रमोटर द्वारा रखा जाना

13.1 सफल बोलीदाता अगर एकल कंपनी हो तो उसे यह सुनिश्चित करना होगा कि एसपीवी/पीपीए पर दस्तखत करने वाली कंपनी में उसकी हिस्सेदारी सीओडी (जिसे अनुच्छेद 15 में परिभाषित किया गया है) की तारीख से एक साल पहले खरीदार की पूर्वानुमति कि बिना किसी भी समय 51 (इक्कावन) प्रतिशत से नीचे न पहुंचे, अगर सफल बोलीदाता कंपनियों का समूह हो तो इस स्थिति में एसपीवी/पीपीए पर दस्तखत करने वाली परियोजना कंपनी में समूह की कंपनियों की संयुक्त हिस्सापूंजी खरीदार की पूर्वानुमति के बिना सीओडी से एक साल पहले किसी भी वक्त 51 प्रतिशत से नीचे नहीं पहुंचनी चाहिए, लेकिन अगर सफल बोलीदाता स्वयं ही पीपीए कर रहा हो तो उसे यह सुनिश्चित करना होगा कि उसके प्रमोटर सीओडी से एक साल पहले तक खरीदार की अनुमति के बिना कंपनी पर अपना नियंत्रण खत्म न होने दें, ऐसी स्थिति में यह भी जरूरी होगा कि सफल बोलीदाता अपने प्रमोटरों और उनकी हिस्सापूंजी के बारे में खरीदार के साथ विद्युत खरीद समझौते पर दस्तखत करने से पहले सूचनाएं उपलब्ध करा दे,

13.2 सीओडी से एक साल पूरा हो जाने के बाद हिस्सापूंजी में कोई भी बदलाव खरीदार को सूचना देकर किया जा सकता है,

13.3 अगर सोलर पावर जनरेटर ने किसी ऋणदाता(ओं) की देनदारी चुकाने में चूक की हो तो ऋणदाता को इस बात का अधिकार होगा कि वह खरीदार की सहमति से 'प्रमोटर बदल' सके,

14. चालू करना

14.1 आंशिक रूप से चालू करना

खरीदार को परियोजना का आंशिक रूप से चालू होना इस शर्त के साथ स्वीकार्य होगा कि पहली बार और दूसरी बार में चालू होने वाली न्यूनतम क्षमता 50 मेगावाट होगी और इससे पीपीए में चालू नहीं हुए हिस्से किसी तरह के जुमनि की के लिए जुमाना लगाने के प्रावधान पर कोई प्रतिकूल असर नहीं पड़ेगा, लेकिन आंशिक रूप से चालू होने की वजह से एससीडी में फेरबदल नहीं होगा, आंशिक रूप से चालू होने या पूर्ण रूप में चालू होने की तारीखें चाहे जो भी हों, पीपीए एससीडी से 25 (पच्चीस) साल के लिए लागू रहेगा,

14.2 समय पूर्व चालू होना

सोलर पावर जनरेटर को एससीडी से भी पहले परियोजना को पूर्ण रूप से या आंशिक रूप से चालू करने की इजाजत होगी, पूर्व आंशिक कमिशनिंग के मामलों में, एससीडी तक खरीदार उत्पादन को एससीडी तक के लिए पीपीए में निर्धारित शुल्क के 75%

² 'नियंत्रण' शब्द का अर्थ है स्वामित्व, ऐसी कंपनी के 50 प्रतिशत (पचास प्रतिशत) से अधिक वोटिंग शेयरों का प्रत्यक्ष या परोक्ष रूप से स्वामित्व, अथवा बहुसंख्य निर्देशकों की नियुक्ति का अधिकार।

(पचहत्तर प्रतिशत) की दर से खरीद सकता है, लेकिन अगर एससीडी से पहले ही परियोजना समूची क्षमता चालू हो जाए तो खरीदार पीपीए में दी गयी दरों से खरीद सकता है।

14.3 चालू होने की समय सारिणी

परियोजनाएं पीपीए के निष्पादन की तारीख से 13 महीनों की अवधि में चालू होंगी, लेकिन 250 मेगावाट और इससे अधिक क्षमता की परियोजनाएं अगर सोलर पार्क से बाहर लगायी जा रही हों तो पीपीए के निष्पादन की तारीख से 15 महीनों की अवधि में चालू हो जाना चाहिए। चालू करने की निर्धारित तारीख के बाद विलंब से शुरू होने पर सोलर पावर जनरेटर पर पीपीए में निर्धारित समय-सारिणी के प्रावधानों के अनुसार जुर्माना लगाने का प्रावधान होगा। अगर सोलर पावर जनरेटर के लिए खरीदार द्वारा चुने गये स्थान के हस्तांतरण में निर्धारित समय-सारिणी के अनुसार विलंब होने पर वित्तीय समापन और पूर्वनिर्धारित निष्पादन तारीख भी तदनुसार आगे बढ़ जाएगा, बशर्ते परियोजना पूरी करने की समयावधि में विस्तार एक साल के लिए होगा। विस्तारित अवधि अनुच्छेद 3.2.1 (ए) के प्रावधानों के अनुसार बकाया 10 प्रतिशत भूमि के हस्तांतरण की तारीख के ब्रीत जाने के बाद से मानी जाएगी।

15. वाणिज्यिक संचालन की तारीख (सीओडी)

वाणिज्यिक संचालन की तारीख वह तारीख होगी जिस दिन परियोजना या उसके आखिरी चरण के पूरी क्षमता से सफलतापूर्वक चालू हो जाने पर उसे प्रवर्तन प्रमाणपत्र प्रदान किया जाएगा।

16. ट्रांसमिशन संपर्क

16.1 सौर विद्युत संयंत्र को अंतर-संपर्क को ध्यान में रखकर इस तरह से डिजाइन किया जाएगा कि यह (क) पुलिंग सब-स्टेशन से जुड़ जाए जहां एसटीयू/सीटीयू सब-स्टेशन से पहले अन्य परियोजनाओं का भी संपर्क कायम होता है; या (ख) एसटीयू/सीटीयू सब-स्टेशन के साथ समर्पित ट्रांसमिशन लाइन के जरिए उपयुक्त वोल्टेज स्तर पर सीधा संपर्क, जैसा कि खरीदार द्वारा निर्दिष्ट है, बोली लगाने संबंधी दस्तावेज में संबद्ध सब-स्टेशन और ट्रांसमिशन लाइनों के निर्माण के लिए उत्तरदायी संगठन का स्पष्ट उल्लेख होना चाहिए। कार्यान्वयन व्यवस्था और निकासी प्रणाली के डिजाइन के अनुसार ट्रांसमिशन लाइनों और एसटीयू/सीटीयू से पहले के सब-स्टेशनों की पूंजी लागत का भुगतान या तो सौर विद्युत उत्पादक द्वारा सीधे कर दिया जाएगा या एसपीपीडी अथवा किसी दूसरी कार्यान्वयन एजेंसी द्वारा किया जाएगा। इसकी वसूली सौर विद्युत उत्पादक से सीधे तौर पर एकमुश्त या कई वर्षों की किश्तों में की जाएगी।

16.2 जिन मामलों में खरीदार द्वारा परियोजना स्थल विनिर्दिष्ट नहीं किया गया है उनमें एसटीयू/सीटीयू के स्वामित्व वाली ट्रांसमिशन प्रणाली के साथ ट्रांसमिशन संपर्क और पहुंच कायम करने की जिम्मेदारी सौर विद्युत उत्पादक की होगी और यह कार्य सौर विद्युत उत्पादक के खर्च पर होगा।

16.3 जिन मामलों में खरीदार द्वारा निर्दिष्ट परियोजना स्थल कोई सोलर पार्क नहीं है वहां खरीदार ट्रांसमिशन संपर्क और पहुंच की सुविधा कायम करने की जिम्मेदारी और लागत सौर विद्युत उत्पादक द्वारा उठायी जाएगी।

16.4 जिन मामलों में खरीदार परियोजना लगाने के लिए किसी सोलर पार्क का उल्लेख करता है सीटीयू/एसटीयू द्वारा परियोजना को शुरू करने में विलंब के लिए किसी कानून या नियम के तहत लगाया जाने वाला जुर्माना, दंड और शुल्क उस सीमा तक सौर विद्युत उत्पादक द्वारा देय होगा जहां तक देरी की वजह सौर विद्युत उत्पादक हो और बाकी खरीदार को देना होगा।

16.5 मीटरिंग प्वाइंट वह स्थान है जहां पर खरीदार को सप्ताई की जाने वाली बिजली का मापन किया जाएगा। यह स्थान एसटीयू/सीटीयू सब-स्टेशन का तो वोल्टेज बस बार होगा। सोलर पार्क के मामले में मीटरिंग प्वाइंट फाइनल इवैकुएशन वाला एसटीयू/सीटीयू सब-स्टेशन होगा जिसके साथ तमाम पुलिंग सब-स्टेशनों का इंटरनल ट्रांसमिशन जुड़ा रहेगा। परियोजना और मीटरिंग प्वाइंट के बीच हवीलिंग चार्ज और नुकसान समेत तमाम खर्च सौर ऊर्जा उत्पादक उठाएगा और खरीदार इसके लिए किसी तरह कर प्रतिपूर्ति नहीं करेगा। हवीलिंग चार्ज और नुकसान समेत मीटरिंग प्वाइंट से आगे के ट्रांसमिशन और बिरण जैसे तमाम खर्चों का भुगतान खरीदार करेगा। सीटीयू/एसटीयू द्वारा खर्चों को उनकी क्षमता के अनुपात में या बुनियादी ढांचे का साक्षा उपयोग करते हुए परियोजना के मानकीय उत्पादन के अनुसार सीधे परियोजना के बिलों में शामिल किये जाने की

व्यवस्था की जाएगी, या फिर एसपीपीडी के पक्ष में बिल बनाया जाएगा जो इसकी सीधी वसूली खरीदार या सौर ऊर्जा उत्पादक से करेगा जिसके लिए सौर ऊर्जा उत्पादक खरीदार से प्रतिपूर्त प्राप्त कर सकता है.

17. तकनीकी विनिर्देश

परियोजनाओं को पूरा करने और टेक्नोलाजी संबंधी जोखिमों को कम करने के लक्ष्य को प्राप्त करने के लिए खरीदार वाणिज्यिक रूप से सुस्थापित और कार्यरत टेक्नोलाजी को बढ़ावा देगा. सौर फोटो वोल्टैक विद्युत परियोजनाओं के विस्तृत तकनीकी मानदंड एमएनआरई में समय-समय पर बताए जाएंगे. वर्तमान मानदंड संलग्नक-II में दिये गये हैं.

18. दिशानिर्देशों में परिभाषित प्रक्रिया से विचलन

अगर इन दिशानिर्देशों और/या एसवीडीज से कोई विचलन हो तो उसके लिए उपयुक्त आयोग की मंजूरी लेना आवश्यक होगा. उपयुक्त आयोग इसकी मंजूरी देगा या बोली दस्तावेज में एक निश्चित समय सीमा में संशोधन करने को कहेगा जो 90 दिन से ज्यादा नहीं होगी.

19. मध्यस्थता

केन्द्रीय विद्युत विनियामक आयोग के उपयुक्त आयोग ने की स्थिति में कोई ऐसा विवाद उत्पन्न होने पर जिसमें किसी बदलाव या शुल्क की दरों के निर्धारण या शुल्क संबंधी कोई मामला शामिल हो, या जिससे शुल्क में आंशिक या पूर्ण रूप से बदलाव आता हो तो ऐसे विवाद का फैसला सीईआरसी द्वारा किया जाएगा. अन्य सभी विवादों का समाधान भारतीय मध्यस्थता और समझौता अधिनियम, 1996 के अंतर्गत पंच फैसले से किया जाएगा. केन्द्रीय विद्युत विनियामक आयोग के उपयुक्त आयोग होने की स्थिति में सभी विवादों का समाधान सीईआर सी द्वारा किया जाएगा या सीईआरसी उन्हें मध्यस्थता से निपटाने के लिए भेज देगा.

20. दिशानिर्देशों के बारे में स्पष्टीकरण और संशोधन

अगर इन दिशानिर्देशों के किसी प्रावधान को लागू करने या दिशानिर्देशों की व्याख्या अथवा इनमें संशोधन में कोई अड़चन आती है तो नवीन एवं नवीकरणीय ऊर्जा मंत्रालय को इस बात का अधिकार है कि वह विद्युत मंत्रालय के परामर्श से यह कार्य पूरा करे. इस संबंध में सभी संबद्ध पक्ष किसी भी निर्णय को मानने को बाध्य होंगे.

शालिनी प्रसाद, अपर सचिव

संलग्नक-I

संलग्नक-I : बोली प्रक्रिया के लिए समय-सारणी

क्रम सं.	कार्य	शुरुआत से बीता समय
1.	आरएफएस परियोजना के लिए विशिष्ट विद्युत खरीद समझौतों के मसौदे, अन्य परियोजना समझौतों के मसौदे और पीएसए, अगर लागू हों तो.	शून्य तारीख
2.	बोली के बारे में स्पष्टीकरण, कान्फ्रेंस, साइट समेत परियोजना से संबंधित तमाम विशिष्ट विवरणों को साझा करने के लिए ऑनलाइन डेटारूम खोलना (अगर खरीदार द्वारा कहा गया हो), और आरएफएस का संशोधन	**
3.	आरएफएस बोली भेजा जाना	30 दिन
4.	बोलियों का मूल्यांकन और एलओआई जारी करना	120 दिन
5.	पीपीए और पीएसए पर दस्तखत (अगर लागू हो)	150 दिन

**आरएफएस दस्तावेज में किसी भी बदलाव की स्थिति में खरीदार इन दिशानिर्देशों के उपबंध 6.5 के अनुसार बोली लगाने वाले को अतिरिक्त समय देगा.

नोट : यह स्पष्ट किया जाता है कि अगर खरीदार बोली लगाने की प्रक्रिया में किसी कार्य में विलंब की वजह से उसे पूरा करने के लिए किसी कार्य के लिए बोलीदाता को अतिरिक्त समय देता है तो इस अतिरिक्त समय को इन दिशानिर्देशों में किसी भी तरह का विचलन नहीं माना जाएगा.

संलग्नक-II

संलग्नक-II : ग्रिड से जुड़े सोलर पीवी विद्युत संयंत्रों की तकनीकी जरूरतें

ग्रिड से जुड़े फोटो वोल्टक विद्युत परियोजनाओं में इस्तेमाल किये जाने वाले उपकरणों की गुणवत्ता सुनिश्चित करने के लिए कुछ तकनीकी उपाय निम्नलिखित हैं:

1. एसपीवी मॉड्यूल

1.1 ग्रिड सोलर पावर परियोजनाओं में इस्तेमाल किये जाने वाले एसपीवी मॉड्यूल को निम्नलिखित नवीनतम आईईसी पीवी मॉड्यूल मानदंड परीक्षणों या समकक्ष वीआईएस मानदंडों को पूरा करना चाहिए.

क्रिस्टलाइन सिलिकोन सोलर सैल मॉड्यूल - आईईसी 61215

थिन फिल्म मॉड्यूल - आईईसी 61646

कान्सट्रक्टर पीवी मॉड्यूल - आईईसी 62108

1.2 इसके अलावा एसपीवी मॉड्यूल को सुरक्षा मानदंड परीक्षण में 1000 वोल्ट डीसी या इससे अधिक के लिए आईईसी 61730 को पूरा करना चाहिए. जंग लगने की अत्यधिक आशंका वाले माहौल में इस्तेमाल किये जाने वाले मॉड्यूल को अपने समूचे कार्यकाल में आईईसी 61701 मानदंड को पूरा करना चाहिए.

2. पावर कंडीशनर/इनवर्टर

एसपीवी विद्युत संयंत्रों के पावर कंडीशनर/इनवर्टर नीचे बताये गये नवीनतम आईईसी/समतुल्य मानदंडों के अनुसार होने चाहिए :

कार्यक्षमता मापन - आईईसी 61683

पर्यावरण परीक्षण - आईईसी 60068 -2/आईईसी 62093

ईएम सुसंगत (ईएमसी) - आईईसी 61000-6-2, आईईसी 61000-6-4 और आईईसी 61000 के अन्य प्रासंगिक भाग

विद्युत सुरक्षा - आईईसी 62103/ आईईसी 62109-1 और 2

एंटी आइसलैंडिंग प्रोटेक्शन - आईईसी 1547/आईईसी 62116/यूएल 1741 या समतुल्य

वीआईएस मानदंड

3. अन्य उप प्रणालियाँ/घटक

एसपीवी विद्युत संयंत्रों में उपयोग में लाई जाने वाली अन्य उप-प्रणालियों/घटकों (केबल, कनेक्टर, जंक्शन बॉक्स, सर्ज प्रोटेक्शन उपकरण आदि) को बिजली सुरक्षा संबंधी अंतर्राष्ट्रीय/राष्ट्रीय मानदंडों के अनुसार होने के साथ-साथ उनमें मौसम संबंधी प्रतिकूलताओं को झेलने की क्षमता तथा अपने संभावित जीवन काल में सुचारु रूप से कार्य करने में भी सक्षम होना चाहिए. यह सिफारिश की जाती है कि आउटडोर इस्तेमाल के लिए 600-1800 वोल्ट्स डीसी की केबल को 25 साल के संभावित जीवनकाल को पूरा करने के लिए वीएस ईएन 50618:2014/2पीएफजी 1169/08.2007 के मानदंडों के अनुसार होना चाहिए.

4. अधिकृत परीक्षण केन्द्र

विद्युत संयंत्रों में इस्तेमाल किये जाने वाले पीवी मॉड्यूल/पावर कंडीशनर के लिए उनकी विशेषताओं को दर्शाने वाला वैध परीक्षण प्रमाणपत्र होना चाहिए जो ऊपर बताए गये आईईसी/वीआईएस मानदंड के अनुसार होना चाहिए और भारत में एनएबीएल से मान्यता प्राप्त परीक्षण केन्द्र का होना चाहिए. पतली फिल्म और सीपीवी/उपकरण जैसे मॉड्यूल के लिए जिनके परीक्षण की सुविधाएं फिलहाल भारत में उपलब्ध होने की संभावना न होने पर आईएनएसी सदस्यता प्राप्त किसी विदेशी प्रयोगशाला का परीक्षण प्रमाणपत्र स्वीकार्य होगा.

5. वारंटी

ग्रिड से जुड़े सौर विद्युत संयंत्रों में इस्तेमाल होने वाले फोटोवोल्टैक मॉड्यूल आउटपुट वाटेज के लिए गारंटीशुदा होने चाहिए जो दस साल के अंत में 90 प्रतिशत से कम और 25 साल के अंत में 80 प्रतिशत से कम नहीं होनी चाहिए।

6. पहचान और निशानदेही करना

सौर विद्युत परियोजना में इस्तेमाल किये जाने वाले हर एक फोटोवोल्टैक मॉड्यूल में आरएफ पहचान टैग लगा होना चाहिए, हर मॉड्यूल में इस्तेमाल की गयी आरएफ आईडी में निम्नलिखित सूचनाओं का उल्लेख होना चाहिए, (यह सेमिनेट के अंदर या बाहर कहीं भी हो सकता है मगर इसे ऐसी जगह होना चाहिए जहां यह पर्यावरण की कठोर स्थितियों का सामना कर सके.)

- i) फोटोवोल्टैक मॉड्यूल के निर्माता का नाम
- ii) सौर सेल के निर्माता का नाम
- iii) निर्माण का महीना और साल (सौर सेल और मॉड्यूल के लिए अलग-अलग)
- iv) निर्माता देश का नाम (सौर सेल और मॉड्यूल के लिए अलग-अलग)
- v) मानक परीक्षण की स्थितियों (1000 W/m^2 , एएम 1.5, 25°C) में मॉड्यूल का i-v कर्व
- vi) मॉड्यूल का वाटेज, I_m , V_m और FF
- vii) मॉड्यूल का यूनीक सीरियल नं. और मॉडल नं.
- viii) आईईसी पीवी मॉड्यूल क्वालिफिकेशन सर्टिफिकेट प्राप्त करने की तारीख और साल
- ix) आईईसी प्रमाणपत्र जारी करने वाली परीक्षण प्रयोगशाला का नाम
- x) सौर सेल मॉड्यूल की निशानदेही के बारे में आईएसओ 9000 के अनुसार अन्य प्रासंगिक सूचना

साइट के मालिकों को हर मॉड्यूल के लिए मानदंडों के अनुसार उपर्युक्त डेटा के साथ-साथ मॉड्यूल आईडी की सूची की आसान उपलब्ध बनाए रखनी होगी।

7. कामकाज की निगरानी

ग्रिड से जुड़ी सभी फोटो वोल्टैक बिजली परियोजनाओं को सौर विकिरण, परिवेश के तापमान, हवा की गति और मौसम संबंधी अन्य मानदंडों के लगातार मापन के लिए आवश्यक उपकरण स्थापित करने चाहिए। इसके साथ ही उन्हें संयंत्र से उत्पन्न डीसी और ऐसी विद्युत के उत्पादन का भी मापन करना चाहिए। उन्हें विद्युत खरीद समझौते की समूची अवधि में ये आंकड़े खरीदार और एमएनआरई या किसी भी अन्य निर्दिष्ट एजेंसी को ऑन लाइन और/या रिपोर्ट के रूप में हर महीने भेजने होंगे। इस संबंध में वे खरीदार, एमएनआरई या किसी अन्य निर्दिष्ट एजेंसी को बिजली संयंत्र के पोर्टल की हर सप्ताह सातों दिन और चौबीसों घंटे रिमोट मॉनिटरिंग के लिए अनिवार्य रूप से पहुंच की भी अनुमति देगे।

8. सौर फोटो वोल्टैक मॉड्यूल का सुरक्षित निपटान

निर्माता यह सुनिश्चित करेंगे कि उनके प्लांट में बने सोलर फोटोवोल्टैक मॉड्यूल अपना 'जीवन काल पूरा होने के बाद' (जब वे खराब हो जाएं/चलना बंद कर दें/उनकी मरम्मत करना मुमकिन न रहे) तो उनका निपटान सरकार द्वारा अधिसूचित और समय-समय पर पुनरीक्षित व संशोधित "ई-वेस्ट मैनेजमेंट एंड हैंडलिंग विनियम, 2011" के अनुसार किया जाए।

MINISTRY OF POWER

RESOLUTION

New Delhi, the 3rd August, 2017

**Guidelines for Tariff Based Competitive Bidding Process for
Procurement of Power from Grid Connected Solar PV Power Projects**

No. 23/27/2017-R&R.—1. PREAMBLE

1.1. Background

1.1.1. Promotion of competition in the electricity industry in India is one of the key objectives of the Electricity Act, 2003 ('Act'). Power purchase costs constitute the largest cost element for distribution licensees. Competitive procurement of electricity by the distribution licensees is expected to reduce the overall cost of procurement of power and facilitate development of power markets. Internationally, competition in wholesale electricity markets has led to reduction in prices of electricity and in significant benefits for consumers.

1.1.2. Section 61 & 62 of the Act provide for tariff regulation and determination of tariff of generation, transmission, wheeling and retail sale of electricity by the Appropriate Commission. As per proviso of Section 61 read with Section 178(2) of the Electricity Act, 2003, the Terms and Conditions for Tariff determination from Renewable Energy Sources Regulations, 2012 were framed by the Central Electricity Regulatory Commission (CERC) in February, 2012. Further, section 63 of the Act states that –

"Notwithstanding anything contained in section 62, the Appropriate Commission shall adopt the tariff if such tariff has been determined through transparent process of bidding in accordance with the guidelines issued by the Central Government."

1.1.3. Section 10 of the Electricity Act provides that a generating company may supply electricity to any licensee in accordance with the Act and rules and regulations made there under and may, subject to the regulations made under sub-section (2) of Section 42, supply electricity to any consumer.

1.1.4. The National Tariff Policy, 2016 formulated by the Ministry of Power, has specific guidance on purchase of power generated from renewable energy sources. As per Section 6.4(2), "States shall endeavor to procure power from renewable energy sources through competitive bidding to keep the tariff low, except from the waste to energy plants. Procurement of power by Distribution Licensee from renewable energy sources, from Solar PV Power Projects above the notified capacity, shall be done through competitive bidding process, from the date to be notified by the Central Government. However, till such notification, any such procurement of power from renewable energy sources projects, may be done under Section 62 of the Electricity Act, 2003."

1.2. Objectives

1.2.1. The specific objectives of these Guidelines are as follows:

- a) To promote competitive procurement of electricity from solar PV power plants, by distribution licensees, to protect consumer interests;
- b) To facilitate transparency and fairness in procurement processes / and to provide for a framework for an Intermediary Procurer as an Aggregator/Trader for the inter-state/intra-state sale-purchase of long-term power.
- c) To provide standardization and uniformity in processes and a risk-sharing framework between various stakeholders, involved in the solar PV power procurement, thereby encouraging investments, enhanced bankability of the Projects and profitability for the investors.

2. SCOPE OF THE GUIDELINES**2.1. Applicability of Guidelines:**

2.1.1. These Guidelines are being issued under the provisions of Section 63 of the Electricity Act, 2003 for long term procurement of electricity by the 'Procurers', from grid-connected Solar PV Power Projects ('Projects'), having size of **5 MW and above**, through competitive bidding.

Explanation:

a) **'Procurer'**: The term 'Procurer', as the context may require, shall mean the distribution licensees, or the Authorized Representative(s), or an Intermediary Procurer.

b) **'Authorised Representative' of the Procurer**: In cases, where the Power Purchase Agreement (PPA) signing agency and the agency carrying out the tendering/bidding process are different, the agency carrying out the

tendering / bidding process shall be deemed to be the Authorized Representative of the 'Procurer' and will on behalf of the Procurer be responsible for fulfilling all the obligations imposed on the 'Procurer' during the bidding phase, in accordance with these Guidelines.

c) 'Intermediary Procurer' & 'End Procurer':

- i. In some cases, an intermediary, between the distribution licensees and the generator ('**Solar Power Generator**'), may be required either to aggregate the solar power purchased from different Solar Power Generators and sell it to the distribution licensee, or to enhance the credit profile. In such cases, the "Procurer" would be a trader, buying power from the Solar Power Generators and selling the same to one or more distribution licensees, such distribution licensees shall be the "End Procurer" and the trader shall be "Intermediary Procurer" for the purpose of these Guidelines.
- ii. The Intermediary Procurer shall enter into a PPA with the Solar Power Generator and also enter into a Power Sale Agreement (**PSA**) with the End Procurer. The PSA shall contain the relevant provisions of the PPA on a back to back basis. The trading margin, as notified by the Appropriate Commission (or in the absence of such notification, as mutually decided between the Intermediary Procurer and the End Procurer), shall be payable by the End Procurer to the Intermediary Procurer.
- iii. In such cases, as long as the Intermediary Procurer has followed these Guidelines for procurement of solar power, the End Procurer shall be deemed to have followed these Guidelines for procurement of solar power.

2.1.2. Unless explicitly specified in these Guidelines, the provisions of these Guidelines shall be binding on the Procurer/ Intermediary Procurer/ End Procurer and the Authorised Representative of the Procurer. The process to be adopted in event of any deviation proposed from these Guidelines is specified in Clause 18 of these Guidelines.

2.2. Appropriate Commission:

2.2.1. Subject to the provisions of the Act:

- a) In case of a single distribution licensee being the Procurer, the Appropriate Commission, for the purpose of these bidding Guidelines, shall be the State Electricity Regulatory Commission of the concerned State where the distribution license is located.
- b) In case of combined procurement where the distribution licensees are located in more than one State, the Appropriate Commission for the purpose of these bidding Guidelines, shall be the Central Electricity Regulatory Commission.
- c) For cases involving sale of power from Central Generating Stations, the Appropriate Commission shall be the Central Electricity Regulatory Commission.

3. PREPARATION FOR INVITING BID AND PROJECT PREPAREDNESS

3.1. Conditions to be met by Procurer

The Procurer shall meet the following conditions:

3.1.1. Bid Documentation:

- a) Prepare the bid documents in accordance with these Guidelines and Standard Bidding Documents (SBDs) [consisting of Model Request for Selection (**RfS**) Document, Model Power Purchase Agreement and Model Power Sale Agreement], notified by the Central Government, except as provided in sub clause (c) below.
- b) Inform the Appropriate Commission about the initiation of the bidding process.
- c) Seek approval of the Appropriate Commission for deviations, if any, in the draft RfS draft PPA, draft PSA (if applicable) from these Guidelines and/ or SBDs, in accordance with the process described in Clause 18 of these Guidelines.
 - i. However, till the time the SBDs are notified by the Central Government, for purpose of clarity, if the Procurer while preparing the draft RfS, draft PPA, draft PSA and other Project agreements provides detailed provisions that are consistent with the Guidelines, such detailing will not be considered as deviations from these Guidelines even though such details are not provided in the Guidelines.
 - ii. Further, in case of an ongoing bidding process, if the bids have already been submitted by bidders

prior to the notification of these Guidelines and/or SBDs, then if there are any deviations between these Guidelines and/or the SBDs and the proposed RfS, PPA, PSA (if applicable), the RfS, PPA and the PSA shall prevail.

d) Procure the following clearances, as relevant:

- i. In case of procurement from Projects to be located at a site to be specified by the Procurer, clearance by the relevant authority of the draft land lease or other land related agreements consistent with the draft PPA, draft PSA and other Project agreements.
- ii. Clearance by the End Procurer of the draft RfS, PPA and PSA having details specific to the proposed procurement.
- iii. clearance by the agency developing the Solar Park [**'Solar Power Park Developer'** (SPPD)] for draft Implementation Agreement, consistent with the draft PPA and the draft PSA, in case of a procurement from Projects to be located in Solar Parks specified by the Procurer.

3.1.2. **Site-related Project preparatory activities including clearances:**

In order to ensure timely commencement of supply of electricity being procured and to convince the bidders about the irrevocable intention of the Procurer, it is necessary that various Project preparatory activities as mentioned in Clause 3.2.1 and Clause 3.2.2 of these Guidelines are completed in time.

3.2. **Arrangements related to site**

As specified in the bidding documents to be issued by the Procurers, the Project may be set up either at the Project site specified by the Procurer, or at the Project site selected by the Solar Power Generator.

3.2.1. **Project site specified by the Procurer:** The Procurer may choose to locate the Project at a specified site and the same may be specified by the Procurer in the bidding documents. In such cases, to ensure timely commencement of supply of electricity, the Procurer shall ensure that various Project preparatory activities as indicated below have been initiated by the Procurer before issuance of the RfS. These activities would be required to be completed prior to the PPA being executed.

- a) Land: Identification of 100% (hundred per cent) land and provision of documents/ agreements to indicate in-principle availability of at least 25% (twenty-five per cent) of land at the initiation of bidding, and possession of 90% (ninety per cent) of land within 1 (one) months of the execution of the PPA and the balance 10% (ten per cent), within 2 (two) months thereafter.
- b) No Objection Certificate (NOC)/ Environmental Clearance (if applicable) for the Project.
- c) Forest Clearance (if applicable) for the land for the Project.
- d) Approval for Water from the concerned authority (if applicable) required for the Project.
- e) A letter from the STU/ CTU confirming technical feasibility of connectivity of plant to STU/ CTU substation, except for the cases where the concerned STU / CTU has notified, sub-station wise spare capacities for feasibility of connectivity.

3.2.2. **Project site specified by the Procurer in a Solar Park:** The Procurer may choose to locate the Project in a concentrated zone characterized with proper infrastructure and access to amenities (**'Solar Park'**) and the same may be specified by the Procurer in the bidding documents. The Solar Park shall be developed as per the "Guidelines for Development of Solar Parks" issued by MNRE as amended from time to time. Notwithstanding this, to ensure timely commencement of supply of electricity, the Procurer shall ensure that various Project preparatory activities as indicated above in clause 3.2.1. (a) to (e), have been initiated and completed by the concerned SPPD as per the timelines mentioned therein. In addition to above, the responsibilities of the Solar Power Park Developer shall flow from the "Guidelines for Development of Solar Parks", developed by MNRE and Implementation Support Agreement, which defines the relationship between the Solar Power Park Developer and the Solar Power Generator.

3.2.3. **Project site selected by the Solar Power Generator:** In case the Procurer does not specify a site or in a Solar Park and the Project site is selected by the Solar Power Generator, to ensure timely completion and commencement of supply of power, the bidder would be required to submit documents in respect of matters as mentioned below, as per the time schedule specified in the bidding documents:

- a) Land acquisition: Identification of the 100% (hundred per cent) land at the time of bid submission and within 7 (seven) months of the execution of the PPA, submission of documents/ Lease Agreement to establish possession/ right to use 100 % (hundred per cent) of the required land in the name of the Solar Power Generator or its Affiliate. In case the land is in the name of Affiliate, the land should be

transferred in the name of Solar Power Generator prior to Scheduled Commissioning Date (SCD). Wherever leasing of private land is involved, the lease should allow transfer of land to the lenders or Procurer, in case of default of the Solar Power Generator.

- b) No Objection Certificate (NoC)/Environmental clearance (if applicable) for the Project.
- c) Forest Clearance (if applicable) for the land for the Project.
- d) Approval for Water from the concerned authority (if applicable) required for the Project.
- e) A letter from State Transmission Utility (STU)/Central Transmission Utility (CTU) [or Solar Power Park Developer, in case of selected site being a solar park] confirming technical feasibility of connectivity of the plant to STU/CTU substation. If the Project site is located in the same State as the Procurer/End Procurer, State Govt. shall endeavor to provide necessary support to facilitate the connectivity of the plant to STU/CTU substation.

4. BID STRUCTURE

4.1. Bid Package: The bids will be designed in terms of a package. The minimum size of a package should be 50 MW, in order to have economies of scale. Notwithstanding this, on due consideration of availability of land and transmission facility, smaller bid packages can be kept in case of North-Eastern States, Special Category States, and Projects outside Solar Parks. The bidder has to quote for an entire package. The Procurer may also choose to specify the maximum capacity that can be allotted to a single bidder including its Affiliates¹ keeping in mind factors such as economies of scale, land availability, expected competition and need for development of the market.

4.2. Bids in Power/Energy Terms: The Procurer may choose to invite the bids in (a) Power Capacity (MW) terms or (b) Energy Quantity (kWh or million units i.e. MU) terms.

4.3. Bidding Parameters: For procurement of electricity, the Procurer may opt for either 'Tariff as Bidding Parameter' or 'Viability Gap Funding (VGF) as Bidding Parameter'.

4.3.1. Tariff as the Bidding Parameter: In this case, the bidding parameter shall be the tariff quoted by the bidder. The Procurer may select either of the following kinds of tariff based Bidding: (a) fixed tariff in Rs./kWh for 25 (twenty-five) years or more or (b) escalating tariff in Rs./kWh with pre-defined quantum of annual escalations fixed in Rs./kWh and number of years from which such fixed escalation will be provided. The Procurer shall specify that the tariff quoted by the bidder cannot be more than the tariff for grid-connected solar PV power plants, notified by the Appropriate Commission, if any, for the financial year in which the bids are invited. The Procurer may disclose in the RfS, the prevailing incentives like the Generation Based Incentive (GBI) or such other incentives, to the Solar Power Generators.

4.3.2. VGF as the Bidding Parameter: It involves a mechanism wherein a pre-determined tariff is offered to the Solar Power Generator along with a financial assistance, to enable the Solar Power Generator to supply power at this tariff. For VGF based Bidding, the Procurer shall specify the following before issuance of RfS: (a) Pre-determined tariff payable to the selected Solar Power Generator for the duration of the PPA and the Maximum amount of Viability Gap Funding (VGF) for the Solar Power Generator(s). The bidders shall have to submit their bids quoting the VGF support required by them. The bidders who do not want to avail the VGF support, may offer in their bids, a discounted tariff, lower than the pre-determined tariff offered by the Procurer. The Procurer is required to specify a suitable VGF safeguard mechanism in the RfS and the Project agreements, to provide a framework for the VGF disbursement agency for recovery of VGF amounts in case the Project is not developed and/or operated in accordance with the Project agreements, duly balancing market practice in terms of lender's requirements.

5. POWER PURCHASE AGREEMENT

The draft PPA proposed to be entered into with the successful bidder and draft PSA (if applicable) shall be issued along with the RfS. Standard provisions to be incorporated as part of this PPA shall include *inter alia* the following, which, unless otherwise specified herein, shall be provided for, on a back to back basis in the PSA:

5.1. PPA Period: As the PPA period influences the tariff by determining the period over which the investment is returned to the investor/ SPD, longer PPA is favoured for lower tariffs. The PPA period should thus be not less than 25 (twenty-five) years from the date of the Scheduled Commissioning Date (SCD). The Solar Power

¹ **Affiliate** in relation to a Company shall mean a person who controls, is controlled by, or is under the common control with such Company. The expression 'control' shall mean the ownership, directly or indirectly, of more than 50% of the voting shares of such Company or right to appoint majority Directors.

Generators are free to operate their plants after the expiry of the PPA period in case the arrangements with the land and infrastructure owning agencies, the relevant transmission utilities and system operators so provide. It is hereby clarified that in cases where the Project site is specified by the Procurer to be located either in a Solar Park or otherwise, the responsibility of the Procurers to arrange for the land in terms of Clauses 3.2.1 and 3.2.2 shall be limited for the PPA period.

- 5.2. Quantum of Power/ Energy to Be Procured:** The procurement of power could either be in power (MW) terms or in energy (kWh or Million Units, i.e. MU) terms.

5.2.1. Procurement in Power Terms (MW):

- a) In case of procurement in power (MW) terms, the range of Capacity Utilisation Factor (CUF) will be indicated in the bidding documents. Calculation of CUF will be on yearly basis. In case the project generates and supplies energy less than the energy corresponding to the minimum CUF, the Solar Power Generator will be liable to pay to the Procurer, penalty for the shortfall in availability below such contracted CUF level. The amount of such penalty will be in accordance with the terms of the PPA, which shall ensure that the Procurer is offset for all potential costs associated with low generation and supply of power under the PPA, subject to a minimum of 25% (twenty-five per cent) of the cost of this shortfall in energy terms, calculated at PPA tariff.
- b) In case the availability is more than the maximum CUF specified, the Solar Power Generator will be free to sell it to any other entity provided first right of refusal will vest with the Procurer(s). In case the Procurer purchases the excess generation, the same may be done at 75% (seventy-five per cent) of the PPA tariff, and provision to this effect shall be clearly indicated in the RfS document.

- 5.2.2. Procurement in Energy Terms:** In case of procurement in energy (kWh or Million Units, i.e. MU) terms, and not in power (MW) terms, the range of permissible capacity of the plant in terms of MW(AC) shall be clearly specified by the Procurer in the RfS. The Procurer will also specify the **Contracted Energy Quantity (CEQ)**, including a minimum supply obligation below which the developer will be required to pay damages to the Procurer and a guaranteed energy offtake upto which the Procurer will be bound to purchase all energy generated and supplied by the developer. Any excess generation shall be treated in the same manner as specified in clause 5.2.1(b).

- 5.2.3. Repowering:** The Solar Power Generators will be free to re-power their plants from time to time during the PPA duration. However, the Procurer will be obliged to buy power only within the range of CUF (or CEQ, as relevant), specified in the PPA. Any excess generation will be dealt as specified in clause 5.2.1(b) of these Guidelines.

- 5.3. Payment Security:** The Procurer shall provide adequate payment security measures, as specified below.

5.3.1. Scenario 1: Direct Procurement by Procurer from Solar Power Generator:

The Procurer shall provide payment security to the Solar Power Generator through:

- a) **Revolving Letter of Credit (LC)** of an amount not less than 1 (one) months' average billing from the Project under consideration;
- AND,**
- b) **Payment Security Fund**, which shall be suitable to support payment for at least 3 (three) months' billing of all the Projects tied up with such fund;
- c) In addition to a) & b) above, the Procurer may also choose to provide **State Government Guarantee**, in a legally enforceable form, ensuring that there is adequate security to the Solar Power Generator, both in terms of payment of energy charges and termination compensation if any.

5.3.2. Scenario 2: Intermediary-Procurer procures from the Solar Power Generator and sells to the End Procurer:

a) Payment Security by Intermediary Procurer to the Solar Power Generator:

The Intermediary Procurer shall provide payment security to the Solar Power Generator through:

- i. **Revolving Letter of Credit (LC)** of an amount not less than 1 (one) months' average billing from the Project under consideration;
- AND**
- ii. **Payment Security Fund**, which shall be suitable to support payment of at least 3 (three) months' billing of all the Projects tied up with such fund.

b) Payment Security by End Procurer to Intermediary Procurer:

The End Procurer shall provide payment security to the Intermediary Procurer through:

- i. **Revolving Letter of Credit (LC)** of an amount not less than 1 (one) months' average billing from the Project(s) under consideration;

AND,

- ii. **State Government Guarantee**, in a legally enforceable form, such that there is adequate security, both in terms of payment of energy charges and termination compensation if any. *[for the purpose of this clause, the Tri-Partite Agreement (TPA) signed between Reserve Bank of India, Central Government and State Government shall qualify as State Government Guarantee covering the security for payment of energy charges]*. The Intermediary Procurer shall ensure that upon invoking this guarantee, it shall at once, pass on the same to the Solar Power Generator, to the extent the payments to the Solar Power Generator in terms of the PPA are due.
- iii. In addition to i) & ii) above, the End Procurer may also choose to provide **Payment Security Fund**, which shall be suitable to support payment of at least 3 (three) months' billing of all the Projects tied up with such fund.

It is hereby clarified that the State Government guarantee shall be invoked only after the Intermediary Procurer has been unable to recover its dues under the PPA by means of the Letter of Credit and the Payment Security Fund, if any.

- 5.4. **Force Majeure:** The PPA shall contain provisions with regard to force majeure definitions, exclusions, applicability and available relief on account of Force Majeure, as per the industry standards.

- 5.5. **Generation Compensation for Offtake Constraints:** The Procurer may be constrained not to schedule power on account of unavailability of the Transmission Infrastructure / Grid or in the eventuality of a Backdown.

5.5.1. Offtake constraints due to Transmission Infrastructure / Grid Unavailability:

- a) **Generation Compensation in offtake constraint due to Transmission Infrastructure not complete/ ready (Transmission constraint):** After the scheduled commissioning date, if the plant is ready but the necessary power evacuation/ transmission infrastructure is not ready, for reasons not attributable to the Solar Power Generator, leading to offtake constraint, the provision for generation compensation is as follows:

Transmission Constraint	Provision for Generation Compensation
If the plant is ready but the necessary power evacuation/ transmission infrastructure is not ready, leading to offtake constraint	a) The normative CUF of 19% (nineteen per cent) or committed CUF, whichever is lower, and in cases where the contract is in energy terms, proportionate value of CEQ, for the period of grid unavailability, shall be taken for the purpose of calculation of generation loss. Corresponding to this generation loss, the excess generation by the SPD in the succeeding 3 (three) Contract Years, shall be procured by the Procurer at the PPA tariff so as to offset this loss. b) If the transmission delay is directly attributable to the organization building the transmission network and some penalty is imposed on him, then a part of that penalty may be utilized for compensating the generation loss. The mechanism for compensating the developers will be spelt out in the tender documents. <i>Contract Year, shall be as defined in PPA.</i>

However, it is clarified that if the plant is ready before SCD, but the offtake is constrained because of inadequate/ incomplete power evacuation infrastructure, no compensation shall be permissible.

- b) **Generation Compensation in offtake constraints due to Grid Unavailability:** During the operation of the plant, there can be some periods where the plant can generate power but due to temporary transmission unavailability the power is not evacuated, for reasons not attributable to the Solar Power

Generator. In such cases the generation compensation shall be addressed by the Procurer in following manner:

Duration of Grid unavailability	Provision for Generation Compensation
Grid unavailability in a contract year as defined in the PPA: (only period from 8 am to 6 pm to be counted):	Generation Loss = [(Average Generation per hour during the contract year) × (number of hours of grid unavailability during the contract year)] Where, Average Generation per hour during the contract year (kWh) = $\frac{\text{Total generation in the contract year (kWh)}}{\text{Total hours of generation in the contract year}}$ The excess generation by the SPD equal to this generation loss shall be procured by the Procurer at the PPA tariff so as to offset this loss in the succeeding 3 (three) Contract Years. Contract Year, shall be as defined in PPA.

Provided that as an alternative to the mechanism provided above in Clause 5.5.1, the Procurer may choose to provide Generation Compensation, in terms of PPA tariff, for the Generation loss as defined in Clause 5.5.1, and for Grid unavailability beyond 50 hours in a Contract Year as defined in the PPA.

5.5.2.

Offtake constraints due to Backdown: The Solar Power Generator and the Procurer shall follow the forecasting and scheduling process as per the regulations in this regard by the Appropriate Commission. The Government of India, as per Clause 5.2(u) of the Indian Electricity Grid Code (IEGC), encourages a status of "must-run" to solar power projects. Accordingly, no solar power plant, duly commissioned, should be directed to back down by a Discom/ Load Dispatch Centre (LDC). In case such eventuality of Backdown arises, except for the cases where the Backdown is on account of events like consideration of grid security or safety of any equipment or personnel or other such conditions, the Solar Power Generator shall be eligible for a Minimum Generation Compensation, from the Procurer, in the manner detailed below.

Duration of Backdown	Provision for Generation Compensation
Hours of Backdown during a monthly billing cycle.	Minimum Generation Compensation = 50% of [(Average Generation per hour during the month) × (number of backdown hours during the month) × PPA Tariff] Where, Average Generation per hour during the month (kWh) = $\frac{\text{Total generation in the month (kWh)}}{\text{Total hours of generation in the month}}$

The Generation Compensation is to be paid as part of the energy bill for the successive month after receipt of Regional Energy Accounts (REA). No Trading Margin shall be applicable on this Generation Compensation. Possible conditions for exclusion of Generation Compensation, on account of Backdown purposes, shall be clearly specified in the RfS and the PPA.

5.6. EVENT OF DEFAULT AND THE CONSEQUENCES THEREOF

While detailed provisions with regard to the event of default of the concerned parties and its resulting consequences shall be detailed in the SBDs, this clause lays down the broad principles of contractually dealing with the default of the Solar Power Generator and the Procurers (excluding the Intermediary Procurer).

5.6.1. Generator Event of Default and the consequences thereof:

- a) In-the event the Solar Power Generator is unable to commission the plant within the stipulated time period, or fails to supply power in terms of the PPA, or assigns or novates any of its rights or obligations contrary to the terms of the PPA, or repudiates the PPA, or effectuates a change in control or shareholding of its promoters in breach of the provisions of the PPA, or commits any other acts or omissions as laid down in the PPA and is also unable to cure any of the aforesaid within the cure

period, as may be provided in the PPA, the Solar Power Generator shall be construed to be in default.

- b) Upon being in default, the Solar Power Generator shall be liable to pay to the Procurer, damages, as detailed in the PPA. The Procurer shall have the right to recover the said damages by way of forfeiture of bank guarantee, if any, without prejudice to resorting to any other legal course or remedy.
- c) In addition to the levy of damages as aforesaid, in the event of a default by the Solar Power Generator, the lenders shall be entitled to exercise their rights of substitution, in accordance with the substitution agreement provided in the PPA and in concurrence with the Procurers. However, in the event the lenders are unable to substitute the defaulting Solar Power Generator within the stipulated period, the Procurer may terminate the PPA and acquire the Project assets for an amount equivalent to 90% of the debt due, failing which, the lenders may exercise their mortgage rights and liquidate the Project assets.

5.6.2. Procurer Event of Default and the consequences thereof:

- a) If the Procurer is in default on account of reasons including inter alia failure to pay the monthly and/or supplementary bills within the stipulated time period or repudiation of the PPA, the defaulting Procurer shall, subject to the prior consent of the Solar Power Generator, novate its part of the PPA to any third party, including its Affiliates within the stipulated period.
- b) In the event the aforesaid novation is not acceptable to the Solar Power Generator, or if no offer of novation is made by the defaulting Procurer within the stipulated period, then the Solar Power Generator may terminate the PPA and at its discretion require the defaulting Procurer to either (i) takeover the Project assets by making a payment of the termination compensation equivalent to the amount of the debt due and the 150% (one hundred and fifty per cent) of the adjusted equity as detailed in the PPA or, (ii) pay to the Solar Power Generator, damages, equivalent to 6 (six) months, or balance PPA period whichever is less, of charges for its contracted capacity, with the Project assets being retained by the Solar Power Generator.

In the event of termination of PPA, any damages or charges payable to the STU/ CTU, for the connectivity of the plant, shall be borne by the Procurer.

5.7. CHANGE IN LAW

- 5.7.1. In the event a Change in Law results in any adverse financial loss/ gain to the Solar Power Generator then, in order to ensure that the Solar Power Generator is placed in the same financial position as it would have been had it not been for the occurrence of the Change in Law, the Solar Power Generator/ Procurer shall be entitled to compensation by the other party, as the case may be, subject to the condition that the quantum and mechanism of compensation payment shall be determined and shall be effective from such date as may be decided by the Appropriate Commission.
- 5.7.2. In these Guidelines, the term Change in Law shall refer to the occurrence of any of the following events after the last date of the bid submission, including (i) the enactment of any new law; or (ii) an amendment, modification or repeal of an existing law; or (iii) the requirement to obtain a new consent, permit or license; or (iv) any modification to the prevailing conditions prescribed for obtaining an consent, permit or license, not owing to any default of the Solar Power Generator; or (v) any change in the rates of any Taxes which have a direct effect on the Project. However, Change in Law shall not include any change in taxes on corporate income or any change in any withholding tax on income or dividends.

6. BIDDING PROCESS

- 6.1. The Procurer shall call for the bids adopting a single stage bidding process to be conducted through Electronic mode (e-bidding). The Procurers may adopt e-reverse auction if it so desires. E-procurement platforms with a successful track record and with adequate safety, security and confidentiality features will be used. In case of a Solar Park specific Project, intimation about the initiation of the bidding process shall be given by the Procurer to the SPPD. The SPPD has to engage actively in the bidding process by providing all the necessary land and infrastructure related details and making the same available in centralized data rooms accessible to bidders.
- 6.2. The Procurer shall invite the Solar Power Generators to participate in the RfS for installation of Solar Photovoltaic Power Plants in terms of these Guidelines.
- 6.3. The bidding documents including the RfS and the draft PPA shall be prepared by the Procurer in consonance with these Guidelines and the SBDs. The Procurer shall also arrange the access of the bidders to the drafts of Implementation Support Agreement and land related agreements, in case the Project is required to be set up in a Solar Park.

- 6.4. The Procurer shall publish the RfS notice in at least two national newspapers and its own website to accord wide publicity.
- 6.5. The Procurer shall provide opportunity for pre-bid conference to the prospective bidders, and shall provide written interpretation of the tender documents to any bidder which shall also be made available to all other bidders. All the concerned parties shall rely solely on the written communication. Any clarification or revision to the bidding documents shall be uploaded on the website of the Procurer for adequate information. In the event of the issuance of any revision or amendment of the bidding documents, the bidders shall be provided a period of at least 7 (days) therefrom, for submission of bids.

7. RFS DOCUMENT

The standard provisions to be provided by the Procurer in the RfS shall include the following:

7.1. Bid Responsiveness

The bid shall be evaluated only if it is responsive and satisfies conditions including *inter-alia* -

- bidder or any of its Affiliates is not a willful defaulter to any lender
- there is no major litigation pending or threatened against the bidder or any of its Affiliates which are of a nature that could cast a doubt on the ability or the suitability of the bidder to undertake the Project.

7.2. Qualification requirements to be met by the bidders:

7.2.1. Technical Criteria:

The Government would like to encourage competition by way increased participation. However, in order to ensure proper implementation of the Projects, the Procurer may choose to specify Technical Criteria such as past experience of the bidders etc. Such criteria should be set after an assessment of the number of project developers that are expected to meet the criteria so that an adequate level of competition is achieved.

7.2.2. Financial Criteria:

a) Net-worth:

- i. The Procurer shall specify financial criteria in the form of net-worth as a part of the qualification requirement. The net-worth requirement should be at least 20% (twenty per cent) of the CERC Benchmark Capital Cost, if any, for solar PV power projects for the year in which bids are invited or the estimated project cost.
- ii. The net worth to be considered for the above purpose will be the cumulative net-worth of the bidding company or consortium together with the networth of those Affiliates of the bidder(s) that undertake to contribute the required equity funding and performance bank guarantees in case the bidder(s) fail to do so in accordance with the RfS.
- iii. It is clarified that the networth to be considered for this clause will be the total network as calculated in accordance with the Companies Act.

b) Liquidity:

It is necessary that the bidder has sufficient cash flow/ internal accruals/ any bank reference to manage the fund requirements for the Project. Accordingly, the Procurer may also stipulate suitable parameters such as annual turnover, internal resource generation, bank references/ line of credit, bidding capacity, etc.

7.3. Quantum of the Earnest Money Deposit (EMD)

Quantum of the Earnest Money Deposit (EMD) in the form of a bank guarantee, to be furnished by the bidders. The EMD shall stand forfeited in the event of failure of the Solar Power Generator to execute the PPA within the stipulated time period.

7.4. Compliance of FDI Laws by foreign bidders

In case a Foreign Company is selected as the successful bidder, it shall comply with all the laws and provisions related to Foreign Direct Investment in India.

8. BID SUBMISSION AND EVALUATION

- 8.1. Formation of consortium by bidders shall be permitted, in which case the consortium shall identify a lead member which shall be the contact point for all correspondences during the bidding process. The Procurer may specify technical and financial criteria, and lock in requirements for the lead member of the consortium.
- 8.2. The Procurer shall constitute committee for evaluation of the bids (**Evaluation Committee**), with at least three members, including at least one member with expertise in financial matters/bid evaluation.
- 8.3. The bidders may be required to submit non-refundable processing fee and/or project development fee as specified in the RfS.
- 8.4. The bidders shall be required to submit separate technical and price bids. The bidders shall also be required to furnish necessary bid-guarantee in the form of an EMD along with the bids.
- 8.5. The technical bids shall be evaluated to ensure that the bids submitted meet the eligibility criteria set out in the RfS document on all evaluation parameters. Only the bids that meet the evaluation criteria set out in the RfS shall be considered for further evaluation on the price bids.
- 8.6. To ensure competitiveness, the minimum number of qualified Bidders should be two. If the number of qualified bidders is less than two, even after three attempts of bidding, and the Procurer still wants to continue with the bidding process, the same may be done with the consent of the Appropriate Commission.
- 8.7. The price bid shall be rejected, if it contains any deviation from the tender conditions. No clarifications shall normally be requested from bidders at this stage.
- 8.8. **Bid evaluation methodology to be adopted by the Procurer for evaluating the bids:**
- 8.8.1. The bid evaluation mechanism shall be as follows, depending upon the tariff structure which has been adopted by the Procurers in terms of these Guidelines:
 - a) **In the case of Bidding involving Tariff as the parameter**, the comparison of bids shall be on the basis of the bidding criteria as specified in the RfS, i.e. the fixed tariff or the first year tariff. Ranking of the bidders will start from the bidder quoting the "lowest tariff (L1)".
 - b) **In the case of Bidding involving VGF as the parameter**, the bids shall be evaluated based on VGF support quoted. The bidders will have to submit bids quoting a single positive number in INR required by the bidder as VGF support. The bidders cannot quote negative VGF. The bidders, who quote NIL VGF, may submit their bid by offering a discounted tariff, lower than the pre-determined tariff offered by the Procurer. Ranking of the bidders will start from the bidder quoting the "lowest tariff (L1)" to the bidder quoting "maximum VGF (H1)".
- 8.9. The detail procedure for evaluation of the bid and selection of the bidder shall be provided for in the RfS.

9. INDICATIVE TIME TABLE FOR BID PROCESS

- 9.1. In the bidding process, a minimum period of 30 (thirty) days shall be allowed between the issuance of RfS documents and the last date of bid submission. The indicative timetable for the bidding process is indicated in Annexure-I. In normal circumstances, the bidding process is likely to be completed in a period of 120 (one hundred twenty) days.
- 9.2. The Procurer may give extended timeframe than indicated in the Annexure-I and this shall not be construed as deviation to the Guidelines.

10. CONTRACT AWARD AND CONCLUSION

- 10.1. The PPA shall be signed with the successful bidder/ project company or an SPV formed by the successful bidder.
- 10.2. After the conclusion of bidding process, the Evaluation Committee constituted for evaluation of RfS bids shall critically evaluate the bids and certify as appropriate that the bidding process and the evaluation has been conducted in conformity to the provisions of the RfS.
- 10.3. For the purpose of transparency, the Procurer shall, after the execution of the PPA, publicly disclose the name(s) of the successful bidder(s) and the tariff quoted by them together with breakup into components, if any. The public disclosure shall be made by posting the requisite details on the website of the Procurer for at least 30 (thirty) days.
- 10.4. Subject to provisions of the Act, the distribution licensee or the Intermediary Procurer, as the case, shall approach the Appropriate Commission for adoption of tariffs by the Appropriate Commission in terms of Section 63 of the Act.

11. BANK GUARANTEES

The Solar Power Generator shall provide the following bank guarantees to the Procurer in terms of the RfS and the PPA:

- 11.1. Earnest Money Deposit (EMD)**, to be fixed by the Procurer [but not to be more than 2% (two percent) of the Solar PV power project cost, as determined by CERC, if any, for the financial year in which the bids are invited or the estimated project cost], to be submitted in the form of a bank guarantee along with response to RfS.
- 11.2. Performance Bank Guarantee (PBG)**, to be fixed by the Procurer [but not to be more than 4% (four percent), in case of site specified by the Procurer, and 5% (five percent), in case of site selected by the Solar Power Generator, of the Project cost, as determined by CERC, if any, for the financial year in which the bids are invited or the estimated project cost] to be submitted at the time of signing of the PPA. In addition to the other remedies, this PBG can be encashed to recover any damages/dues of the Solar Power Generator in terms of the PPA. It is hereby clarified that the damages/dues recovered by the Intermediary Procurer by encashing the PBG, upon the default of the Solar Power Generator under the PPA, shall be passed on by the Intermediary Procurer to the End Procurer in terms of the PSA.

12. FINANCIAL CLOSURE

The Solar Power Generator shall attain the financial closure in terms of the PPA, within 7 (seven) months from the date of execution of the Power Purchase Agreement.

Failing the aforesaid, the Procurer shall encash the PBG unless the delay is on account of delay in allotment of land by the Procurer in terms of Clause 3.2.1 and Clause 3.2.2 or delay in allotment of land by the Government not owing to any action or inaction on the part of the Solar Power Generator or caused due to a Force Majeure. An extension for the attainment of the financial closure can however be considered by the Procurer, on the sole request of the Solar Power Generator, on payment of a penalty as specified in the PPA. This extension will not have any impact on the SCD. Any penalty paid so, shall be returned to the Solar Power Generator without any interest on achievement of successful commissioning within the SCD.

13. MINIMUM PAID UP SHARE CAPITAL TO BE HELD BY THE PROMOTER

- 13.1.** The successful bidder, if being a single company, shall ensure that its shareholding in the SPV/project company executing the PPA shall not fall below 51% (fifty-one per cent) at any time prior to 1 (one) year from the COD (as defined in Clause 15), except with the prior approval of the Procurer. In the event the successful bidder is a consortium, then the combined shareholding of the consortium members in the SPV/project company executing the PPA, shall not fall below 51% at any time prior to 1 (one) year from the COD, except with the prior approval of the Procurer. However, in case the successful bidder shall be itself executing the PPA, then it shall ensure that its promoters shall not cede control² till 1 (one) year from the COD, except with the prior approval of the Procurer. In this case it shall also be essential that the successful bidder shall provide the information about its promoters and their shareholding to the Procurer before signing of the PPA with Procurer.
- 13.2.** Any change in the shareholding after the expiry of 1 (one) year from the COD can be undertaken under intimation to Procurer.
- 13.3.** In the event the Solar Power Generator is in default to the lender(s), lenders shall be entitled to undertake "Substitution of Promoter" in concurrence with the Procurers.

14. COMMISSIONING**14.1. Part Commissioning:**

Part commissioning of the Project shall be accepted by Procurer subject to the condition that the Minimum Capacity for acceptance of first and subsequent part(s) commissioning shall be 50 MW, without prejudice to the imposition of penalty, in terms of the PPA on the part which is not commissioned. However, the SCD will not get altered due to part-commissioning. Irrespective of dates of part commissioning or full commissioning, the PPA will remain in force for a period of 25 (twenty-five) years from the SCD.

14.2. Early Commissioning:

The Solar Power Generator shall be permitted for full commissioning as well as part commissioning of the Project even prior to the SCD. In cases of early part-commissioning, till SCD, the Procurer may purchase the generation till SCD, at 75% (seventy-five per cent) of the PPA tariff. However, in case the entire capacity is commissioned prior to SCD, the Procurer may purchase the generation at PPA Tariff.

² The expression, 'control' shall mean the ownership, directly or indirectly, of more than 50% (fifty per cent) of the voting shares of such Company or right to appoint majority Directors.

14.3. Commissioning Schedule:

The Projects shall be commissioned within a period of 13 (thirteen) months from the date of execution of the PPA. However, Projects with a capacity of 250 MW and above, if being developed outside a Solar park, shall be commissioned within a period of 15 (fifteen) months from the date of execution of the PPA. Delay in commissioning, beyond the Scheduled Commissioning Period shall involve penalties on the Solar Power Generator, as detailed out in PPA. In case of site specified by the Procurer, any delay in handing over land to the Solar Power Generator in accordance with the given timelines, shall entail a corresponding extension in financial closure and scheduled commissioning date, provided that the maximum extension shall be limited to a period of 1 year commencing from the expiry of date of handing over of balance 10% of land in terms of Clause 3.2.1 (a).

15. COMMERCIAL OPERATION DATE (COD):

Commercial Operation Date (COD) shall be the date on which the commissioning certificate is issued upon successful commissioning of the full capacity of the Project or the last part capacity of the Project as the case may be.

16. TRANSMISSION CONNECTIVITY

16.1. The Solar Power Plant shall be designed for inter-connection with (a) a Pooling Substation where other projects also inter-connect prior to the STU / CTU substation or, (b) directly with the STU / CTU substation; through a dedicated transmission line at the appropriate voltage level, as specified by the Procurer. The entity responsible for the construction of the relevant substation and transmission lines shall be clearly specified in the bidding documents. Depending on the implementation arrangements and design of the evacuation system, the capital costs of the transmission lines and substations prior to the STU / CTU substation may either be directly paid by the Solar Power Generator, or paid by the SPPD or another implementation agency and claimed from the Solar Power Generator as directly attributed or apportioned and recovered in lump sum or as payments over the years.

16.2. In cases, where the Project site is not specified by the Procurer, the responsibility of getting Transmission Connectivity and Access to the transmission system owned by the STU / CTU will lie with the Solar Power Generator and shall be at the cost of Solar Power Generator.

16.3. In cases, where the Project site specified by the Procurer is not in a Solar Park, the Procurer could choose to require the Solar Power Generator to bear the responsibility and cost of getting Transmission Connectivity and Access.

16.4. In cases where the Procurer specifies a solar park where the Project is to be located, penalties, fines and charges imposed by the CTU/ STU under any statute or regulation in relation to delay in commissioning of Project shall be payable by the Solar Power Generator to the extent the delay is attributable to the Solar Power Generator and the balance by the Procurer.

16.5. The Metering Point, which is the point at which energy supplied to the Procurer shall be measured, shall be the low voltage bus bar of the STU / CTU substation. In case of solar parks, the metering point is the final evacuation STU / CTU substation with which the internal transmission from all the pooling substations is connected. All expenses including wheeling charges and losses between the Project and the Metering Point shall be paid by the Solar Power Generators without any reimbursement by the Procurer. All expenses including wheeling charges and losses in relation to the transmission and distribution beyond the Metering Point shall be borne by the Procurers. Arrangements shall be put in place for either the CTU / STU to bill these expenses directly to the Projects in proportion to their capacity or the normative generation from Projects sharing common infrastructure or to bill the SPPD which may recover the same directly from the Procurer or from the Solar Power Generator who may in turn seek re-imbursement from the Procurer.

17. TECHNICAL SPECIFICATIONS

Procurers shall promote commercially established and operational technologies to minimize the technology risk and to achieve the commissioning of the Projects. The detailed technical parameters, for Solar PV Power Projects to be selected, shall be specified by MNRE from time to time. The current parameters are indicated in Annexure II.

18. DEVIATION FROM PROCESS DEFINED IN THE GUIDELINES

In case there is any deviation from these Guidelines and/or the SBDs, the same shall be subject to approval by the Appropriate Commission. The Appropriate Commission shall approve or require modification to the bid documents within a reasonable time not exceeding 90 (ninety) days.

19. ARBITRATION

In the event CERC is the Appropriate Commission, any dispute arises claiming any change in or regarding determination of the tariff or any tariff related matters, or which partly or wholly could result in change in tariff, such dispute shall be adjudicated by the CERC. All other disputes shall be resolved by arbitration under the Indian Arbitration and Conciliation Act, 1996. In the event SERC is the Appropriate Commission, then all disputes shall be adjudicated by the SERC or shall be referred for arbitration by the SERC.

20. CLARIFICATION AND MODIFICATION TO GUIDELINES

If any difficulty arises in giving effect to any provision of these Guidelines or interpretation of the Guidelines or modification to the Guidelines, Ministry of New & Renewable Energy is empowered to do the same in consultation with Ministry of Power. The decision in this regard shall be binding on all the parties concerned.

SHALINI PRASAD, Addl. Secy.

Annexure - I**Annexure I - Time Table for Bid Process**

Sl. No.	Event	Elapsed Time from Zero date
1.	Date of issue of RfS Project specific draft Power Purchase Agreements and other draft Project Agreements, and the PSA, if applicable.	Zero date
2.	Bid clarification, conferences, opening of online Data Room to share all Project specific details including site, if specified by Procurer etc. & revision of RfS	**
3.	RfS Bid submission	30 days
4.	Evaluation of bids and issue of LOI	120 days
5.	Signing of PPA and the PSA(if applicable).	150 days

** In case of any change in RfS document, the Procurer shall provide the bidders additional time in accordance with clause 6.5 of these Guidelines.

Note: It is clarified that if the Procurer gives extended time for any of the events in the bidding process, on account of delay in achieving the activities required to be completed before the event, such extension of time shall not in any way be deviation from these Guidelines.

Annexure-II**Annexure II - Technical Requirements for Grid Connected Solar PV Power Plants**

The following are some of the technical measures required to ensure quality of equipment used in grid connected solar photovoltaic power projects:

1. SPV Modules

- 1.1. The SPV modules used in the grid solar power projects must qualify to the latest edition of any of the following IEC PV module qualification test or equivalent BIS standards.

Crystalline Silicon Solar Cell Modules	IEC 61215
Thin Film Modules	IEC 61646
Concentrator PV modules	IEC 62108

- 1.2. In addition, SPV modules must qualify to IEC 61730 for safety qualification testing at 1000V DC or higher. The modules to be used in a highly corrosive atmosphere throughout their lifetime must qualify to IEC 61701.

2. Power Conditioners/ Inverters

The Power Conditioners/ Inverters of the SPV power plants must conform to the latest edition of IEC/ equivalent Standards as specified below:

Efficiency Measurements	IEC 61683
Environmental Testing	IEC 60068 -2/IEC 62093
EM Compatibility (EMC)	IEC 61000-6-2, IEC 61000-6-4 & other relevant parts of IEC 61000
Electrical safety	IEC 62103/ IEC 62109-1&2
Anti-Islanding Protection	IEEE 1547/IEC 62116/UL 1741 or equivalent BIS Standards

3. Other Sub-systems/ Components:

Other subsystems/components used in the SPV power plants (Cables, Connectors, Junction Boxes, Surge Protection Devices, etc.) must also conform to the relevant international/national Standards for Electrical Safety besides that for Quality required for ensuring Expected Service Life and Weather Resistance. It is recommended that the Cables of 600-1800 Volts DC for outdoor installations should comply with the BS EN 50618:2014/2pfg 1169/08.2007 for service life expectancy of 25 years.

4. Authorized Test Centers

The PV modules/Power Conditioners deployed in the power plants must have valid test certificates for their qualification as per above specified IEC/ BIS Standards by one of the NABL Accredited Test Centers in India. In case of module types like Thin Film and CPV / equipment for which such Test facilities may not exist in India at present, test certificates from reputed ILAC Member Labs abroad will be acceptable.

5. Warranty

PV modules used in grid solar power plants must be warranted for output wattage, which should not be less than 90% (ninety per cent) at the end of 10 (ten) years and 80% (eighty per cent) at the end of 25 (twenty-five) years.

6. Identification and Traceability

Each PV module used in any solar power project must use a RF identification tag. The following Information must be mentioned in the RFID used on each module (This can be inside or outside the laminate, but must be able to withstand harsh environmental conditions.)

- i. Name of the manufacturer of PV Module
- ii. Name of the Manufacturer of Solar cells
- iii. Month and year of the manufacture (separately for solar cells and module)
- iv. Country of origin (separately for solar cells and module)
- v. I-V curve for the module at Standard Test Condition (1000 W/m², AM 1.5, 25°C)
- vi. Wattage, I_m, V_m and FF for the module
- vii. Unique Serial No and Model No of the module

- viii. Date and year of obtaining IEC PV module qualification certificate
- ix. Name of the test lab issuing IEC certificate
- x. Other relevant information on traceability of solar cells and module as per ISO 9000

Site owners would be required to maintain accessibility to the list of Module IDs along with the above parametric data for each module.

7. Performance Monitoring:

All grid solar PV power projects must install necessary equipment to continuously measure solar radiation, ambient temperature, wind speed and other weather parameters and simultaneously measure the generation of DC power as well as AC power generated from the plant. They will be required to submit this data to Procurer and MNRE or any other designated agency on line and/or through a report on regular basis every month for the entire duration of PPA. In this regard they shall mandatorily also grant access to Procurer and MNRE or any other designated agency to the remote monitoring portal of the power plants on a 24X7 basis.

8. Safe Disposal of Solar PV Modules:

The developers will ensure that all Solar PV modules from their plant after their 'end of life' (when they become defective/ non-operational/ non-repairable) are disposed of in accordance with the "e-waste (Management and Handling) Rules, 2011" notified by the Government and as revised and amended from time to time.

F. No. 283/3/2018-GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Block No. 14, C.G.O. Complex,
Lodi Road, New Delhi - 110003
Dated: 02.04.2018

OFFICE MEMORANDUM

Sub: Clarification to Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects, notified on 03.08.2017, under clause 20 of these Guidelines

1. Reference is invited to the "Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects" notified on 03.08.2017.
2. "As per Clause 5.7.2 of said Guidelines, the term 'Change in Law' includes any change in the rates of any Taxes which have a direct effect on the Project.
3. *In order to bring more clarity and remove uncertainty, it is hereby clarified that the term 'change in the rates of any taxes' as mentioned in clause 5.7.2 of "Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects" notified on 03.08.2017, includes "change in rates of taxes, duties and cess."*
4. This clarification issues with the concurrence of Ministry of Power vide their O.M. No. 23/27/2017-R&R dated 28.03.2018, and approval of Hon'ble Minister of State (I/C) (Power & NRE).



(Sanjay Karndhar)
Scientist-C

Email: karndhar.sg@nic.in
Telefax: 011-24362488

To

1. The Secretary, Ministry of Power, Shram Shakti Bhawan, Rafi Marg, New Delhi - 110003.

Copy to:

1. MD, SECI
2. CMD, NTPC
3. Secretaries (including Addl. Chief Secretary/ Principal Secretary), Energy/ Power of all States/UTs
4. PS to Hon'ble Minister (Power & NRE),
5. PPS to Secretary, MNRE
6. PPS to AS, MNRE
7. PPS to AS & FA, MNRE
8. PPS to JS (GKG), MNRE
9. DS (RG), MNRE
10. Dir (NIC), MNRE for uploading on MNRE website



भारत का राजपत्र The Gazette of India

असाधारण
EXTRAORDINARY

भाग I—खण्ड 1
PART I—Section 1

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 211] नई दिल्ली, शुक्रवार, जून 15, 2018/ज्येष्ठ 25, 1940
No. 211] NEW DELHI, FRIDAY, JUNE 15, 2018/JYAISTHA 25, 1940

विद्युत मंत्रालय

संकल्प

नई दिल्ली, 14 जून, 2018

ग्रिड कनेक्टेड सोलर पीवी विद्युत परियोजनाओं से टैरिफ आधारित प्रतिस्पर्धात्मक बोली प्रक्रिया के जरिए बिजली की खरीद के लिए दिशा-निर्देशों में संशोधन,

सं.23/27/2017-आरएंडआर.—1.0 विद्युत अधिनियम, 2003 की धारा 63 के उपबंधों के अधीन ग्रिड कनेक्टेड सोलर पीवी विद्युत परियोजनाओं से टैरिफ आधारित प्रतिस्पर्धात्मक बोली प्रक्रिया के जरिए बिजली की खरीद के लिए दिशा-निर्देश दिनांक: 03 अगस्त, 2017 को भारत के राजपत्र (असाधारण), (भाग-1, खंड-1) में संकल्प सं.23/27/2017-आरएंडआर के द्वारा अधिसूचित किए गए।

2.0 दिनांक: 03 अगस्त, 2017 के उक्त दिशा-निर्देशों में एतद्वारा निम्नलिखित संशोधन किए जाते हैं:

2.1 बिंदु संख्या 3.2.3 (क) का पैरा:

"भूमि अधिग्रहण:

बोली प्रस्तुत किए जाने के समय 100 प्रतिशत (शत-प्रतिशत) भूमि की पहचान और 7 (सात) महीने के भीतर पीपीए का निष्पादन, सौर विद्युत उत्पादक अथवा उससे सम्बद्ध पक्ष के नाम में अपेक्षित भूमि का कब्जा/100 प्रतिशत (शत-प्रतिशत) इस्तेमाल का अधिकार स्थापित करने के लिए दस्तावेज प्रस्तुत करना/लीज अनुबंध करना। यदि भूमि सम्बद्ध पक्ष के नाम पर हो, तो उत्पादन प्रारंभ होने की निर्धारित तारीख (एससीडी) से पहले भूमि सौर ऊर्जा उत्पादक के नाम स्थानांतरित की जानी चाहिए। जहां प्राइवेट भूमि के लीज का मामला हो, तो सौर विद्युत उत्पादक के डिफॉल्ट होने के मामले में, लीज के अंतर्गत भूमि ऋणदाता या खरीददार को हस्तान्तरित किए जाने की अनुमति दी जानी चाहिए।"

निम्नानुसार पढ़ा जाए:**"भूमि अधिग्रहण:**

पीपीए पर हस्ताक्षर होने के 12 (बारह) महीने के भीतर, सौर विद्युत उत्पादक अथवा उससे सम्बद्ध पक्ष के नाम में अपेक्षित भूमि का कच्चा/100 प्रतिशत (शत-प्रतिशत) इस्तेमाल का अधिकार स्थापित करने के लिए दस्तावेज प्रस्तुत करना/लीज अनुबंध करना। यदि भूमि सम्बद्ध पक्ष सहित किसी अन्य संस्था के नाम पर हो, तो उत्पादन प्रारंभ होने की निर्धारित तारीख (एससीडी) से पहले भूमि/भूमि पट्टा अधिकार को सौर ऊर्जा उत्पादक के नाम स्थानांतरित की जानी चाहिए। जहाँ प्राइवेट भूमि के लीज का मामला हो, तो सौर विद्युत उत्पादक के डिफॉल्ट होने के मामले में, लीज के अंतर्गत भी भूमि पट्टा अधिकार ऋणदाता या खरीददार को हस्तांतरित किए जाने की अनुमति दी जानी चाहिए।"

2.2 बिंदु संख्या 12 का पैरा:**"वित्तीय समाप्ति**

सौर ऊर्जा जेनरेटर पीपीए की शर्तों के अनुसार विद्युत खरीद समझौते पर हस्ताक्षर होने की तारीख से 7 (सात) महीनों में वित्तीय समापन हासिल कर लेगा।

ऐसा न होने पर खरीददार पीवीजी का नक्दीकरण करा सकता है बशर्ते देरी का कारण खंड 3.2.1 और खंड 3.2.2 के अनुसार सरकार द्वारा खरीददार को जमान के आबंधन में देरी रहा हो, न कि सोलर पावर उत्पादक के कृत्य/अकृत्य जैसे किसी अपरिहार्य कारण से, लेकिन वित्तीय समापन के लिए खरीददार को और समय देने के बारे में विचार किया जा सकता है जो अभी किया जाएगा जब सोलर पावर जेनरेटर पीपीए निर्दिष्ट जुमाने का भुगतान कर दे। इस विस्तार का एससीडी पर कोई असर नहीं पड़ेगा और जो भी जुमाना दिया जाएगा वह एससीडी की अवधि में सोलर पावर जेनरेटर के सफलतापूर्वक चालू होने पर बिना ब्याज के लौटा दिया जाएगा।"

निम्नानुसार पढ़ा जाए:**"वित्तीय समाप्ति**

सौर ऊर्जा जेनरेटर पीपीए की शर्तों के अनुसार विद्युत खरीद समझौते पर हस्ताक्षर होने की तारीख से 12 (बारह) महीनों में वित्तीय समापन हासिल कर लेगा। तथापि, यदि किसी कारण से, वित्तीय समापन हासिल करने की समयावधि को इन दिशा-निर्देशों में दी गई समयावधि से कम रखने की जरूरत है, खरीददार ऐसा कर सकता है।

ऐसा न होने पर खरीददार पीवीजी का नक्दीकरण तब तक नहीं करा सकता है जब तक देरी का कारण खंड 3.2.1 और खंड 3.2.2 के अनुसार सरकार द्वारा खरीददार को जमान के आबंधन में देरी रहा हो, न कि सोलर पावर उत्पादक के कृत्य/अकृत्य जैसे किसी अपरिहार्य कारण से, लेकिन वित्तीय समापन के लिए खरीददार को और समय देने के बारे में विचार किया जा सकता है जो अभी किया जाएगा जब सोलर पावर जेनरेटर पीपीए निर्दिष्ट जुमाने का भुगतान कर दे। इस विस्तार का एससीडी पर कोई असर नहीं पड़ेगा और जो भी जुमाना दिया जाएगा वह एससीडी की अवधि में सोलर पावर जेनरेटर के सफलतापूर्वक चालू होने पर बिना ब्याज के लौटा दिया जाएगा।"

2.3 बिंदु संख्या 14.3 का पैरा:**"चालू होने की समय सारिणी**

परियोजनाएं, पीपीए के निष्पादन की तारीख से 13 (तेरह) महीनों की अवधि में चालू होंगी, लेकिन 250 मेगावाट और इससे अधिक क्षमता की परियोजनाएं, अगर सोलर पार्क से बाहर लगाई जा रही हों तो पीपीए के निष्पादन की तारीख से 15 (पंद्रह) महीनों की अवधि में चालू हो जाना चाहिए, चालू करने की निर्धारित तारीख के बाद विलंब से शुरू होने पर सोलर पावर जेनरेटर पर पीपीए में निर्धारित समय-सारिणी के प्रावधानों के अनुसार जुमाना लगाने का प्रावधान होगा। अगर सोलर पावर जेनरेटर के लिए खरीददार द्वारा चुने गए स्थान के हस्तांतरण में निर्धारित समय-सारिणी के अनुसार विलंब होने पर वित्तीय समापन और पूर्व निर्धारित निष्पादन तारीख भी तदनुसार आगे बढ़ जाएगा, बशर्ते परियोजना पूरी करने की समयावधि में विस्तार एक साल के लिए होगा। विस्तारित अवधि खंड 3.2.1(ए) के प्रावधानों के अनुसार बकाया 10 प्रतिशत भूमि के हस्तांतरण की तारीख बीत जाने के बाद से शुरू हो रहे 1 वर्ष की अवधि तक सीमित होगी।"

निम्नानुसार पढ़ा जाए:**"चालू होने की समय सारिणी**

परियोजनाएं, पीपीए के निष्पादन की तारीख से 21 (इक्कीस) महीनों की अवधि में चालू होंगी, लेकिन 250 मेगावाट और इससे अधिक क्षमता की परियोजनाएं, अगर सोलर पार्क से बाहर लगाई जा रही हों तो पीपीए के निष्पादन की तारीख से 24

(चौबीस) महीनों की अवधि में चालू हो जानी चाहिए। तथापि, यदि किसी कारण से, दनियत चालू होने की समयावधि को इन दिशा-निर्देशों में दी गई समयावधि से कम रखने की जरूरत है, तो खरीददार ऐसा कर सकता है। चालू करने की निर्धारित तारीख के बाद विलंब से शुरू होने पर सोलर पावर जेनरेटर पर पीपीए में निर्धारित समय-सारणी के प्रावधानों के अनुसार जुर्माना लगाने का प्रावधान होगा। अगर सोलर पावर जेनरेटर के लिए खरीददार द्वारा चुने गए स्थान के हस्तांतरण में निर्धारित समय-सारणी के अनुसार विलंब होने पर वित्तीय समापन और पूर्व निर्धारित निष्पादन तारीख भी तदनुसार आगे बढ़ जाएगी, बशर्ते परियोजना पूरी करने की समयावधि खंड 3.2.1(ए) के प्रावधानों के अनुसार बकाया 10 प्रतिशत भूमि के हस्तांतरण की तारीख बीत जाने के बाद से शुरू हो रहे 1 वर्ष की अवधि तक सीमित होगी।"

चनश्चाम प्रसाद, मुख्य अभियंता

MINISTRY OF POWER RESOLUTION

New Delhi, the 14th June, 2018

Amendment to the Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects

No. 23/27/2017-R&R.— 1.0 The Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects have been notified under the provisions of Section 63 of the Electricity Act, 2003 vide resolution No. 23/27/2017-R&R published in the Gazette of India (Extraordinary) (Part I—Section 1) on 3rd August, 2017.

2.0 The following amendments are hereby made in the said guidelines of 3rd August, 2017 namely:-

2.1 The Para at point No.3.2.3 (a): "Land acquisition: Identification of the 100% (hundred per cent) land at the time of bid submission and within 7 (seven) months of the execution of the PPA, submission of documents/ Lease Agreement to establish possession/ right to use 100 % (hundred per cent) of the required land in the name of the Solar Power Generator or its Affiliate. In case the land is in the name of Affiliate, the land should be transferred in the name of Solar Power Generator prior to Scheduled Commissioning Date (SCD). Wherever leasing of private land is involved, the lease should allow transfer of land to the lenders or Procurer, in case of default of the Solar Power Generator."

May be read as under:

"Land acquisition: Within 12(twelve) months of the execution of the PPA, submission of documents/ Lease Agreement to establish possession/ right to use 100 % (hundred per cent) of the required land in the name of the Solar Power Generator or its Affiliate. In case the land is in the name of any other entity, including Affiliate, the land/ land lease rights should be transferred in the name of Solar Power Generator prior to Scheduled Commissioning Date (SCD). Wherever leasing of private land is involved, the lease should allow transfer of land lease rights to the lenders or Procurer, in case of default of the Solar Power Generator."

2.2 The Para at point No.12: "FINANCIAL CLOSURE

The Solar Power Generator shall attain the financial closure in terms of the PPA, within 7 (seven) months from the date of execution of the Power Purchase Agreement.

Failing the aforesaid, the Procurer shall encash the PBG unless the delay is on account of delay in allotment of land by the Procurer in terms of Clause 3.2.1 and Clause 3.2.2 or delay in allotment of land by the Government not owing to any action or inaction on the part of the Solar Power Generator or caused due to a Force Majeure. An extension for the attainment of the financial closure can however be considered by the Procurer, on the sole request of the Solar Power Generator, on payment of a penalty as specified in the PPA. This extension will not have any impact on the SCD. Any penalty paid so, shall be returned to the Solar Power Generator without any interest on achievement of successful commissioning within the SCD."

May be read as under:

“ FINANCIAL CLOSURE

The Solar Power Generator shall attain the financial closure in terms of the PPA, within 12 (twelve) months from the date of execution of the Power Purchase Agreement. However, if for any reason, the time period for attaining financial closure needs to be kept smaller than that provided in these Guidelines, the Procurer can do the same.

Failing the aforesaid, the Procurer shall encash the PBG unless the delay is on account of delay in allotment of land by the Procurer in terms of Clause 3.2.1 and Clause 3.2.2 or delay in allotment of land by the Government not owing to any action or inaction on the part of the Solar Power Generator or caused due to a Force Majeure. An extension for the attainment of the financial closure can however be considered by the Procurer, on the sole request of the Solar Power Generator, on payment of a penalty as specified in the PPA. This extension will not have any impact on the SCD. Any penalty paid so, shall be returned to the Solar Power Generator without any interest on achievement of successful commissioning within the SCD.”

2.3 The Para at point No.14.3:

“Commissioning Schedule:

The Projects shall be commissioned within a period of 13 (thirteen) months from the date of execution of the PPA. However, Projects with a capacity of 250 MW and above, if being developed outside a Solar park, shall be commissioned within a period of 15 (fifteen) months from the date of execution of the PPA. Delay in commissioning, beyond the Scheduled Commissioning Period shall involve penalties on the Solar Power Generator, as detailed out in PPA. In case of site specified by the Procurer, any delay in handing over land to the Solar Power Generator in accordance with the given timelines, shall entail a corresponding extension in financial closure and scheduled commissioning date, provided that the maximum extension shall be limited to a period of 1 year commencing from the expiry of date of handing over of balance 10% of land in terms of Clause 3.2.1 (a).”

May be read as under:

“Commissioning Schedule:

The Projects shall be commissioned within a period of 21 (twenty one) months from the date of execution of the PPA. However, Projects with a capacity of 250 MW and above, if being developed outside a Solar park, shall be commissioned within a period of 24 (twenty four) months from the date of execution of the PPA. However, if for some reason, the scheduled commissioning period needs to be kept smaller than that provided in these Guidelines, the Procurer can do the same. Delay in commissioning, beyond the Scheduled Commissioning Period shall involve penalties on the Solar Power Generator, as detailed out in PPA. In case of site specified by the Procurer, any delay in handing over land to the Solar Power Generator in accordance with the given timelines, shall entail a corresponding extension in financial closure and scheduled commissioning date, provided that the maximum extension shall be limited to a period of 1 year commencing from the expiry of date of handing over of balance 10% of land in terms of Clause 3.2.1 (a).”

GHANSHYAM PRASAD , Chief Engineer (R&R)

रजिस्ट्री सं० डी० एल०-33004/99

REGD. NO. D. L.-33004/99



भारत का राजपत्र The Gazette of India

असाधारण
EXTRAORDINARY

भाग I—खण्ड 1
PART I—Section 1

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 08] नई दिल्ली, सोमवार, जनवरी 7, 2019/पौष 17, 1940
No. 08] NEW DELHI, MONDAY, JANUARY 7, 2019/PAUSHA 17, 1940

विद्युत मंत्रालय

संकल्प

नई दिल्ली, 3 जनवरी, 2019

ग्रिड कनेक्टिड सोलर पीवी विद्युत परियोजनाओं से टैरिफ आधारित प्रतिस्पर्धात्मक बोली प्रक्रिया के जरिए बिजली की खरीद के लिए दिशा-निर्देशों में संशोधन

सं. 23/27/2017-आर एंड आर—1.0 विद्युत अधिनियम, 2003, की धारा 63 के उपबंधों के अधीन ग्रिड कनेक्टिड सोलर पीवी विद्युत परियोजनाओं से टैरिफ आधारित प्रतिस्पर्धात्मक बोली प्रक्रिया के जरिए बिजली की खरीद के लिए दिशा-निर्देश दिनांक : 03 अगस्त, 2017 को भारत के राजपत्र (असाधारण), (भाग-I, खंड-1) में संकल्प सं.23/27/2017-आरएंडआर के द्वारा अधिसूचित किए गए और दिनांक: 15 जून, 2018 को भारत के राजपत्र (असाधारण), (भाग-I, खंड-1) में संकल्प सं.23/27/2017-आरएंडआर के द्वारा संशोधित किए गए।

2.0 दिनांक: 15 जून, 2018 को संशोधित, दिनांक: 03 अगस्त, 2017 के उक्त दिशा-निर्देशों में एतद्वारा निम्नलिखित संशोधन किए जाते हैं:

2.1 बिंदु संख्या 9 का पैरा:

***9. बोली प्रक्रिया के लिए निर्दिष्ट समय सारणी**

9.1 अर्रएफएस दस्तावेज जारी करने और बोली जमा कराने की अंतिम तारीख के बीच बोली प्रक्रिया की न्यूनतम अवधि 30 (तीस) दिन होगी। बोली प्रक्रिया के लिए संकेतात्मक समय सारणी संलग्नक-1 में दी गई है। सामान्य परिस्थितियों में बोली प्रक्रिया 120 (एक सौ बीस) दिन की अवधि में पूरी होने की संभावना होती है।

9.2 खरीदार संलग्नक-1 में वर्णित समय सीमा का विस्तार कर सकते हैं और इसे दिशा-निर्देशों का उल्लंघन नहीं समझा जाएगा।

निम्नानुसार पढ़ा जाए:

***9. बोली प्रक्रिया के लिए निर्दिष्ट समय सारणी**

9.1 आरएफएस दस्तावेज जारी करने और बोली जमा कराने की अंतिम तारीख के बीच बोली प्रक्रिया की न्यूनतम अवधि 22 (बाईस) दिन होगी। बोली प्रक्रिया के लिए संकेतात्मक समय सारणी संलग्नक-1 में दी गई है। सामान्य परिस्थितियों में बोली प्रक्रिया 110 (एक सौ दस) दिन की अवधि में पूरी होने की संभावना होती है।

9.2 खरीदार संलग्नक-1 में वर्णित समय सीमा का विस्तार कर सकते हैं और इसे दिशा-निर्देशों का उल्लंघन नहीं समझा जाएगा।*

2.2 बिंदु संख्या 12 का पैरा:

***12. वित्तीय समाप्ति**

सौर ऊर्जा जनरेटर पीपीए की शर्तों के अनुसार विद्युत खरीद समझौते के निष्पादन की तारीख से 12 (बारह) (महीनों) में वित्तीय समापन हासिल कर लेगा। तथापि, यदि किसी कारण से, वित्तीय समापन हासिल करने की समयावधि को इन दिशा-निर्देशों में दी गई समयावधि से कम रखने की जरूरत है, तो खरीदार ऐसा कर सकता

ऐसा न होने पर खरीदार पीपीए का नकदीकरण तब तक नहीं करा सकता जब तक देरी का कारण खंड 3.2.1 और खंड 3.2.2 के अनुसार सरकार द्वारा खरीदार को जमीन के आवंटन में देरी रहा हो, न कि सोलर पावर जनरेटर के कृत्य/अकृत्य अथवा किसी अप्रत्याशित कारण से हो। तथापि, केवल सोलर पावर जनरेटर के अनुरोध पर वित्तीय समापन के लिए खरीदार द्वारा और समय देने के बारे में विचार किया जा सकता है जो तभी किया जाएगा जब सोलर पावर जनरेटर पीपीए में निर्दिष्ट जुर्माने का भुगतान कर दे। इस विस्तार का एससीडी पर कोई असर नहीं पड़ेगा। जो भी जुर्माना दिया गया होगा वह एससीडी की अवधि में सोलर पावर जनरेटर के सफलतापूर्वक चालू होने पर बिना ब्याज के लौटा दिया जाएगा।*

निम्नानुसार पढ़ा जाए:

***12. वित्तीय समाप्ति**

सौर विद्युत जनरेटर पीपीए की शर्तों के अनुसार, सोलर पार्क में लगायी जा रही परियोजनाओं के लिए, विद्युत खरीद समझौते के निष्पादन की तारीख से 9 (नौ) महीनों में और सोलर पार्क से बाहर लगायी जा रही परियोजनाओं के लिए, विद्युत खरीद समझौते के निष्पादन की तारीख से 12 (बारह) महीनों में वित्तीय समापन हासिल कर लेगा। तथापि, यदि किसी कारण से, वित्तीय समापन हासिल करने की समयावधि को इन दिशा-निर्देशों में दी गई समयावधि से कम रखने की जरूरत है, खरीदार ऐसा कर सकता

ऐसा न होने पर खरीदार पीपीए का नकदीकरण तब तक नहीं करा सकता जब तक देरी का कारण खंड 3.2.1 और खंड 3.2.2 के अनुसार सरकार द्वारा खरीदार को जमीन के आवंटन में देरी रहा हो, न कि सोलर पावर जनरेटर के कृत्य/अकृत्य अथवा किसी अप्रत्याशित कारण से हो। तथापि, केवल सोलर पावर जनरेटर के अनुरोध पर वित्तीय समापन के लिए खरीदार द्वारा और समय देने के बारे में विचार किया जा सकता है जो तभी किया जाएगा जब सोलर पावर जनरेटर पीपीए निर्दिष्ट जुर्माने का भुगतान कर दे। इस विस्तार का एससीडी पर कोई असर नहीं पड़ेगा और जो भी जुर्माना दिया गया होगा वह एससीडी की अवधि में सोलर पावर जनरेटर के सफलतापूर्वक चालू होने पर बिना ब्याज के लौटा दिया जाएगा।*

2.3 बिंदु संख्या 14.3 का पैरा:

***14.3. चालू होने की समय सारणी**

परियोजनाएं पीपीए के निष्पादन की तारीख से 21 (इक्कीस) महीनों की अवधि में चालू होंगी। तथापि, 250 मेगावाट और इससे अधिक क्षमता की परियोजनाएं अगर सोलर पार्क से बाहर लगायी जा रही हों तो पीपीए के निष्पादन की तारीख से 24 (चौबीस) महीनों की अवधि में चालू हो जानी तथापि, यदि किसी कारण से, पूर्वनिर्धारित निष्पादन अवधि इन दिशा-निर्देशों में दी गई समयावधि से कम रखने की जरूरत है, तो खरीदार ऐसा कर सकता चालू करने की निर्धारित तारीख के बाद विलंब से शुरू होने पर सोलर पावर जनरेटर पर पीपीए में उल्लिखित प्रावधानों के अनुसार जुर्माना लगाने का प्रावधान होगा। अगर सोलर पावर जनरेटर के लिए खरीदार द्वारा निर्धारित भूमि के हस्तांतरण में निर्धारित समय-सारणी के अनुसार विलंब होने पर वित्तीय समापन और पूर्वनिर्धारित निष्पादन की तारीख भी तदनुसार आगे बढ़ जाएगी, बशर्ते परियोजना पूरी करने की

समयावधि खंड 3.2.1(ए) के प्रावधानों के अनुसार बकाया 10 प्रतिशत भूमि के हस्तांतरण की तारीख के बीत जाने के बाद से शुरू हो रही 1 वर्ष की अवधि तक सीमित होगी।"

निम्नानुसार पढ़ा जाए:

"14.3. चालू होने की समय सारणी

सोलर पार्क में लगायी जा रही परियोजनाएं, पीपीए के निष्पादन की तारीख से 15 (पंद्रह) महीनों की अवधि में चालू हो जानी चाहिए और सोलर पार्क से बाहर लगायी जा रही परियोजनाएं, पीपीए के निष्पादन की तारीख से 18 (अठारह) महीनों की अवधि में चालू हो जानी चाहिए। तथापि, यदि किसी कारण से, पूर्वनिर्धारित निष्पादन अवधि इन दिशा-निर्देशों में दी गई समयावधि से कम रखने की जरूरत है, तो खरीदार ऐसा कर सकता है। चालू करने की निर्धारित तारीख के बाद विलंब से शुरू होने पर सोलर पावर जनरेटर पर पीपीए में उल्लिखित प्रावधानों के अनुसार जुर्माना लगाने का प्रावधान होगा। अगर सोलर पावर जनरेटर के लिए खरीदार द्वारा निर्धारित भूमि के हस्तांतरण में निर्धारित समय-सारणी के अनुसार विलंब होने पर वित्तीय समापन और पूर्वनिर्धारित निष्पादन की तारीख भी तदनुसार आगे बढ़ जाएगी, बशर्ते परियोजना पूरी करने की समयावधि खंड 3.2.1(ए) के प्रावधानों के अनुसार बकाया 10 प्रतिशत भूमि के हस्तांतरण की तारीख के बीत जाने के बाद से शुरू हो रही एक वर्ष की अवधि तक सीमित होगी।"

2.4 संलग्नक-I:

"संलग्नक-I: बोली प्रक्रिया के लिए समय-सारणी

क्रम सं.	कार्य	शुरुआत से बीता समय
1.	आरएफएस परियोजना के लिए विशिष्ट विद्युत खरीद समझौतों के मसौदे, अन्य परियोजना समझौतों के मसौदे और पीएसए, अगर लागू हों तो की तारीख ,	शून्य तारीख
2.	बोली के बारे में स्पष्टीकरण, कान्फ्रेंस, साइट समेत परियोजना से संबंधित तमाम विशिष्ट विवरणों को साझा करने के लिए ऑनलाइन डेटारूम खोलना (अगर खरीदार द्वारा कहा गया हो), और आरएफएस का संशोधन	**
3.	आरएफएस बोली भेजा जाना	30दिन
4.	बोलियों का मूल्यांकन और एजओआई जारी करना	120दिन
5.	पीपीए और पीएसए पर दस्तखत (अगर लागू हो)	150दिन

**आरएफएस दस्तावेज में किसी भी बदलाव की स्थिति में खरीदार इन दिशानिर्देशों के उपबंध 6.5 के अनुसार बोली लगाने वाले को अतिरिक्त समय देगा।

नोट : यह स्पष्ट किया जाता है कि अगर खरीदार बोली लगाने की प्रक्रिया में किसी कार्य में विलंब की वजह से उसे पूरा करने के लिए किसी कार्य के लिए बोलीदाता को अतिरिक्त समय देता है तो इस अतिरिक्त समय को इन दिशानिर्देशों में किसी भी तरह का विचलन नहीं माना जाएगा।"

निम्नानुसार पढ़ा जाए:

"संलग्नक-I : बोली प्रक्रिया के लिए समय-सारणी

क्रम सं.	कार्य	शुरुआत से बीता समय
1.	आरएफएस परियोजना के लिए विशिष्ट विद्युत खरीद समझौतों के मसौदे, अन्य परियोजना समझौतों के मसौदे और पीएसए, अगर लागू हों तो की तारीख ,	शून्य तारीख

2.	बोली के बारे में स्पष्टीकरण, कान्फ्रेंस, साइट समेत परियोजना से संबंधित तमाम विशिष्ट विवरणों को साझा करने के लिए ऑनलाइन डेटाकम चोल्ना (अगर खरीदार द्वारा कहा गया हो) और आरएफएस का संशोधन	**
3.	आरएफएस बोली भेजा जाना	22 दिन
4.	बोलियों का मूल्यांकन और एलओआई जारी करना	110 दिन
5.	पीपीए और पीएसए पर दस्तखत (अगर लागू हो)	140 दिन

**आरएफएस दस्तावेज में किसी भी बदलाव की स्थिति में खरीदार इन दिशानिर्देशों के उपबंध 6.5 के अनुसार बोली लगाने वाले को अतिरिक्त समय देगा।

नोट : यह स्पष्ट किया जाता है कि अगर खरीदार बोली लगाने की प्रक्रिया में किसी कार्य में विलंब की वजह से उसे पूरा करने के लिए किसी कार्य के लिए बोलीदाता को अतिरिक्त समय देता है तो इस अतिरिक्त समय को इन दिशानिर्देशों में किसी भी तरह का विचलन नहीं माना जाएगा*

धनश्याम प्रसाद, मुख्य अभियंता

MINISTRY OF POWER

RESOLUTION

New Delhi, the 3rd January, 2019

Amendments to the Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects

No. 23/27/2017-R&R.—1.0 The Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects have been notified under the provisions of Section 63 of the Electricity Act, 2003 vide resolution No. 23/27/2017-R&R published in the Gazette of India (Extraordinary) (Part I-Section) on 3rd August, 2017 and have been amended vide resolution No. 23/27/2017-R&R published in the Gazette of India (Extraordinary) (Part I-Section) on 15th June, 2018.

2.0 The following amendments are hereby made in the said guidelines of 3rd August, 2017, amended on 15th June 2018, namely:-

2.1 The Para at point No. 9:

“9. INDICATIVE TIME TABLE FOR BID PROCESS

9.1. In the bidding process, a minimum period of 30 (thirty) days shall be allowed between the issuance of RfS documents and the last date of bid submission. The indicative timetable for the bidding process is indicated in Annexure-I. In normal circumstances, the bidding process is likely to be completed in a period of 120 (one hundred twenty) days

9.2. The Procurer may give extended timeframe than indicated in the Annexure-I and this shall not be construed as deviation to the Guidelines.”

May be read as under:

“9. INDICATIVE TIME TABLE FOR BID PROCESS

9.1. In the bidding process, a minimum period of 22 (twenty two) days shall be allowed between the issuance of RfS documents and the last date of bid submission. The indicative timetable for the bidding process is indicated in Annexure-I. In normal circumstances, the bidding process is likely to be completed in a period of 110 (one hundred ten) days

9.2. The Procurer may give extended timeframe than indicated in the Annexure-I and this shall not be construed as deviation to the Guidelines.”

2.2 The Para at point No. 12:**"12. Financial Closure**

The Solar Power Generator shall attain the financial closure in terms of the PPA, within 12 (twelve) months from the date of execution of the Power Purchase Agreement. However, if for any reason, the time period for attaining the financial closure needs to be kept smaller than that provided in these Guidelines, the Procurer can do the same.

Failing the aforesaid, the Procurer shall encash the PBG unless the delay is on account of delay in allotment of land by the Procurer in terms of Clause 3.2.1 and Clause 3.2.2 or delay in allotment of land by the Government not owing to any action or inaction on the part of the Solar Power Generator or caused due to a Force Majeure. An extension for the attainment of the financial closure can however be considered by the Procurer, on the sole request of the Solar Power Generator, on payment of a penalty as specified in the PPA. This extension will not have any impact on the SCD. Any penalty paid so, shall be returned to the Solar Power Generator without any interest on achievement of successful commissioning within the SCD."

May be read as under:

"12. Financial Closure

Solar Power Generator shall attain the financial closure in terms of the PPA, within 9 (nine) months from the date of execution of the Power Purchase Agreement, for projects being set up in Solar park, and within 12 (twelve) months from the date of execution of the Power Purchase Agreement, for projects being set up outside Solar park. However, if for any reason, the time period for attaining the financial closure needs to be kept smaller than that provided in these Guidelines, the Procurer can do the same.

Failing the aforesaid, the Procurer shall encash the PBG unless the delay is on account of delay in allotment of land by the Procurer in terms of Clause 3.2.1 and Clause 3.2.2 or delay in allotment of land by the Government not owing to any action or inaction on the part of the Solar Power Generator or caused due to a Force Majeure. An extension for the attainment of the financial closure can however be considered by the Procurer, on the sole request of the Solar Power Generator, on payment of a penalty as specified in the PPA. This extension will not have any impact on the SCD. Any penalty paid so, shall be returned to the Solar Power Generator without any interest on achievement of successful commissioning within the SCD."

2.3 The Para at point No. 14.3:**"14.3. Commissioning Schedule:**

The Projects shall be commissioned within a period of 21 (twenty one) months, from the date of execution of the PPA. However, Projects with a capacity of 250 MW and above, if being developed outside a Solar park, shall be commissioned within a period of 24 (twenty four) months from the date of execution of the PPA. However, if for some reason, the scheduled commissioning period needs to be kept smaller than that provided in these Guidelines, the Procurer can do the same. Delay in commissioning, beyond the Scheduled Commissioning Period shall involve penalties on the Solar Power Generator, as detailed out in PPA. In case of site specified by the Procurer, any delay in handing over land to the Solar Power Generator in accordance with the given timelines, shall entail a corresponding extension in financial closure and scheduled commissioning date, provided that the maximum extension shall be limited to a period of 1 year commencing from the expiry of date of handing over of balance 10% of land in terms of Clause 3.2.1 (a)."

May be read as under:

"14.3. Commissioning Schedule:

"The projects shall be commissioned, within a period of 15 (fifteen) months from the date of execution of the PPA, for projects being set up in Solar park, and within a period of 18 (eighteen) months from the date of execution of the PPA, for projects being set up outside Solar park. However, if for some reason, the scheduled commissioning period needs to be kept smaller than that provided in these Guidelines, the Procurer can do the same. Delay in commissioning, beyond the Scheduled Commissioning Period shall involve penalties on the Solar Power Generator, as detailed out in PPA. In case of site specified by the Procurer, any delay in handing over land to the Solar Power Generator in accordance with the given timelines, shall entail a corresponding extension in financial closure and scheduled commissioning date, provided that the maximum extension shall be limited to a period of 1 year commencing from the expiry of date of handing over of balance 10% of land in terms of Clause 3.2.1 (a)."

2.4 The Annexure-I:

"Annexure I – Time-Table for Bid Process"

Sl. No.	Event	Elapsed Time from Zero date
1.	Date of issue of RfS Project specific draft Power Purchase Agreements and other draft Project Agreements, and the PSA, if applicable.	Zero date
2.	Bid clarification, conferences, opening of online Data Room to share all Project specific details including site, if specified by Procurer etc. & revision of RfS	**
3.	RfS Bid submission	30 days
4.	Evaluation of bids and issue of LOI	120 days
5.	Signing of PPA and the PSA(if applicable).	150 days

** In case of any change in RfS document, the Procurer shall provide the bidders additional time in accordance with clause 6.5 of these Guidelines.

Note: It is clarified that if the Procurer gives extended time for any of the events in the bidding process, on account of delay in achieving the activities required to be completed before the event, such extension of time shall not in any way be deviation from these Guidelines."

May be read as under:

"Annexure I – Time-Table for Bid Process"

Sl. No.	Event	Elapsed Time from Zero date
1.	Date of issue of RfS Project specific draft Power Purchase Agreements and other draft Project Agreements, and the PSA, if applicable.	Zero date
2.	Bid clarification, conferences, opening of online Data Room to share all Project specific details including site, if specified by Procurer etc. & revision of RfS	**
3.	RfS Bid submission	22 days
4.	Evaluation of bids and issue of LOI	110 days
5.	Signing of PPA and the PSA(if applicable).	140 days

** In case of any change in RfS document, the Procurer shall provide the bidders additional time in accordance with clause 6.5 of these Guidelines.

Note: It is clarified that if the Procurer gives extended time for any of the events in the bidding process, on account of delay in achieving the activities required to be completed before the event, such extension of time shall not in any way be deviation from these Guidelines."

GHANSHYAM PRASAD, Chief Engineer



भारत का राजपत्र The Gazette of India

असाधारण
EXTRAORDINARY

भाग I—खण्ड 1
PART I—Section 1

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 193]	नई दिल्ली, बुधवार, जुलाई 11, 2019/आषाढ़ 20, 1941
No. 193]	NEW DELHI, THURSDAY, JULY 11, 2019/ASHADHA 20, 1941

विद्युत मंत्रालय

संकल्प

नई दिल्ली, 9 जुलाई, 2019

ग्रिड कनेक्टिड सोलर पीवी विद्युत परियोजनाओं से टैरिफ आधारित प्रतिस्पर्धात्मक बोली प्रक्रिया के ज़रिए बिजली की खरीद के लिए दिशा-निर्देशों में संशोधन

सं. 23/27/2017-आर एंड आर.—1.0 विद्युत अधिनियम, 2003, की धारा 63 के उपबंधों के अधीन ग्रिड कनेक्टिड सोलर पीवी विद्युत परियोजनाओं से टैरिफ आधारित प्रतिस्पर्धात्मक बोली प्रक्रिया के ज़रिए बिजली की खरीद के लिए दिशा-निर्देश दिनांक: 03 अगस्त, 2017 को भारत के राजपत्र (असाधारण), (भाग-I, खंड-1) में संकल्प सं. 23/27/2017-आरएंडआर के द्वारा अधिसूचित किए गए और दिनांक: 15 जून, 2018 को भारत के राजपत्र (असाधारण), (भाग-I, खंड-1) में संकल्प सं. 23/27/2017-आरएंडआर एवं 7 जनवरी, 2019 को भारत के राजपत्र (असाधारण), (भाग-I, खंड-1) में संकल्प सं. 23/27/2017-आरएंडआर के द्वारा संशोधित किए गए।

2.0 दिनांक: 15 जून, 2018 एवं 7 जनवरी, 2019 को संशोधित, दिनांक: 03 अगस्त, 2017 के उक्त दिशा-निर्देशों में एतद्वारा निम्नलिखित संशोधन किए जाते हैं:

2.1 बिंदु संख्या 11.2 का पैरा:

*11.2 निष्पादन बैंक गारंटी (पीवीजी) का निर्धारण खरीदार द्वारा पीपीए प्रस्तुत करते समय किया जाएगा [लेकिन यह खरीदार द्वारा निर्दिष्ट स्थान होने पर केन्द्रीय विद्युत विनियामक आयोग द्वारा बोली आमंत्रित किये जाने वाले साल में परियोजना लागत के 4 प्रतिशत (चार प्रतिशत) से अधिक और सौर ऊर्जा उत्पादक द्वारा स्थान का चयन किये जाने की स्थिति में 5 प्रतिशत (पांच प्रतिशत) या अनुमानित परियोजना लागत से अधिक नहीं होना चाहिए]। अन्य उपायों के अलावा सोलर पावर जनरेटर को विद्युत

खरीद समझौते की शर्तों में निर्दिष्ट प्रावधानों के संदर्भ में किसी तरह का नुकसान होने/दियताएं उत्पन्न होने पर पीवीजी का नकदीकरण किया जा सकेगा। यहां यह स्पष्ट किया जाता है कि मध्यस्थ खरीदार द्वारा पीपीए की शर्तों के अनुसार सोलर पावर जनरेटर में किसी प्रकार की चूक होने पर पीवीजी के नकदीकरण के जरिए क्षतिपूर्ति/दियताएं वसूले जाने की स्थिति में क्षति/दियता पीएएस की शर्तों के अनुसार मध्यस्थ खरीदार द्वारा आखिरी खरीदार को अंतरित कर दी जाएगी।"

निम्नानुसार पढ़ा जाए:

"11.2 निष्पादन बैंक गारंटी (पीवीजी) का निर्धारण खरीदार द्वारा पीपीए प्रस्तुत करते समय किया जाएगा [लेकिन यह खरीदार द्वारा निर्दिष्ट स्थान होने पर केन्द्रीय विद्युत विनियामक आयोग द्वारा बोली आमंत्रित किये जाने वाले साल में परियोजना लागत के 4 प्रतिशत (चार प्रतिशत) से अधिक और सौर ऊर्जा उत्पादक द्वारा स्थान का चयन किये जाने की स्थिति में 5 प्रतिशत (पांच प्रतिशत) या अनुमानित परियोजना लागत से अधिक नहीं होना चाहिए]। अन्य उपायों के अलावा सोलर पावर जनरेटर को विद्युत खरीद समझौते की शर्तों में निर्दिष्ट प्रावधानों के संदर्भ में किसी तरह का नुकसान होने/दियताएं उत्पन्न होने पर पीवीजी का नकदीकरण किया जा सकेगा। यहां यह स्पष्ट किया जाता है कि मध्यस्थ खरीदार द्वारा पीपीए की शर्तों के अनुसार सोलर पावर जनरेटर में किसी प्रकार की चूक होने पर पीवीजी के नकदीकरण के जरिए क्षतिपूर्ति/दियताएं वसूले जाने की स्थिति में क्षति/दियता, 'ग्रिड कनेक्टेड सोलर पीवी विद्युत परियोजनाओं से टैरिफ आधारित प्रतिस्पर्धात्मक बोली प्रक्रिया के जरिए बिजली की खरीद के लिए दिशा-निर्देशों' की धारा 5.3.2.क.ii के उपबंधों के अधीन मध्यस्थ खरीदार द्वारा अनुरक्षित भुगतान सुरक्षा निधि में जमा कर दी जाएगी।"

2.2 बिंदु संख्या 13 का पैरा:

"13. न्यूनतम चुकता शेयर पूंजी का प्रमोटर द्वारा रखा जाना

13.1 सफल बोलीदाता अगर एकल कंपनी हो तो उसे यह सुनिश्चित करना होगा कि एसपीवी/पीपीए पर दस्तखत करने वाली कंपनी में उसकी हिस्सेदारी सीओडी (जिसे अनुच्छेद 15 में परिभाषित किया गया है) की तारीख से 1 (एक) साल पहले खरीदार की पूर्वानुमति के बिना किसी भी समय 51 (इक्कावन) प्रतिशत से नीचे न पहुंचे। अगर सफल बोलीदाता कंपनियों का समूह हो तो इस स्थिति में एसपीवी/पीपीए पर दस्तखत करने वाली परियोजना कंपनी में समूह की कंपनियों की संयुक्त हिस्सापूंजी खरीदार की पूर्वानुमति के बिना सीओडी से 1 (एक) साल पहले किसी भी वक्त 51 (इक्कावन) प्रतिशत से नीचे नहीं पहुंचनी चाहिए। लेकिन अगर सफल बोलीदाता स्वयं ही पीपीए कर रहा हो तो उसे यह सुनिश्चित करना होगा कि उसके प्रमोटर सीओडी से 1 (एक) साल पहले तक खरीदार की अनुमति के बिना कंपनी पर अपना नियंत्रण खत्म न होने दें। ऐसी स्थिति में यह भी जरूरी होगा कि सफल बोलीदाता अपने प्रमोटरों और उनकी हिस्सापूंजी के बारे में खरीदार के साथ विद्युत खरीद समझौते पर दस्तखत करने से पहले सूचनाएं उपलब्ध करा दें।

13.2 सीओडी से 1 (एक) साल पूरा हो जाने के बाद हिस्सापूंजी में कोई भी बदलाव खरीदार को सूचना देकर किया जा सकता है।

13.3 अगर सोलर पावर जनरेटर ने किसी ऋणदाता (ओं) की देनदारी चुकाने में चूक की हो तो ऋणदाता को इस बात का अधिकार होगा कि वह खरीदारों की सहमति से 'प्रमोटर बदल' सके।

निम्नानुसार पढ़ा जाए:

***13. न्यूनतम चुकता शेयर पूंजी का प्रोमोटर द्वारा रखा जाना**

13.1 सफल बोलीदाता अगर एकल कंपनी हो तो उसे यह सुनिश्चित करना होगा कि एसपीवी/पीपीए पर दस्तखत करने वाली कंपनी में उसकी हिस्सेदारी सीओडी (जिसे अनुच्छेद 15 में परिभाषित किया गया है) की तारीख से 3 (तीन) साल पहले खरीदार की पूर्वानुमति के बिना किसी भी समय 51 (इक्कावन) प्रतिशत से नीचे न पहुंचे। अगर सफल बोलीदाता कंपनियों का समूह हो तो इस स्थिति में एसपीवी/पीपीए पर दस्तखत करने वाली परियोजना कंपनी में समूह की कंपनियों की संयुक्त हिस्सापूंजी खरीदार की पूर्वानुमति के बिना सीओडी से 3 (तीन) साल पहले किसी भी वक्त 51 (इक्कावन) प्रतिशत से नीचे नहीं पहुंचनी चाहिए। सफल बोलीदाता को यह सुनिश्चित करना होगा कि उसके प्रोमोटर सीओडी से 3 (तीन) साल पहले तक खरीदार की अनुमति के बिना बोलीदाता कंपनी / कंपनियों के समूह पर अपना नियंत्रण² खत्म न होने दें। ऐसी स्थिति में यह भी जरूरी होगा कि सफल बोलीदाता अपने प्रोमोटरों और उनकी हिस्सापूंजी के बारे में खरीदार के साथ विद्युत खरीद समझौते पर दस्तखत करने से पहले सूचनाएं उपलब्ध करा दें।

13.2 सीओडी से 3 (तीन) साल पूरा हो जाने के बाद हिस्सापूंजी में कोई भी बदलाव खरीदार को सूचना देकर किया जा सकता है।

13.3 अगर सोलर पावर जनरेटर ने किसी ऋणदाता (ओं) की देनदारी चुकाने में चूक की हो तो ऋणदाता को इस बात का अधिकार होगा कि वह खरीदारों की सहमति से 'प्रोमोटर बदल' सके।"

²नियंत्रण शब्द का अर्थ है स्वामित्व, ऐसी कंपनी के 50 प्रतिशत (पचास प्रतिशत) से अधिक वोटिंग शेयरों का प्रत्यक्ष या परोक्ष रूप से स्वामित्व, अथवा बहुसंख्य निर्देशकों की नियुक्ति का अधिकार।

2.3 बिंदु संख्या 20 का पैरा:

***20. दिशानिर्देशों के बारे में स्पष्टीकरण और संशोधन**

अगर इन दिशानिर्देशों के किसी प्रावधान को लागू करने या दिशानिर्देशों की व्याख्या अथवा इनमें संशोधन में कोई अड़चन आती है तो नवीन एवं नवीकरणीय ऊर्जा मंत्रालय को इस बात का अधिकार है कि वह विद्युत मंत्रालय के परामर्श से यह कार्य पूरा करे। इस संबंध में सभी संबद्ध पक्ष किसी भी निर्णय को मानने को बाध्य होंगे।"

निम्नानुसार पढ़ा जाए:

***20. दिशानिर्देशों के बारे में स्पष्टीकरण और संशोधन**

अगर इन दिशानिर्देशों के किसी प्रावधान को लागू करने या दिशानिर्देशों की व्याख्या अथवा इनमें संशोधन में कोई अड़चन आती है तो नवीन एवं नवीकरणीय ऊर्जा मंत्रालय को इस बात का अधिकार है कि वह मंत्री, नवीन एवं नवीकरणीय ऊर्जा, के अनुमोदन से यह कार्य पूरा करे। इस संबंध में सभी संबद्ध पक्ष किसी भी निर्णय को मानने को बाध्य होंगे।"

चनथ्याम प्रसाद, मुख्य अभियंता (आरएंडआर)

MINISTRY OF POWER

RESOLUTION

New Delhi, the 9th July, 2019

Amendments to the Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects

No. 23/27/2017-R&R.—1.0 The Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects have been notified under the provisions of Section 63 of the Electricity Act, 2003 vide resolution No. 23/27/2017-R&R published in the Gazette of India (Extraordinary) (Part I-Section) on 3rd August, 2017 and have been amended vide resolution No. 23/27/2017-R&R published in the Gazette of India (Extraordinary) (Part I-Section) on 15th June, 2018 and resolution No. 23/27/2017-R&R published in the Gazette of India (Extraordinary) (Part I-Section) on 7th January, 2019.

2.0 The following amendments are hereby made in the said guidelines of 3rd August, 2017, amended on 15th June 2018 and 7th January, 2019 namely:-

2.1 The Para at point No. 11.2:

"11.2 Performance Bank Guarantee (PBG), to be fixed by the Procurer [but not to be more than 4% (four per cent), in case of site specified by the Procurer, and 5% (five per cent), in case of site selected by the Solar Power Generator, of the Project cost, as determined by CERC, if any, for the financial year in which the bids are invited or the estimated project cost] to be submitted at the time of signing of the PPA. In addition to the other remedies, this PBG can be encashed to recover any damages/dues of the Solar Power Generator in terms of the PPA. It is hereby clarified that the damages/dues recovered by the Intermediary Procurer by encashing the PBG, upon the default of the Solar Power Generator under the PPA, shall be passed on by the Intermediary Procurer to the End Procurer in terms of the PSA."

May be read as under:

"11.2 Performance Bank Guarantee (PBG), to be fixed by the Procurer [but not to be more than 4% (four per cent), in case of site specified by the Procurer, and 5% (five per cent), in case of site selected by the Solar Power Generator, of the Project cost, as determined by CERC, if any, for the financial year in which the bids are invited or the estimated project cost] to be submitted at the time of signing of the PPA. In addition to the other remedies, this PBG can be encashed to recover any damages/dues of the Solar Power Generator in terms of the PPA. It is hereby clarified that the damages/dues recovered by the Intermediary Procurer by encashing the PBG, upon the default of the Solar Power Generator under the PPA, shall be credited to the Payment Security Fund to be maintained by the Intermediary Procurer under Clause 5.3.2.a.ii. of 'Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects'."

2.2 The Para at point No. 13:**"13. MINIMUM PAID UP SHARE CAPITAL TO BE HELD BY THE PROMOTER**

13.1. The successful bidder, if being a single company, shall ensure that its shareholding in the SPV/project company executing the PPA shall not fall below 51% (fifty-one per cent) at any time prior to 1 (one) year from the COD (as defined in Clause 15), except with the prior approval of the Procurer. In the event the successful bidder is a consortium, then the combined shareholding of the consortium members in the SPV/project company executing the PPA, shall not fall below 51% at any time prior to 1 (one) year from the COD, except with the prior approval of the Procurer. However, in case the successful bidder shall be itself executing the PPA, then it shall ensure that its promoters shall not cede control² till 1 (one) year from the COD, except with the prior approval of the Procurer. In this case it shall also be essential that the successful bidder shall provide the information about its promoters and their shareholding to the Procurer before signing of the PPA with Procurer.

13.2. Any change in the shareholding after the expiry of 1 (one) year from the COD can be undertaken under intimation to Procurer.

13.3. In the event the Solar Power Generator is in default to the lender(s), lenders shall be entitled to undertake "Substitution of Promoter" in concurrence with the Procurers."

May be read as under:

"13. MINIMUM PAID UP SHARE CAPITAL TO BE HELD BY THE PROMOTER

13.1. The successful bidder, if being a single company, shall ensure that its shareholding in the SPV/project company executing the PPA shall not fall below 51% (fifty-one per cent) at any time prior to 3 (three) years from the COD (as defined in Clause 15), except with the prior approval of the Procurer. In the event the successful bidder is a consortium, then the combined shareholding of the consortium members in the SPV/project company executing the PPA, shall not fall below 51% at any time prior to 3 (three) years from the COD, except with the prior approval of the Procurer. Further, the successful bidder shall ensure that its promoters shall not cede control² of the bidding company/consortium till 3 (three) years from the COD, except with the prior approval of the Procurer. In this case it shall also be essential that the successful bidder shall provide the information about its promoters and their shareholding to the Procurer before signing of the PPA with Procurer.

13.2. Any change in the shareholding after the expiry of 3 (three) years from the COD can be undertaken under intimation to Procurer.

13.3. In the event the Solar Power Generator is in default to the lender(s), lenders shall be entitled to undertake "Substitution of Promoter" in concurrence with the Procurers."

²The expression 'control' shall mean the ownership, directly or indirectly, of more than 50% (fifty per cent) of the voting shares of such Company or right to appoint majority Directors.

2.3 The Para at point No. 20:

"20. CLARIFICATION AND MODIFICATION TO GUIDELINES

If any difficulty arises in giving effect to any provision of these Guidelines or interpretation of the Guidelines or modification to the Guidelines, Ministry of New & Renewable Energy is empowered to do the same in consultation with Ministry of Power. The decision in this regard shall be binding on all the parties concerned."

May be read as under:

"20. CLARIFICATION AND MODIFICATION TO GUIDELINES

If any difficulty arises in giving effect to any provision of these Guidelines or interpretation of the Guidelines or modification to the Guidelines, Ministry of New & Renewable Energy is empowered to do the same, with the approval of Minister, New & Renewable Energy. The decision in this regard shall be binding on all the parties concerned."

GHANSHYAM PRASAD, Chief Engineer (R&R)



भारत का राजपत्र The Gazette of India

सी.जी.-डी.एल.-अ.-25092020-222002
CG-DL-E-25092020-222002

असाधारण
EXTRAORDINARY

भाग I—खण्ड 1
PART I—Section 1

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 261]
No. 261]

नई दिल्ली, शुक्रवार, सितम्बर 25, 2020/आश्विन 3, 1942
NEW DELHI, FRIDAY, SEPTEMBER 25, 2020/ASVINA 3, 1942

नवीन और नवीकरणीय ऊर्जा मंत्रालय

संकल्प

नई दिल्ली, 25 सितम्बर, 2020

ग्रिड संबद्ध सौर पीवी विद्युत परियोजनाओं से विद्युत की खरीद के लिए टैरिफ आधारित प्रतिस्पर्धात्मक बोली प्रक्रिया के लिए दिशानिर्देशों में संशोधन

सं. 283/57/2018-ग्रिड सौर.—

1.0 ग्रिड संबद्ध सौर पीवी विद्युत परियोजनाओं से विद्युत की खरीद के लिए टैरिफ आधारित प्रतिस्पर्धात्मक बोली प्रक्रिया के लिए दिशानिर्देशों को भारत के राजपत्र (असाधारण) (भाग I – खण्ड 1) में प्रकाशित, दिनांक 3 अगस्त, 2017 के संकल्प सं. 23/27/2017-आरएंडआर द्वारा विद्युत अधिनियम, 2003 की धारा 63 के प्रावधानों के तहत अधिसूचित किया गया है और भारत के राजपत्र (असाधारण) (भाग I – खण्ड 1) में प्रकाशित दिनांक 14 जून, 2018 के संकल्प सं. 23/27/2017-आरएंडआर, दिनांक 3 जनवरी, 2019 के संकल्प सं. 23/27/2017-आरएंडआर, दिनांक 9 जुलाई, 2019 के संकल्प सं. 23/27/2017-आरएंडआर और दिनांक 22 अक्तूबर, 2019 के संकल्प सं. 283/57/2018-ग्रिड सौर के माध्यम से संशोधित किया गया है।

2.0 दिनांक 3 अगस्त, 2017 के उक्त दिशानिर्देश, जिन्हें 14 जून 2018, 3 जनवरी 2019, 9 जुलाई 2019 और 22 अक्तूबर 2019 को संशोधित किया गया था, में एतद्वारा निम्नलिखित संशोधन किये जाते हैं:-

2.1 बिंदु सं. 13 पर पैरा:

"13. न्यूनतम चुकता शेयर पूंजी का प्रमोटर द्वारा रखा जाना :

- 13.1 सफल बोलीदाता अगर एकल कंपनी हो तो उसे यह सुनिश्चित करना होगा कि एसपीवी/पीपीए पर दस्तखत करने वाली कंपनी में उसकी हिस्सेदारी सीओडी (जिसे अनुच्छेद 15 में परिभाषित किया गया है) की तारीख से 3 (तीन) साल पहले खरीदार की पूर्वानुमति कि बिना किसी भी समय 51 (इक्यावन) प्रतिशत से नीचे न पहुंचे। अगर सफल बोलीदाता कंपनियों का समूह हो तो इस स्थिति में एसपीवी/पीपीए पर दस्तखत करने वाली परियोजना कंपनी में समूह की कंपनियों की संयुक्त हिस्सापूंजी खरीदार की पूर्वानुमति के बिना सीओडी से 3 (तीन) साल पहले किसी भी वक्त 51 प्रतिशत से नीचे नहीं पहुंचनी चाहिए। सफल बोलीदाता को यह सुनिश्चित करना होगा कि उसके प्रमोटर सीओडी से 3 (तीन) साल पहले तक खरीदार की अनुमति के बिना बोलीदाता कंपनी / कंपनियों के समूह पर अपना नियंत्रण² खत्म न होने दें। ऐसी स्थिति में यह भी जरूरी होगा कि सफल बोलीदाता अपने प्रमोटरों और उनकी हिस्सापूंजी के बारे में खरीदार के साथ विद्युत खरीद समझौते पर दस्तखत करने से पहले सूचनाएं उपलब्ध करा दें।
- 13.2 सीओडी से 3 (तीन) साल पूरा हो जाने के बाद हिस्सापूंजी में कोई भी बदलाव खरीदार को सूचना देकर किया जा सकता है।
- 13.3 अगर सोलर पावर जनरेटर ने किसी ऋणदाता(ओं) की देनदारी चुकाने में चूक की हो तो ऋणदाता को इस बात का अधिकार होगा कि वह खरीदार की सहमति से 'प्रमोटर बदल सके'।"

² 'नियंत्रण' शब्द का अर्थ है स्वामित्व, ऐसी कंपनी के 50 प्रतिशत (पचास प्रतिशत) से अधिक वोटिंग शेयरों का प्रत्यक्ष या परोक्ष रूप से स्वामित्व, अथवा बहुसंख्य निर्देशकों की नियुक्ति का अधिकार।

को निम्नानुसार पढ़ा जाए:

"13 न्यूनतम चुकता शेयरपूंजी का प्रमोटर द्वारा रखा जाना :

- 13.1 सफल बोलीदाता अगर एकल कंपनी हो तो उसे यह सुनिश्चित करना होगा कि एसपीवी/पीपीए पर दस्तखत करने वाली कंपनी में उसकी हिस्सेदारी सीओडी (जिसे अनुच्छेद 15 में परिभाषित किया गया है) की तारीख से 1 वर्ष पहले खरीदा गया है खरीदार की पूर्वानुमति कि बिना किसी भी समय 51 (इक्यावन) प्रतिशत से नीचे न पहुंचे। अगर सफल बोलीदाता कंपनियों का समूह हो तो इस स्थिति में एसपीवी/पीपीए पर दस्तखत करने वाली परियोजना कंपनी में समूह की कंपनियों की संयुक्त हिस्सापूंजी खरीदार की पूर्वानुमति के बिना सीओडी से 1 (एक) साल पहले किसी भी वक्त 51 (इक्यावन) प्रतिशत से नीचे नहीं पहुंचनी चाहिए। सफल बोलीदाता को यह सुनिश्चित करना होगा कि उसके प्रमोटर सीओडी से 1 (एक) साल पहले तक खरीदार की अनुमति के बिना बोलीदाता कंपनी/कंपनियों के समूह पर अपना नियंत्रण² खत्म न होने दें। ऐसी स्थिति में यह भी जरूरी होगा कि सफल बोलीदाता अपने प्रमोटरों और उनकी हिस्सापूंजी के बारे में खरीदार के साथ विद्युत खरीद समझौते पर दस्तखत करने से पहले सूचनाएं उपलब्ध करा दें।
- 13.2 सीओडी से 1 (एक) साल पूरा हो जाने के बाद हिस्सापूंजी में कोई भी बदलाव खरीदार को सूचना देकर किया जा सकता है।
- 13.3 अगर सोलर पावर जनरेटर ने किसी ऋणदाता (ओं) की देनदारी चुकाने में चूक की हो तो ऋणदाता को इस बात का अधिकार होगा कि खरीदारों की सहमति से 'प्रमोटर बदल सके'।"

² 'नियंत्रण' शब्द का अर्थ है स्वामित्व, ऐसी कंपनी के 50 प्रतिशत (पचास प्रतिशत) से अधिक वोटिंग शेयरों का प्रत्यक्ष या परोक्ष रूप से स्वामित्व, अथवा बहुसंख्य निर्देशकों की नियुक्ति का अधिकार।

2.2 बिंदु सं. 7.3 पर स्थित पैरा:

"7.3 जमा की जाने वाली अग्रिम राशि (ईएमडी) :

बोलीदाता द्वारा बैंक गारंटी के रूप में अग्रिम राशि (ईएमडी) की निर्धारित मात्रा जमा करानी होगी। सौर विद्युत उत्पादक द्वारा निर्धारित अवधि के दौरान पीपीए पर हस्ताक्षर करने में विफल रहने की स्थिति में अग्रिम राशि (ईएमडी) जब्त कर ली जाएगी।"

को निम्नानुसार पढ़ा जाए:

"7.3 जमा की जाने वाली अग्रिम राशि (ईएमडी) :

बोलीदाता द्वारा बैंक गारंटी/भुगतान के लिए वचन पत्र/भुगतान आदेश दस्तावेज के रूप में अग्रिम राशि (ईएमडी) की निर्धारित मात्रा जमा करानी होगी। सौर विद्युत उत्पादक द्वारा निर्धारित अवधि के दौरान पीपीए पर हस्ताक्षर करने में विफल रहने की स्थिति में अग्रिम राशि (ईएमडी) जब्त कर ली जाएगी।"

2.3 बिंदु सं. 11 पर पैरा:

"11. बैंक गारंटी

सौर ऊर्जा उत्पादक खरीदार को आरएफएस और पीपीए की शर्तों के अनुसार निम्नलिखित बैंक गारंटियां देगा:

11.1 जमा की गयी अग्रिम धनराशि (ईएमडी) का निर्धारण खरीदार द्वारा किया जाएगा (जो बोली आमंत्रण वाले वित्त वर्ष के केन्द्रीय विद्युत विनियामक आयोग द्वारा निर्धारित सोलर फोटो वोल्टेक बिजली परियोजना की लागत या अनुमानित परियोजना लागत के दो प्रतिशत से ज्यादा नहीं होगा). अग्रिम धनराशि बैंक गारंटी के रूप में आरएफएस (स्वीकृति के अनुरोध) के उत्तर के साथ प्रस्तुत की जाएगी.

11.2 निष्पादन बैंक गारंटी (पीबीजी) का निर्धारण खरीदार द्वारा पीपीए प्रस्तुत करते समय किया जाएगा [लेकिन यह खरीदार द्वारा निर्दिष्ट स्थान होने पर केन्द्रीय विद्युत विनियामक आयोग द्वारा बोली आमंत्रित किये जाने वाले साल में परियोजना लागत के 4 प्रतिशत (चार प्रतिशत) से अधिक और सौर ऊर्जा उत्पादक द्वारा स्थान का चयन किये जाने की स्थिति में 5 प्रतिशत (पांच प्रतिशत) या अनुमानित परियोजना लागत से अधिक नहीं होना चाहिए]। अन्य उपायों के अलावा सोलर पावर जनरेटर को विद्युत खरीद समझौते की शर्तों में निर्दिष्ट प्रावधानों के संदर्भ में किसी तरह का नुकसान होने/देयताएं उत्पन्न होने पर पीबीजी का नकदीकरण किया जा सकेगा. यहां यह स्पष्ट किया जाता है कि मध्यस्थ खरीदार द्वारा पीपीए की शर्तों के अनुसार सोलर पावर जनरेटर में किसी प्रकार की चूक होने पर पीबीजी के नकदीकरण के जरिए क्षतिपूर्ति/देयताएं वसूले जाने की स्थिति में क्षति/देयता, 'ग्रिड कनेक्टिड सोलर पीवी विद्युत परियोजनाओं से टैरिफ आधारित प्रतिस्पर्धात्मक बोली प्रक्रिया के जरिए बिजली की खरीद के लिए दिशा-निर्देशों' की धारा 5.3.2.क.ii के उपबंधों के अधीन मध्यस्थ खरीदार द्वारा अनुरक्षित भुगतान सुरक्षा निधि में जमा कर दी जाएगी।"

को निम्नानुसार पढ़ा जाए:

"11. गारंटी

सौर ऊर्जा उत्पादक खरीदार को आरएफएस और पीपीए की शर्तों के अनुसार निम्नलिखित गारंटी देगा:

11.1 जमा की गई अग्रिम धनराशि (ईएमडी) का निर्धारण खरीदार द्वारा किया जाएगा (जो बोली आमंत्रण वाले वित्त वर्ष के लिए केन्द्रीय विद्युत विनियामक आयोग द्वारा निर्धारित सोलर फोटो वोल्टेक

बिजली परियोजना की लागत या अनुमानित परियोजना लागत के 2 (दो) प्रतिशत से ज्यादा नहीं होगा। आरएफएस के उत्तर के साथ निम्नलिखित रूप से प्रस्तुत किया जाएगा:

(क) बैंक गारंटी(यां);

या

(ख) सौर विद्युत उत्पादक द्वारा चूक की स्थिति में "आदेश पर भुगतान दस्तावेज"/वचन पत्र, जो निविदा शर्तों के संदर्भ में, भारतीय अक्षय ऊर्जा विकास एजेंसी (इरेडा) / पावर फाइनेंस कॉर्पोरेशन लिमिटेड (पीएफसी)/आरईसी लिमिटेड (आरईसी) से भुगतान के लिए होगा।

"आदेश पर भुगतान दस्तावेज" से तात्पर्य निविदा शर्तों / विद्युत खरीद समझौते (पीपीए) के अनुसार संदर्भ में सौर विद्युत उत्पादक द्वारा चूक की स्थिति में भारतीय अक्षय ऊर्जा विकास एजेंसी लिमिटेड (इरेडा) या पावर फाइनेंस कॉर्पोरेशन लि. (पीएफसी) या आरईसी लि. (आरईसी) [नवीन और नवीकरणीय ऊर्जा मंत्रालय / विद्युत मंत्रालय के अंतर्गत तीन गैर-बैंकिंग वित्तीय संस्थाएं] से भुगतान के लिए वचन पत्र से है। ऐसे पत्र(त्रों) का प्रभाव किसी सार्वजनिक क्षेत्र के बैंक द्वारा जारी बैंक गारंटी के समान होगा। ऐसे "भुगतान के लिए आदेश दस्तावेज" में किसी सार्वजनिक क्षेत्र के बैंक द्वारा दी गई निबंधन और शर्तें होंगी और खरीदार की मांग पर नियत समय में भुगतान करने का वादा होगा। सौर विद्युत उत्पादक उपरोक्त तीनों गैर-बैंकिंग वित्तीय संस्थाओं (इरेडा, पीएफसी और आरईसी) को देय प्रतिभूति का प्रस्ताव करके ऐसे पत्र(त्रों) की मांग कर सकते हैं। खरीदार इरेडा, पीएफसी और आरईसी के अलावा किसी अन्य गैर-बैंकिंग वित्तीय संस्था से उपरोक्तानुसार या किसी अन्य रूप में 'वचन पत्र' स्वीकार नहीं करेंगे।

11.2 निष्पादन बैंक गारंटी (पीबीजी) / निष्पादन गारंटी (पीजी)

11.2.1 निष्पादन गारंटी (पीजी) का निर्धारण खरीदार द्वारा किया जाएगा [लेकिन यह खरीदार द्वारा निर्दिष्ट स्थान होने पर केन्द्रीय विद्युत विनियामक आयोग द्वारा बोली आमंत्रित किये जाने वाले साल में परियोजना लागत के 4% (चार प्रतिशत) से अधिक और सौर ऊर्जा उत्पादक द्वारा स्थान का चयन किये जाने की स्थिति में 5 प्रतिशत (पांच प्रतिशत) या अनुमानित परियोजना लागत से अधिक नहीं होना चाहिए]; जिसे पीपीए पर हस्ताक्षर करते समय निम्नलिखित रूप में प्रस्तुत किया जाएगा।

(क) बैंक गारंटी(यां)

अथवा

(ख) सौर विद्युत उत्पादक द्वारा चूक की स्थिति में "आदेश पर भुगतान दस्तावेज"/वचन पत्र, जो निविदा शर्तों के संदर्भ में भारतीय अक्षय ऊर्जा विकास एजेंसी (इरेडा) / पावर फाइनेंस कॉर्पोरेशन लि. (पीएफसी)/आरईसी लिमिटेड (आरईसी) से भुगतान के लिए होगा।

11.2.2 इन दिशानिर्देशों में जहां कहीं भी निष्पादन बैंक गारंटी (पीबीजी) का उल्लेख है, वह बैंक गारंटी या दिशानिर्देशों के अनुसार उपलब्ध कराए गए तत्संबंधी विकल्पों के रूप में निष्पादन गारंटी (पीजी) मानी जाएगी।

11.2.3 अन्य उपर्युक्त के अलावा, सोलर पावर जनरेटर को विद्युत खरीद समझौते में निर्दिष्ट प्रावधानों के संदर्भ में किसी तरह का नुकसान होने/देयताएं उत्पन्न होने पर इस पीबीजी का नकदीकरण किया जा सकेगा। यहां यह स्पष्ट किया जाता है कि मध्यस्थ खरीदार द्वारा पीपीए की शर्तों के अनुसार सोलर पावर जनरेटर में किसी प्रकार की चूक होने पर पीबीजी की नकदीकरण करके क्षतिपूर्ति/देयताएं बसूले जाने की स्थिति में क्षति/देयता 'ग्रिड कनेक्टेड सोलर पीवी विद्युत परियोजनाओं से टैरिफ आधारित स्पर्धात्मक बोली प्रक्रिया के जरिए बिजली की खरीद के लिए दिशानिर्देशों' की धारा 5.3.2 क. ॥ के उपबंधों के अधीन मध्यस्थ खरीदार द्वारा अनुरोधित भुगतान

सुरक्षा निधि में जमा कर दी जाएगी। परियोजना के चालू हो जाने के 45 दिनों के भीतर उत्पादक को पीवीजी लौटा दी जाएगी। यदि आंशिक रूप से चालू की जाती है, तो चालू की गई आंशिक क्षमता के अनुरूप ऐसे आंशिक रूप से चालू किये जाने के 45 दिनों के भीतर पीवीजी जारी की जाएगी।

- 11.2.4 यदि सौर विद्युत उत्पादक, विद्युत खरीद समझौते (पीपीए) के सन्दर्भ में सौर विद्युत उत्पादक द्वारा चूक की स्थिति उत्पन्न होने पर बैंक गारंटी के स्थान पर भारतीय अक्षय ऊर्जा विकास एजेंसी लि. (इरेडा) या पावर फाइनेंस लि. (पीएफसी) या आरईसी लि. (आरईसी) से भुगतान के लिए "भुगतान आदेश दस्तावेज"/वचन पत्र प्रस्तुत करने में सक्षम है तो खरीदार सौर विद्युत उत्पादक द्वारा प्रस्तुत की गई निष्पादन बैंक गारंटी (पीवीजी) के रूप में बैंक गारंटी अवमुक्त कर सकता है। सौर विद्युत उत्पादक ऐसे पत्र(त्रों) की मांग उपरोक्त तीनों गैर-बैंकिंग संस्थाओं (इरेडा, पीएफसी और आरईसी) से उचित जमा राशि की पेशकश करके कर सकते हैं ताकि खरीदकर्ता(ओं) को पहले ही किये गए वादे के अनुसार उनकी बैंक गारंटियों के स्थान पर अन्य गारंटी दी जा सके।"

अमितेश कुमार सिन्हा, संयुक्त सचिव

MINISTRY OF NEW AND RENEWABLE ENERGY

RESOLUTION

New Delhi, the 25th September, 2020

Amendments to the Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects

No. 283/57/2018-GRID SOLAR.—

1.0 The Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects have been notified under the provisions of Section 63 of the Electricity Act, 2003 *vide* resolution No. 23/27/2017-R&R dated 3rd August, 2017, published in the Gazette of India (Extraordinary) (Part I—Section 1), and have been amended *vide* resolution No. 23/27/2017-R&R dated 14th June, 2018, resolution No. 23/27/2017-R&R dated 3rd January, 2019, resolution No. 23/27/2017-R&R dated 9th July, 2019 and resolution No. 283/57/2018-GRID SOLAR dated 22nd October, 2019, published in the Gazette of India (Extraordinary) (Part I—Section 1).

2.0 The following amendments are hereby made in the said guidelines of 3rd August, 2017, amended on 14th June 2018, 3rd January, 2019, 9th July, 2019 and 22nd October, 2019, namely:-

2.1 The Para at point No. 13:

"13 MINIMUM PAID UP SHARE CAPITAL TO BE HELD BY THE PROMOTER

- 13.1 The successful bidder, if being a single company, shall ensure that its shareholding in the SPV/project company executing the PPA shall not fall below 51% (fifty-one per cent) at any time prior to 3 (three) years from the COD (as defined in Clause 15), except with the prior approval of the Procurer. In the event the successful bidder is a consortium, then the combined shareholding of the consortium members in the SPV/project company executing the PPA, shall not fall below 51% at any time prior to 3 (three) years from the COD, except with the prior approval of the Procurer. Further, the successful bidder shall ensure that its promoters shall not cede control² of the bidding company/consortium till 3 (three) years from the COD, except with the prior approval of the Procurer. In this case it shall also be essential that the successful bidder shall provide the information about its promoters and their shareholding to the Procurer before signing of the PPA with Procurer.

- 13.2 Any change in the shareholding after the expiry of 3 (three) years from the COD can be undertaken under intimation to Procurer.
- 13.3 In the event the Solar Power Generator is in default to the lender(s), lenders shall be entitled to undertake '**Substitution of Promoter**' in concurrence with the Procurers."

²The expression 'control' shall mean the ownership, directly or indirectly, of more than 50% (fifty per cent) of the voting shares of such Company or right to appoint majority Directors.

May be read as under:

"13 MINIMUM PAID UP SHARE CAPITAL TO BE HELD BY THE PROMOTER

- 13.1 The successful bidder, if being a single company, shall ensure that its shareholding in the SPV/project company executing the PPA shall not fall below 51% (fifty-one per cent) at any time prior to 1 (one) year from the COD (as defined in Clause 15), except with the prior approval of the Procurer. In the event the successful bidder is a consortium, then the combined shareholding of the consortium members in the SPV/project company executing the PPA, shall not fall below 51% at any time prior to 1 (one) year from the COD, except with the prior approval of the Procurer. Further, the successful bidder shall ensure that its promoters shall not cede control² of the bidding company/ consortium till 1 (one) year from the COD, except with the prior approval of the Procurer. In this case it shall also be essential that the successful bidder shall provide the information about its promoters and their shareholding to the Procurer before signing of the PPA with Procurer.
- 13.2 Any change in the shareholding after the expiry of 1 (one) year from the COD can be undertaken under intimation to Procurer.
- 13.3 In the event the Solar Power Generator is in default to the lender(s), lenders shall be entitled to undertake '**Substitution of Promoter**' in concurrence with the Procurers."

²The expression 'control' shall mean the ownership, directly or indirectly, of more than 50% (fifty per cent) of the voting shares of such Company or right to appoint majority Directors.

2.2 The Para at point No. 7.3:

"7.3 Quantum of the Earnest Money Deposit (EMD)

Quantum of the Earnest Money Deposit (EMD) in the form of a bank guarantee, to be furnished by the bidders. The EMD shall stand forfeited in the event of failure of the Solar Power Generator to execute the PPA within the stipulated time period."

May be read as under:

"7.3 Quantum of the Earnest Money Deposit (EMD)

Quantum of the Earnest Money Deposit (EMD) in the form of a bank guarantee/ letter of undertaking to pay/ Payment of Order Instrument, to be furnished by the bidders. The EMD shall stand forfeited in the event of failure of the Solar Power Generator to execute the PPA within the stipulated time period."

2.3 The Para at point No. 11:

"11. BANK GUARANTEES

The Solar Power Generator shall provide the following bank guarantees to the Procurer in terms of the RfS and the PPA:

- 11.1 **Earnest Money Deposit (EMD)**, to be fixed by the Procurer [but not to be more than 2% (two percent) of the Solar PV power project cost, as determined by CERC, if any, for the financial year in which the bids are invited or the estimated project cost], to be submitted in the form of a bank guarantee along with response to RfS.
- 11.2 **Performance Bank Guarantee (PBG)**, to be fixed by the Procurer [but not to be more than 4% (four per cent), in case of site specified by the Procurer, and 5% (five per

cent), in case of site selected by the Solar Power Generator, of the Project cost, as determined by CERC, if any, for the financial year in which the bids are invited or the estimated project cost] to be submitted at the time of signing of the PPA. In addition to the other remedies, this PBG can be encashed to recover any damages/dues of the Solar Power Generator in terms of the PPA. It is hereby clarified that the damages/dues recovered by the Intermediary Procurer by encashing the PBG, upon the default of the Solar Power Generator under the PPA, shall be credited to the Payment Security Fund to be maintained by the Intermediary Procurer under Clause 5.3.2.a.ii. of 'Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects'."

May be read as under:

"11. GUARANTEES

The Solar Power Generator shall provide the following guarantees to the Procurer in terms of the RfS and the PPA:

- 11.1 Earnest Money Deposit (EMD)**, to be fixed by the Procurer, [but not to be more than 2% (two per cent) of the estimated capital cost of the Solar PV power project cost, as determined by CERC, if any, for the financial year in which the bids are invited or the estimated project cost], to be submitted along with response to RfS, in the form of:

(a) Bank Guarantee(s);

OR

(b) "Payment on Order instrument" / Letter of Undertaking, to pay in case situation of default of solar power generator in terms of tender condition arises, from Indian Renewable Energy Development Agency (IREDA)/ Power Finance Corporation Limited (PFC)/ REC Limited (REC).

"Payment on Order instrument" means Letter of Undertaking from Indian Renewable Energy Development Agency Limited (IREDA) or Power Finance Corporation Limited (PFC) or REC Limited (REC) [the three non-banking financial institutions under Ministry of New & Renewable Energy (MNRE)/ Ministry of Power (MoP)], to pay in case situation of default of solar power generator in terms of tender conditions/Power Purchase Agreement (PPA) arises. Such Letter(s) will have same effect as that of a Bank Guarantee issued by any public sector bank. Such "Payment on Order instrument" would have terms and conditions similar to that of any Bank Guarantee given by any public sector bank and would promise to pay the Procurer on demand within stipulated time. Solar power generators can seek such Letters(s) by offering due security to the above mentioned three non-banking financial institutions mentioned above (IREDA, PFC & REC). Procurer(s) shall not accept the instrument of 'Letter of Undertaking' as described above or in any other form, from any other non-banking financial institutions or bank, except IREDA, PFC & REC.

11.2 Performance Bank Guarantee (PBG)/ Performance Guarantee (PG)

- 11.2.1 Performance Guarantee (PG)**, to be fixed by the Procurer [but not to be more than 4% (four per cent), in case of site specified by the Procurer, and 5% (five per cent), in case of site selected by the Solar Power Generator, of the Project cost, as determined by CERC, if any, for the financial year in which the bids are invited or the estimated project cost] to be submitted at the time of signing of the PPA, in the form of:

(a) Bank Guarantee(s);

OR

(b) "Payment on Order instrument"/Letter of Undertaking to pay in case situation of default of solar power generator in terms of Power Purchase Agreement (PPA) arises, from Indian Renewable Energy Development Agency (IREDA)/Power Finance Corporation Limited (PFC) and REC Limited (REC);

- 11.2.2** Performance Bank Guarantee (PBG) wherever mentioned in these guidelines shall refer to Performance Guarantee (PG) in the form of Bank Guarantee or alternatives provided thereto as per these Guidelines.
- 11.2.3** In addition to the other remedies, this PBG can be encashed to recover any damages/dues of the Solar Power Generator in terms of the PPA. It is hereby clarified that the damages/dues recovered by the Intermediary Procurer by encashing the PBG, upon the default of the Solar Power Generator under the PPA, shall be credited to the Payment Security Fund to be maintained by the Intermediary Procurer under clause 5.3.2.a.ii of 'Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects'. PBG shall be returned to the generator within 45 days of the commissioning of the project. In case of part commissioning, PBG, corresponding to the part capacity commissioned, should be released within 45 days of such part-commissioning.
- 11.2.4** Procurer(s) may release the Bank Guarantees submitted by a Solar Power Generator as 'Performance Bank Guarantee (PBG)' if the Solar Power Generator is able to replace the same with "Payment on Order instrument"/Letter(s) of Undertaking from Indian Renewable Energy Development Agency Limited (IREDA) or Power Finance Corporation Limited (PFC) or REC Limited (REC) to pay in case situation of default of Solar Power Generator in terms of Power Purchase Agreement (PPA) arises. Solar Power Generators can seek such Letters(s) by offering due security to the above mentioned three non-banking financial institutions (IREDA, PFC & REC) for seeking replacement of their Bank Guarantees already pledged with the Procurer(s)."

AMITESH KUMAR SINHA, Jt. Secy.

Annexure - I (b)

The Gazette of India

EXTRAORDINARY

PART I - Section 1

PUBLISHED BY AUTHORITY

Ministry of Power

New Delhi,

Dated the 8th December, 2017

RESOLUTION

No. 23/54/2017- R&R

Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Wind Power Projects

1. BACKGROUND

- 1.1. The wind power deployment in the country started in early 90s and with the conducive policy environment provided at Central and State level this segment has achieved the highest growth amongst the other renewable energy technologies. The present wind power installed capacity in the country is over 32.7 GW, providing around 9% of the total installed capacity. Globally India is at the 4th position in terms of wind power installed capacity after China, USA and Germany.
- 1.2. The Government of India has set an ambitious target of achieving 175 GW power capacity from renewable energy resources by 2022 and out of this 60 GW is to come from wind power.
- 1.3. The National Institute of Wind Energy (NIWE) assessed the wind power potential in the country to be over 302 GW at 100 meter above ground level. Most of this potential exists in seven windy States namely Andhra Pradesh, Gujarat, Karnataka, Madhya Pradesh, Maharashtra, Rajasthan and Tamil Nadu.
- 1.4. Earlier, the wind power was being procured by the Distribution Utilities at Feed-in-Tariff (FiT) determined by the respective State Electricity Regulatory Commission (SERC). FiT coupled with various incentives provided by the Central and State Government enabled the growth of the wind sector many folds since 2002. The country also has strong manufacturing base with annual capacity of around 10 GW.
- 1.5. One of the key objectives of the Electricity Act, 2003 is promotion of competition in the electricity sector. Section 63 of the Act provides for adoption of the tariff by the Appropriate Commission if the same has been determined through transparent process of bidding in accordance with the guidelines issued by the Central Government. The National Electricity Policy, 2005 also provides for competition in

the renewable energy sector to reduce the cost. The National Tariff Policy notified on 28 January 2016 also provides for encouraging procurement of renewable power through competitive bidding to reduce the tariff.

- 1.6. These Guidelines have been formulated for procurement of wind power through transparent process of bidding under Section 63 of the Act.

2. OBJECTIVES OF GUIDELINES

- 2.1. The objective of these Guidelines is to provide a framework for procurement of wind power through a transparent process of bidding including standardisation of the process and defining of roles and responsibilities of various stakeholders. These Guidelines aim to enable the Distribution Licensees to procure wind power at competitive rates in a cost effective manner.

3. APPLICABILITY OF GUIDELINES

- 3.1. These Guidelines are being issued under the provisions of Section 63 of the Electricity Act, 2003 for long-term procurement of electricity through competitive bidding process, by the 'Procurer(s)', from grid-connected Wind Power Projects ('WPP') having, (a) individual size of 5 MW and above at one site with minimum bid capacity of 25 MW for intra-state projects; and (b) individual size of 50 MW and above at one site with minimum bid capacity of 50 MW for inter-state projects.

Explanation:

- a) **Procurer(s):** The term 'Procurer(s)', as the context may require, shall mean the distribution licensee(s), or their Authorized Representative, or an Intermediary Procurer.
- b) **Authorised Representative of the Procurer(s):** In cases, where the distribution licensee(s), authorize any agency to carry out the tendering / bidding process on its behalf then the agency will be responsible for fulfilling all the obligations imposed on the 'Procurer(s)' during the bidding phase, in accordance with these Guidelines.
- c) **Intermediary Procurer**
 - (i) In some cases, an intermediary, between the distribution licensee(s) and the Wind Power Generator(s) (WPG) may be required either to aggregate the wind power to be purchased from different generators and sell it to the distribution licensee(s) or to enhance the credit profile. In such cases, the 'Intermediary Procurer' is essentially a trader, buying power from the WPG(s) and selling the same to one or more distribution licensees and shall carry out the bidding as per provisions of these Guidelines.
 - (ii) The Intermediary Procurer shall enter into a Power Purchase Agreement (PPA) with the WPG(s) and also enter into a Power Sale Agreement (PSA) with the

distribution licensee(s). The PSA shall contain the relevant provisions of the PPA on a back to back basis. The Intermediary Procurer may charge trading margin as notified by the Appropriate Commission or in the absence of such notification as mutually agreed with distribution licensee(s).

- (iii) As long as the Intermediary Procurer has followed these Guidelines for procurement of wind power, the distribution licensee(s) shall be deemed to have followed these Guidelines for procurement of wind power.

3.2. Unless explicitly specified in these Guidelines, the provisions of these Guidelines shall be binding on the Procurer, Authorised Representative and Intermediary Procurer. The process to be adopted in event of any deviation proposed from these Guidelines is specified in Clause 22 of these Guidelines.

4. APPROPRIATE COMMISSION

4.1. Subject to the provisions of the Electricity Act, 2003, Appropriate Commission would be as under:

- a) In case the wind power projects supplying power to Distribution licensee(s) of one State, the Appropriate Commission, for the purpose of these bidding Guidelines, shall be the State Electricity Regulatory Commission of the concerned State where the distribution licensee(s) is located.
- b) In case the wind power projects supplying power to Distribution licensee(s) of more than one State, the Appropriate Commission, for the purpose of these bidding Guidelines, shall be the Central Electricity Regulatory Commission.
- c) For cases involving sale of wind power from generating companies owned or controlled by Central Government, the Appropriate Commission shall be the Central Electricity Regulatory Commission.

5. PREPARATION FOR INVITING BID AND PROJECT PREPAREDNESS

The Procurer shall meet the following conditions:

5.1. Bid Documentation:

- a) Prepare the bid documents in accordance with these Guidelines and Standard Bidding Documents (SBDs) [consisting of Model Request for Selection (RfS) Document, Model PPA and Model PSA], notified by the Central Government, except as provided in sub clause (c) below.

N

- b) Inform the Appropriate Commission about the initiation of the bidding process.
- c) Seek approval of the Appropriate Commission for deviations, if any, in the draft RfS, draft PPA, draft PSA (if applicable) from these Guidelines and/ or SBDs, in accordance with the process described in Clause 22 of these Guidelines.
 - i. However, till the time the SBDs are notified by the Central Government, for purpose of clarity, if the Procurer while preparing the draft RfS, draft PPA, draft PSA and other Project agreements provides detailed provisions that are consistent with the Guidelines, such detailing will not be considered as deviations from these Guidelines even though such details are not provided in the Guidelines.
 - ii. Further, in case of an ongoing bidding process, if the bids have already been submitted by bidders prior to the notification of these Guidelines and/or SBDs, then if there are any deviations between these Guidelines and/or the SBDs and the proposed RfS, PPA, PSA (if applicable), the RfS, PPA and the PSA shall prevail.

5.2. Site-related project preparatory activities including clearances:

In order to ensure timely commencement of supply of electricity, the bidder would be required to submit documents in respect of matters as mentioned below, as per the time schedule specified in the bidding documents:

- a) Land acquisition: Identification of the 100% (hundred per cent) land at the time of bid submission and within 7 (seven) months of the execution of the PPA, submission of documents/ Lease Agreement to establish possession/ right to use 100 % (hundred per cent) of the required land in the name of the WPG or its Affiliate for a period not less than the complete term of PPA. In case the land is in the name of Affiliate¹, the land should be transferred in the name of WPG prior to Scheduled Commissioning Date (SCD). Wherever leasing of private land is involved, the lease should allow transfer of land to the lenders or Procurer, in case of default of the WPG.
- b) No Objection Certificate (NOC)/ Environmental clearance (if applicable) for the Project.

¹ Affiliate in relation to a Company shall mean a person who controls, is controlled by, or is under the common control with such Company. The expression 'control' shall mean the ownership, directly or indirectly, of more than 50% of the voting shares of such Company or right to appoint majority Directors.

- c) Forest Clearance (if applicable) for the land for the Project.
- d) A letter from State Transmission Utility (STU)/ Central Transmission Utility (CTU), as applicable, confirming technical feasibility of connectivity of the plant to STU/ CTU substation.
- e) Any other clearances (if any), as may be legally required.

6. BID STRUCTURE

6.1. Bid Size: The bids shall be designed in terms of total wind power capacity to be procured in MW. For intra-state projects a bidder shall be allowed to bid for a minimum 25 MW wind power projects with at least 5 MW project at one site and for inter-state projects a bidder shall be allowed to bid for a minimum 50 MW wind power project at one site. The Procurer may also choose to specify the maximum capacity that can be allotted to a single bidder including its Affiliates. The maximum capacity for single bidder or company or group of companies may be fixed by the Procurer keeping in mind factors such as economies of scale, land availability, expected competition and need for development of the market.

6.2. Bidding Parameters: For procurement of wind power, the tariff quoted by the bidder shall be the bidding parameter. The Procurer may specify a benchmark tariff and in that case bidder has to quote tariff not more than the benchmark tariff. The Procurer may select either of the following kinds of tariff based bidding: (a) fixed tariff in Rs./kWh for 25 years or more or (b) escalating tariff in Rs./kWh with pre-defined quantum of annual escalations fixed in Rs./kWh and number of years from which such fixed escalation will be provided. The Procurer may also opt for e-reverse auction for final selection of bidders, in such a case, this will be specifically mentioned in the notice inviting bids and bid document. The Procurer may disclose in the RfS, the prevailing incentives available to the WPGs.

7. POWER PURCHASE AGREEMENT

The draft PPA proposed to be entered into with the successful bidder and draft PSA (if applicable) shall be issued along with the RfS. Standard provisions to be incorporated as part of the PPA shall include *inter alia* the following, which, unless otherwise specified herein, shall be provided for on a back to back basis in the PSA:

7.1. PPA Period: As the PPA period influences the tariff by determining the period over which the investment is returned to the investor, longer PPA is favoured for lower tariffs. The PPA period should thus be not less than 25 years from the date of the SCD or from the date of full commissioning of the projects, whichever is earlier. The



PPA may be further extended on such term and conditions as mutually agreed between the parties signing the PPA and approved by Appropriate Commission, provided the arrangements with the land and infrastructure owning agencies, the relevant transmission utilities and system operators permits operation of the Wind Power Project beyond the initial PPA period of 25 years.

7.2. Capacity Utilisation Factor (CUF):

7.2.1. The WPG will declare the annual CUF of its Project at the time of signing of PPA and will be allowed to revise the same once within first year of COD. Calculation of CUF will be on yearly basis from 1st April of the year to 31st March of next year. The declared annual CUF shall in no case be less than 22 percent. The variation permitted in wind power generation from the declared CUF value will be indicated in the RIS. The lower limit will, however, be relaxable to the extent of non-availability of grid for evacuation of wind power, which is beyond the control of the WPG. For the first year of operation of the project, the annual CUF shall be calculated for the complete year after COD of the Project. Subsequently, the annual CUF will be calculated every year from 1st April of the year to 31st March next year.

7.2.2. In case the project supplies energy less than the energy corresponding to the minimum CUF, the WPG will be liable to pay to the Procurer, penalty for the shortfall in availability of energy. This will, however be relaxable to the extent of grid non-availability for evacuation, which is beyond the control of the WPG. The amount of such penalty will be in accordance with the terms of the PPA, which shall ensure that the Procurer is offset for all potential costs associated with low generation and supply of power under the PPA, subject to a minimum of 75% (seventy-five percent) of the cost of this shortfall in energy terms, calculated at PPA tariff. Penalties may be prescribed on the amount of shortfall, higher shortfall may attract higher penalties and vice-versa.

7.2.3. In case of availability of power more than the maximum CUF specified, WPG will be free to sell it to any other entity provided first right of refusal will vest with the Procurer(s). In case the Procurer purchases the excess generation, the same may be done at 75% of the PPA tariff, and provision to this effect shall be clearly indicated in the RIS document.

7.3. **Repowering:** The WPG will be free to re-power their plants during the PPA duration. However, the Procurer will be obliged to buy power only as per terms of PPA and any excess generation will be dealt as specified in clause 7.2 of these Guidelines.

7.4. Payment Security: The Procurer shall provide adequate payment security measures, as specified below:

7.4.1. Scenario 1: Direct procurement by Distribution licensee from WPG:

The Distribution licensee shall provide payment security to the WPG through:

- a) **Revolving Letter of Credit (LC)** of an amount not less than 1 (one) months' average billing from the Project under consideration;

AND

- b) **Payment Security Fund**, which shall be suitable to support payment for at least 3 (three) months' billing of all the Projects tied up with such fund;
- c) In addition to a) & b) above, the Procurer may also choose to provide **State Government Guarantee**, in a legally enforceable form, ensuring that there is adequate security to the WPG, both in terms of payment of energy charges and termination compensation, if any.

7.4.2. Scenario 2: Intermediary-Procurer procures from the WPG and sells to the Distribution licensee:

- a) **Payment Security by Intermediary Procurer to the WPG:** The Intermediary Procurer shall provide payment security to the WPG through:

- i. **Revolving Letter of Credit (LC)** of an amount not less than 1 (one) months' average billing from the Project under consideration;

AND

- ii. **Payment Security Fund**, which shall be suitable to support payment of at least 3 (three) months' billing of all the Projects tied up with such fund.

- b) **Payment Security by Distribution licensee to Intermediary Procurer:** The Distribution licensee shall provide payment security to the Intermediary Procurer through:

- i. **Revolving Letter of Credit (LC)** of an amount not less than 1 (one) months' average billing from the Project(s) under consideration;

AND

- ii. **State Government Guarantee**, in a legally enforceable form, such that there is adequate security, both in terms of payment of energy charges and termination compensation, if any. *[for the purpose of this clause, the Tri-Partite Agreement (TPA) signed between Reserve Bank of India, Central Government and State Government shall qualify as State Government Guarantee covering the security for payment of energy charges].* The Intermediary Procurer shall ensure that upon invoking this guarantee, it shall at once, pass on the same to the WPG, to the extent the payments to the WPG in terms of the PPA are due.

- iii. In addition to i) & ii) above, the Distribution licensee may also choose to

N

provide **Payment Security Fund**, which shall be suitable to support payment of at least 3 (three) months' billing of all the Projects tied up with such fund.

It is hereby clarified that the State Government guarantee shall be invoked only after the Intermediary Procurer has been unable to recover its dues under the PPA by means of the Letter of Credit and the Payment Security Fund, if any.

7.5. Force Majeure: The PPA shall contain provisions with regard to *force majeure* definitions, exclusions, applicability and available relief on account of *force majeure*, as per the industry standards. The WPG shall intimate the Procurer about the occurrence of *force majeure* within 15 (fifteen) days of the start of the *force majeure* and the Procurer shall take a decision on his claim within 15 days of the receipt of the intimation.

Government of India from time to time issues order for waiver of inter-state transmission system (ISTS) charges and losses on transmission of wind power till a certain date. In case the SCD of wind project is before the date till above ISTS waiver is applicable, and if the commissioning of the wind project gets delayed beyond the applicable date of ISTS waiver due to force majeure event, the liability of transmission charges and losses would be shared between the WPG and procurer(s) in ratio of 50:50. However, in case the commissioning of the wind project gets delayed beyond the applicable date of ISTS waiver due to reasons attributable to the WPG the liability of transmission charges and losses would be of WPG.

7.6. Generation Compensation for Off-take Constraints: The Procurer may be constrained not to off-take the power scheduled by WPG on account of Grid unavailability or in the eventuality of a Back-down.

7.6.1. Generation Compensation in offtake constraints due to Grid Unavailability:

During the operation of the plant, there can be some periods where the plant can generate power but due to temporary transmission unavailability the power is not evacuated, for reasons not attributable to the WPG. In such cases the generation compensation shall be addressed by the Procurer in following manner:

Duration of Grid unavailability	Provision for Generation Compensation
Grid unavailability in a contract year as beyond 50 hours in a Contract	$\text{Generation Loss} = [(\text{Average Generation per hour during the contract year}) \times (\text{number of hours of grid unavailability during the$

Year as defined in the PPA:	<i>contract year)]</i> <i>Where, Average Generation per hour during the contract year (kWh) = Total generation in the contract year (kWh) ÷ 8766 hours less total hours of grid unavailability in a Contract year</i>
-----------------------------	--

The excess generation by the WPG equal to this generation loss shall be procured by the Procurer at the PPA tariff so as to offset this loss in the succeeding 3 (three) Contract Years. (*Contract Year, shall be as defined in PPA.*)

As an alternative to the mechanism provided above in Clause 7.6.1, the Procurer may choose to provide Generation Compensation, in terms of PPA tariff, for the Generation loss as defined in Clause 7.6.1, and for Grid unavailability beyond 50 hours in a Contract Year as defined in the PPA.

- 7.6.2. **Offtake constraints due to Backdown:** The WPG and the Procurer shall follow the forecasting and scheduling process as per the regulations in this regard by the Appropriate Commission. The Government of India, as per Clause 5.2(u) of the Indian Electricity Grid Code (IEGC), encourages a status of 'must-run' to wind power projects. Accordingly, no wind power plant, duly commissioned, should be directed to back down by a Discom/ Load Dispatch Centre (LDC). In case such eventuality of Backdown arises, except for the cases where the Backdown is on account of events like consideration of grid security or safety of any equipment or personnel or other such conditions, the WPG shall be eligible for a Generation Compensation, from the Procurer, in the manner detailed below.

Duration of Backdown	Provision for Generation Compensation
Hours of Backdown during a monthly billing cycle.	<i>Generation Compensation =</i> <i>50% x (Average Generation during the month corresponding to the capacity backed down) x PPA Tariff</i> <i>Where, Average Generation during the month corresponding to the capacity backed down (kWh) =</i> <i>(CUF during the month) x Σ (Backed down capacity in MW x corresponding time of backdown in hours x 1000)</i>

The Generation Compensation as calculated above will be limited to the extent of shortfall in annual generation corresponding to the maximum CUF



permitted as per clause 7.2.1 and the same will be settled on annual basis. No trading margin shall be applicable on this Generation Compensation.

Possible conditions for exclusion of Generation Compensation, on account of Backdown purposes, shall be clearly specified in the RIS and the PPA.

7.7. Event of Default and the Consequences thereof: While detailed provisions with regard to the event of default of the concerned parties and its resulting consequences shall be detailed in the SBDs, this clause lays down the broad principles of contractually dealing with the default of the WPG and the Procurers (excluding the Intermediary Procurer).

7.7.1. Generator Event of Default and the consequences thereof:

- a) In the event the generator is unable to commission the plant within the stipulated time period, or fails to supply power in terms of the PPA, or assigns or novates any of its rights or obligations contrary to the terms of the PPA, or repudiates the PPA, or effectuates a change in control or shareholding of its promoters in breach of the provisions of the PPA, or commits any other acts or omissions as laid down in the PPA and is also unable to cure any of the aforesaid within the cure period, as may be provided in the PPA, the generator shall be construed to be in default.
- b) Upon being in default, the WPG shall be liable to pay to the Procurer, damages, as detailed in the PPA. The Procurer shall have the right to recover the said damages by way of forfeiture of bank guarantee, if any, without prejudice to resorting to any other legal course or remedy.
- c) In addition to the levy of damages as aforesaid, in the event of a default by the WPG, the lenders shall be entitled to exercise their rights of substitution, in accordance with the substitution agreement provided in the PPA and in concurrence with the Procurer. However, in the event the lenders are unable to substitute the defaulting generator within the stipulated period, the Procurer may terminate the PPA and acquire the project assets for an amount equivalent to 90% of the debt due or less as mutually agreed, failing which, the lenders may exercise their mortgage rights and liquidate the project assets.

7.7.2. Procurer Event of Default and the consequences thereof:

- a) If the Procurer is in default on account of reasons including *inter alia* failure to pay the monthly and/or supplementary bills within the stipulated time period or repudiation of the PPA, the defaulting Procurer shall, subject to the prior

consent of the WPG, novate its part of the PPA to any third party, including its Affiliates within the stipulated period.

- b) In the event the aforesaid novation is not acceptable to the WPG, or if no offer of novation is made by the defaulting Procurer within the stipulated period, then the WPG may terminate the PPA and at its discretion require the defaulting Procurer to either (i) takeover the project assets by making a payment of the termination compensation equivalent to the amount of the debt due and the 150% (one hundred and fifty per cent) of the adjusted equity as detailed in the PPA or, (ii) pay to the WPG, damages, equivalent to 6 (six) months, or balance PPA period whichever is less, of charges for its contracted capacity, with the project assets being retained by the WPG.
- c) In the event of termination of PPA, any damages or charges payable to the STU/CTU, for the connectivity of the plant, shall be borne by the Procurer.

7.8. Change in Law

7.8.1. In the event a change in Law results in any adverse financial loss/ gain to the WPG then, in order to ensure that the WPG is placed in the same financial position as it would have been had it not been for the occurrence of the change in Law, the WPG/ Procurer shall be entitled to compensation by the other party, as the case may be, subject to the condition that the quantum and mechanism of compensation payment shall be determined and shall be effective from such date as may be decided by the Appropriate Commission.

7.8.2. In these Guidelines, the term 'Change in Law' shall refer to the occurrence of the following events, after the last date of the bid submission, including (i) the enactment of any new law; or (ii) an amendment, modification or repeal of an existing law; or (iii) the requirement to obtain a new consent, permit or license; or (iv) any modification to the prevailing conditions prescribed for obtaining a consent, permit or license, not owing to any default of the WPG; or (v) any change in the rates of any taxes which have a direct effect on the Project. However, Change in Law shall not include any change in (a) taxes on corporate income or any change in any withholding tax on income or dividends; and (b) Custom duty on imported equipment.

8. BIDDING PROCESS

8.1. The Procurer shall call for the bids adopting a single stage two envelop bidding process to be conducted through Electronic mode (e-bidding). The procurer may also opt for e-reverse auction for final selection of bidders, in such a case, this will be

specifically mentioned in the notice inviting bids and bid document. E-procurement platforms with a successful track record and with adequate safety, security and confidentiality features will be used.

8.2. The Procurer shall invite the bidders to participate in the RfS for installation of WPP(s) in terms of these Guidelines.

8.3. The bidding documents including the RfS, draft PPA and draft PSA (if applicable) shall be prepared by the Procurer in consonance with these Guidelines and the SBDs.

8.4. The Procurer shall publish the RfS notice in at least two national newspapers and its own website to accord wide publicity.

8.5. The Procurer shall provide opportunity for pre-bid conference to the prospective bidders, and shall provide written interpretation of the bid documents to any bidder which shall also be made available to all other bidders. All the concerned parties shall rely solely on the written communication. Any clarification or revision to the bidding documents shall be uploaded on the website of the Procurer for adequate information. In the event of the issuance of any revision or amendment of the bidding documents, the bidders shall be provided a period of at least 7 (seven) days therefrom, for submission of bids.

9. RFS DOCUMENT

The standard provisions to be provided by the Procurer in the RfS shall include the following:

9.1. **Bid Responsiveness:** The bid shall be evaluated only if it is responsive and satisfies conditions including *inter-alia* –

- bidder or any of its Affiliates is not a willful defaulter to any lender
- there is no major litigation pending or threatened against the bidder or any of its Affiliates which are of a nature that could cast a doubt on the ability or the suitability of the bidder to undertake the project

9.2. **Qualification requirements to be met by the bidders:**

9.2.1. **Technical Criteria:** The Government would like to encourage competition by way of increased participation. However, in order to ensure proper implementation of the projects, the Procurer may choose to specify technical criteria such as past experience of the bidders, timely execution of projects, etc. Such criteria should be set after an assessment of the number of project developers that are expected to meet the criteria so that an adequate level of competition is achieved. Cut-off date for meeting

the technical criteria should generally be kept as the end date of the financial year that is previous to the financial year in which the bid is being floated.

9.2.2. Financial Criteria:

a) Net-worth:

- (i) The Procurer shall specify financial criteria in the form of net-worth as a part of the qualification requirement. The net-worth requirement should be at least 20% of the Estimated Capital Cost for WPP for the year in which bids are invited.
- (ii) The net worth to be considered for the above purpose will be the cumulative net-worth of the bidding company or consortium together with the net-worth of those Affiliates of the bidder(s) that undertake to contribute the required equity funding and performance bank guarantees in case the bidder(s) fail to do so in accordance with the RFS.
- (iii) It is clarified that the net-worth to be considered for this clause will be the total net-worth as calculated in accordance with the Companies Act, 2013.

b) **Liquidity:** It is necessary that the bidder has sufficient cash flow/ internal accruals/ any bank reference to manage the fund requirements for the project. Accordingly, the Procurer may also stipulate suitable parameters such as annual turnover, internal resource generation, bank references/ line of credit, bidding capacity etc.

9.3. Quantum of the Earnest Money Deposit (EMD): Procurer will specify the quantum of the Earnest Money Deposit (EMD) in the form of a bank guarantee, to be furnished by the bidders. The EMD shall stand forfeited in the event of failure of the successful bidder to execute the PPA within the stipulated time period.

9.4. Compliance of FDI Laws by foreign bidders: In case a Foreign Company is selected as the successful bidder, it shall comply with all the laws and provisions related to Foreign Direct Investment in India.

10. BID SUBMISSION AND EVALUATION

10.1. Formation of consortium by bidders shall be permitted, in which case the consortium shall identify a lead member which shall be the contact point for all correspondences during the bidding process. The Procurer may specify technical and financial criteria, and lock in requirements for the lead member of the consortium.

- 10.2. The Procurer shall constitute committee for evaluation of the bids (Evaluation Committee), with at least three members, including at least one member with expertise in financial matters/ bid evaluation.
- 10.3. The bidders may be required to submit non-refundable processing fee as specified in the RfS.
- 10.4. The bidders shall be required to submit separate technical and price bids. Bidders shall also be required to furnish necessary bid-guarantee in the form of an EMD along with the bids.
- 10.5. The technical bids shall be evaluated to ensure that the bids submitted meet the eligibility criteria set out in the RfS document on all evaluation parameters. Only the bids that meet the evaluation criteria set out in the RfS shall be considered for further evaluation on the price bids.
- 10.6. The Procurer may hold a pre bid meeting to take feedback and to clarify important aspects of the bidding process.
- 10.7. To ensure competitiveness, the minimum number of qualified bidders should be two. If the number of qualified bidders is less than two, even after three attempts of bidding, and the Procurer still wants to continue with the bidding process, the same may be done with the consent of the Appropriate Commission.
- 10.8. The price bid shall be rejected, if it contains any deviation from the bid conditions. No clarifications shall normally be requested from bidders at this stage.
- 10.9. **Bid evaluation methodology:** the comparison of bids shall be on the basis of the bidding criteria as specified in the RfS, i.e. the fixed tariff in Rs./kWh for 25 years or more, as the case may be; or the first year tariff in Rs./kWh in case of escalating tariff in Rs./kWh with pre-defined quantum of annual escalations fixed in Rs./kWh and number of years from which such fixed escalation will be provided. Ranking of the bidders will start from the bidder quoting the 'lowest tariff (L1)'.
- 10.10. The detailed procedure for evaluation of the bid and selection of the bidder shall be provided for in the RfS.

11. INDICATIVE TIME TABLE FOR BID PROCESS

- 11.1. In the bidding process, a minimum period of 30 (thirty) days shall be allowed between the issuance of RfS documents and the last date of bid submission. The

indicative timetable for the bidding process is as below.

Time Table for Bid Process

Event	Time from Zero date
Date of issue of RfS and draft PPA and PSA (if applicable)	Zero date
Bid clarification, conferences, revision of RfS, etc.	**
RfS bid submission	30 - 45 days
Evaluation of bids and issue of Letter of Award	75 days
Signing of PPA	105 days

** In case of any change in RfS document, the Procurer shall provide Bidders additional time in accordance with clause 8.5 of these Guidelines.

Note: It is clarified that if the Procurer gives extended time for any of the events in the bidding process, on account of delay in achieving the activities required to be completed before the event, such extension of time shall not in any way be deviation from these Guidelines.

11.2. In normal circumstances, the bidding process is likely to be completed in a period of 120 (one hundred and twenty) days.

12. CONTRACT AWARD AND CONCLUSION

12.1. The PPA shall be signed with the successful Bidder/ Project Company or an SPV formed by the successful Bidder.

12.2. After the conclusion of bidding process, the Evaluation Committee constituted for evaluation of RfS bids shall critically evaluate the bids and certify as appropriate that the bidding process and the evaluation has been conducted in conformity to the provisions of the RfS.

12.3. For the purpose of transparency, the Procurer shall, after the execution of the PPA publicly disclose the name(s) of the successful Bidder(s) and the tariff quoted by them together with breakup into components, if any. The public disclosure shall be made by posting the requisite details on the website of the Procurer for at least 30 (thirty) days.

12.4. Subject to provisions of the Act, the distribution licensee or the intermediary procurer, as the case may be, shall approach the Appropriate Commission for adoption of tariffs by the Appropriate Commission in terms of Section 63 of the Act.

13. BANK GUARANTEES

The WPG shall provide the following bank guarantees to the Procurer in terms of the RfS

and the PPA:

- 13.1. **Earnest Money Deposit (EMD)** to be fixed by the Procurer [but not to be more than 2% (two percent) of the Estimated Capital Cost for wind power project for the financial year in which the bids are invited], to be submitted in the form of a bank guarantee along with response to RfS.
- 13.2. **Performance Bank Guarantee (PBG)** to be fixed by the Procurer [but not to be more than 5% (five percent) of the Estimated Capital Cost for wind power project for the financial year in which the bids are invited] to be submitted at the time of signing of the PPA. In addition to the other remedies, this PBG can be encashed to recover any damages/dues of the WPG in terms of the PPA. It is hereby clarified that the damages/dues recovered by the Intermediary Procurer by encashing the PBG, upon the default of the WPG under the PPA, shall be passed on by the Intermediary Procurer to the distribution licensee(s) in terms of the PSA.

14. FINANCIAL CLOSURE

- 14.1. The WPG shall attain the financial closure in terms of the PPA, within 7 (seven) months from the date of execution of the Power Purchase Agreement.
- 14.2. Failing the aforesaid, the Procurer shall encash the PBG unless the delay is on account of *force majeure*. An extension for the attainment of the financial closure can however be considered by the Procurer, on the sole request of the WPG, on payment of a penalty as specified in the PPA. This extension will not have any impact on the SCD. Any penalty paid so, shall be returned to the WPG without any interest on achievement of successful commissioning within the SCD.

15. MINIMUM PAID UP SHARE CAPITAL TO BE HELD BY THE PROMOTER

- 15.1. The successful bidder, if being a single company, shall ensure that its shareholding in the SPV/project company executing the PPA shall not fall below 51% at any time prior to 1 (one) year from the COD (as defined in Clause 17), except with the prior approval of the Procurer. In the event the successful bidder is a consortium, then the combined shareholding of the consortium members in the SPV/project company executing the PPA, shall not fall below 51% at any time prior to 1 (one) year from the COD, except with the prior approval of the Procurer. However, in case the successful bidder shall be itself executing the PPA, then it shall ensure that its promoters shall not cede control² till 1 (one) year from the COD, except with the prior approval of the Procurer. In this case it shall also be

² The expression 'control' shall mean the ownership, directly or indirectly, of more than 50% of the voting shares of such Company or right to appoint majority Directors.

essential that the successful bidder shall provide the information about its promoters and their shareholding to the Procurer before signing of the PPA with Procurer.

15.2. Any change in the shareholding after the expiry of 1 (one) year from the COD can be undertaken under intimation to Procurer.

15.3. In the event the WPG is in default to the lender(s), lenders shall be entitled to undertake 'Substitution of Promoter' in concurrence with the Procurers.

16. COMMISSIONING

16.1. **Part Commissioning:** Part commissioning of the Project shall be accepted by Procurer subject to the condition that the minimum capacity for acceptance of first part commissioning shall be 50% of Project Capacity or 50 MW, whichever is lower, without prejudice to the imposition of penalty, in terms of the PPA on the part which is not commissioned. However, in case of inter-state project, minimum capacity for acceptance of first part commissioning shall be at least 50 MW. A project of capacity 100 MW or less can be commissioned in maximum two parts. The projects with capacity more than 100 MW can be commissioned in parts of at least 50 MW each, with last part could be the balance capacity. However, the SCD will not get altered due to part-commissioning. Irrespective of dates of part commissioning, the PPA will remain in force for a period of 25 years from the SCD or from the date of full commissioning of the projects, whichever is earlier.

16.2. **Early Commissioning:** The WPG shall be permitted for full commissioning as well as part commissioning of the Project even prior to the SCD subject to availability of transmission connectivity and Long-Term Access (LTA). In cases of early part commissioning, till the achievement of full commissioning or SCD, whichever is earlier, the Procurer may purchase the generation, at 75% (seventy-five per cent) of the PPA tariff.

16.3. **Commissioning Schedule:** The Projects shall be commissioned within a period of 18 (eighteen) months from the date of execution of the PPA. However, if for some reasons, the scheduled commissioning period needs to be kept higher than that provided in these Guidelines, the Procurer can do the same at his end. Delay in commissioning, beyond the SCD shall involve penalties on the WPG, as detailed out in PPA.

17. COMMERCIAL OPERATION DATE (COD):

The Commercial Operation Date (COD) shall be considered as the actual date of

commissioning of the project as declared by the Commissioning Committee constituted by SNA. In case of part commissioning COD will be declared only for that part of project capacity.

18. TRANSMISSION CONNECTIVITY

- 18.1. The WPP shall be designed for inter-connection with STU / CTU substation either directly or from pooling station where other projects also connected, through a dedicated transmission line at the appropriate voltage level, as may be specified by the Procurer.
- 18.2. The responsibility of getting Transmission Connectivity and LTA to the transmission system owned by the STU / CTU will lie entirely with the WPG and shall be at the cost of WPG.
- 18.3. The Inter-connection/ Metering Point, is the point at which energy supplied to the Procurer shall be measured, shall be the bus bar of the STU / CTU substation at which the wind power is injected in the transmission system of STU/CTU. For interconnection with grid and metering, the WPGs shall abide by applicable Grid Code, Grid Connectivity Standards, Regulations on Communication System for transmission of electricity and other regulations (as amended from time to time) issued by Appropriate Commission and CEA. The transmission of power up to the point of interconnection where the metering is done for energy accounting shall be the responsibility of the WPG at his own cost. All expenses including transmission charges (if any) and losses in relation to the transmission beyond the Metering Point shall be borne by the Procurer(s) except as provided under clause 7.5.
- 18.4. The WPGs shall comply CERC/SERC regulations on Forecasting, Scheduling and Deviation Settlement, as applicable and are responsible for all liabilities related to LTA and Connectivity.
- 18.5. The transmission connectivity to the WPG may be provided by the CTU/STU, as the case may be, prior to commissioning of the project on the request of the project developer, to facilitate testing and allow flow of infirm power generated into the grid to avoid wastage of Power.

19. TECHNICAL SPECIFICATIONS

Procurers shall promote commercially established and operational technologies to minimize the technology risk and to achieve the timely commissioning of the Projects. In order to ensure quality of wind turbines installed, only type certified wind turbine models listed in Revised List of Models and Manufactures (RLMM) brought out by MNRE from

time to time, will be allowed for deployment in the country. The wind projects will be developed as per Guidelines issued by MNRE on Development of Onshore Wind Power Projects.

20. ROLE OF STATE NODAL AGENCIES

The State Nodal Agency appointed by respective State Government will provide necessary support to facilitate the required approvals and sanctions in a time bound manner so as to achieve commissioning of the Projects within the scheduled Timeline. This may include facilitation in the following areas:

- Coordination among various State and Central agencies for speedy implementation of projects.
- Support during commissioning of projects and constitute Commissioning Committee to verify commissioning of the projects and issue commissioning certificates.

21. PERFORMANCE MONITORING

All wind power projects shall install necessary equipment to continuously measure wind resource data and other weather parameters and electrical parameters from the each wind turbine. They are required to submit this data through online portal to National Institute of Wind Energy for monitoring the performance for the entire life of wind turbine.

22. DEVIATION FROM PROCESS DEFINED IN THE GUIDELINES

In case there is any deviation from these Guidelines and/or the SBDs, the same shall be subject to approval by the Appropriate Commission. The Appropriate Commission shall approve or require modification to the bid documents within a reasonable time not exceeding 60 (sixty) days.

23. ARBITRATION

In the event CERC is the Appropriate Commission, any dispute arises claiming any change in or regarding determination of the tariff or any tariff related matters, or which partly or wholly could result in change in tariff, such dispute shall be adjudicated by the CERC. All other disputes shall be resolved by arbitration under the Indian Arbitration and Conciliation Act, 1996. In the event SERC is the Appropriate Commission, then all disputes shall be adjudicated by the SERC or shall be referred for arbitration by the SERC.

24. CLARIFICATION AND MODIFICATION TO GUIDELINES

If any difficulty arises in giving effect to any provision of these Guidelines or interpretation of the Guidelines or modification to the Guidelines, Ministry of New & Renewable Energy is empowered to do the same in consultation with Ministry of Power. The decision in this regard shall be binding on all the parties concerned.



(Shalini Prasad)

Additional Secretary to the Govt. of India

No. 238/78/2017-Wind

भारत सरकार/Government of India

नवीन एवं नवीकरणीय ऊर्जा मंत्रालय/Ministry of New & Renewable Energy

CGO Complex, Block No.14, Lodhi Road, New Delhi - 110003

13th August, 2018Office Memorandum**Subject: Amendment in National Wind-Solar Hybrid Policy - Reg.**

The undersigned is directed to refer to National Wind-Solar Hybrid Policy issued by this Ministry vide OM dated 14-05-2018 and the issue of 'storage' in said Policy, wherein storage was defined in terms of battery storage only. This restricted usage of other forms of storage such as pumped hydro, compressed air, flywheel, etc., under the Hybrid Policy. To broaden the definition of storage the word 'battery' is removed from relevant clauses (1.6 and 5.4). The clauses 1.6 and 5.4 of the said policy may be read as follows:


Clause 1.6

"To smoothen the wind solar hybrid power further, appropriate capacity of storage may also be added to the project."

Clause 5.4**"Storage:**

Storage may be added to the hybrid project (i) to reduce the variability of output power from wind solar hybrid plant; (ii) providing higher energy output for a given capacity (bid/ sanctioned capacity) at delivery point, by installing additional capacity of wind and solar power in a wind solar hybrid plant; and (iii) ensuring availability of firm power for a particular period.

Bidding factors for wind solar hybrid plants with storage may include minimum firm power output throughout the day or for defined hours during the day, extent of variability allowed in output power, unit price of electricity, etc."


(G. Upadhyay)
Director

To,
All concerned.



भारत का राजपत्र The Gazette of India

असाधारण

EXTRAORDINARY

भाग I—खण्ड 1

PART I—Section 1

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 212]

नई दिल्ली, सोमवार, जुलाई 22, 2019/आषाढ़ 31, 1941

No. 212]

NEW DELHI, MONDAY, JULY 22, 2019/ASHADHA 31, 1941

विद्युत मंत्रालय

संकल्प

नई दिल्ली, 16 जुलाई, 2019

ग्रिड संबद्ध पवन विद्युत परियोजनाओं से विद्युत की खरीद के लिए प्रशुल्क आधारित प्रतिस्पर्धी बोली प्रक्रिया के लिए दिशानिर्देशों में संशोधन

सं. 23/54/2017-आर एंड आर.—

1.0 ग्रिड संबद्ध पवन विद्युत परियोजनाओं से विद्युत की खरीद के लिए प्रशुल्क आधारित प्रतिस्पर्धी बोली प्रक्रिया के लिए दिशानिर्देश दिनांक 08 दिसम्बर, 2017 को भारत के राजपत्र (असाधारण) (भाग-I, खंड-1) में प्रकाशित संकल्प सं. 23/54/2017-आर एंड आर के तहत अधिसूचित किए गए हैं।

2.0 दिनांक 08 दिसम्बर, 2017 के उक्त दिशानिर्देश में एतद्वारा निम्नलिखित संशोधन किए जाते हैं:-

2.1 पैरा 5.2- अनापत्तियों सहित स्थल संबंधी परियोजना के आरंभिक कार्यकलाप' के तहत बिन्दु सं. 5.2 (क) का पैरा:

(क) भूमि अधिग्रहण : बोली जमा कराए जाने के समय 100 प्रतिशत (शत प्रतिशत) भूमि की पहचान और पीपीए के कार्यान्वयन के 7 (सात) महीने के भीतर, डब्ल्यूपीजी अथवा इसके सहबद्ध के नाम से वांछित भूमि के 100 प्रतिशत (शत प्रतिशत) अधिग्रहण/उपयोग का अधिकार स्थापित करने संबंधी दस्तावेज/लीज समझौते को प्रस्तुत करना। यदि भूमि सहबद्ध व्यक्ति के नाम है तो भूमि को निर्धारित कमीशनिंग की तिथि (एससीडी) से पहले डब्ल्यूपीजी के नाम हस्तांतरित करना होगा। जहां कहीं भी निजी भूमि को पट्टे पर लेना शामिल है तो पट्टे (लीज) द्वारा डब्ल्यूपीजी के विफल रहने की स्थिति में ऋणदाताओं अथवा खरीदार को भूमि हस्तांतरित करने की अनुमति देनी होगी।

इस प्रकार पढ़ा जाए:

(क) भूमि अधिग्रहण : बोली जमा कराए जाने के समय 100 प्रतिशत (शत प्रतिशत) भूमि की पहचान और निर्धारित कमीशनिंग की तिथि (एससीडी) को अथवा उसके पहले डब्ल्यूपीजी के नाम से वांछित भूमि के 100 प्रतिशत (शत प्रतिशत) अधिग्रहण/उपयोग का अधिकार स्थापित करने संबंधी दस्तावेज/लीज समझौते को प्रस्तुत करना। जहां कहीं

भी निजी भूमि को पट्टे पर लेना शामिल है तो पट्टे (लीज) द्वारा डब्ल्यूपीजी के विफल रहने की स्थिति में ऋणदाताओं अथवा खरीदार को भूमि हस्तांतरित करने की अनुमति देनी होगी।

2.2 पैरा- 7.2 क्षमता उपयोग कारक (सीयूएफ) के तहत बिन्दु सं. 7.2.1 और 7.2.2 का पैरा:

7.2.1 डब्ल्यूपीजी पीपीए पर हस्ताक्षर करते समय अपनी परियोजना के वार्षिक सीयूएफ की घोषणा करेंगे और उसे सीओडी के प्रथम वर्ष के भीतर एक बार संशोधित करने की अनुमति होगी। सीयूएफ का परिकलन वार्षिक आधार पर वर्ष के पहली अप्रैल से अगले वर्ष के 31 मार्च तक होगा। घोषित वार्षिक सीयूएफ किसी भी परिस्थिति में 22 प्रतिशत से कम नहीं होगा। घोषित सीयूएफ मूल्य से पवन विद्युत के उत्पादन में परिवर्तन की दी गई अनुमति का आरएफएस में उल्लेख किया जाएगा। तथापि न्यूनतम सीमा पवन विद्युत के निष्क्रमण के लिए ग्रिड के उपलब्ध न होने की सीमा तक शिथिलनीय होगी जो कि डब्ल्यूपीजी के नियंत्रण के बाहर है। परियोजना के प्रचालन के पहले वर्ष के लिए वार्षिक सीयूएफ का परिकलन परियोजना के सीओडी के बाद संपूर्ण वर्ष के लिए किया जाएगा। बाद में वार्षिक सीयूएफ का परिकलन प्रत्येक वर्ष पहले अप्रैल से अगले वर्ष के 31 मार्च तक किया जाएगा।

7.2.2 यदि परियोजना से न्यूनतम सीयूएफ की तुलना में कम ऊर्जा का उत्पादन होता है, तो डब्ल्यूपीजी खरीदार को ऊर्जा की उपलब्धता में कमी के लिए अर्थदंड का भुगतान करने का भागी होगा। तथापि यह निष्क्रमण हेतु ग्रिड की अनुपलब्धता की सीमा तक शिथिलनीय है जो कि डब्ल्यूपीजी के नियंत्रण के बाहर की स्थिति है। ऐसे अर्थ दंड की राशि पीपीए की शर्तों के अनुसार होगी जो यह सुनिश्चित करेगी कि खरीदार पीपीए प्रशुल्क पर परिकलित ऊर्जा की दृष्टि से कमी की इस लागत के न्यूनतम 75 (पचहत्तर) प्रतिशत के अध्वधीन पीपीए के अंतर्गत कम उत्पादन और विद्युत की आपूर्ति से जुड़ी सभी संभावित लागतों को पूरा कर सके। अर्थदंड का निर्धारण कमी की मात्रा पर किया जा सकता है। उच्चतर कमी में उच्चतर अर्थदंड और इसके विलोमतः आरोपित किए जा सकते हैं।

इस प्रकार पढ़ा जाए:

7.2.1 डब्ल्यूपीजी पीपीए पर हस्ताक्षर करते समय अपनी परियोजना के वार्षिक सीयूएफ की घोषणा करेंगे और उसे सीओडी के प्रथम तीन वर्ष के भीतर एक बार संशोधित करने की अनुमति होगी। सीयूएफ का परिकलन वार्षिक आधार पर वर्ष के पहली अप्रैल से अगले वर्ष के 31 मार्च तक होगा। घोषित वार्षिक सीयूएफ किसी भी परिस्थिति में 22 प्रतिशत से कम नहीं होगा। घोषित सीयूएफ मूल्य से पवन विद्युत के उत्पादन में परिवर्तन की दी गई अनुमति का आरएफएस में उल्लेख किया जाएगा। तथापि न्यूनतम सीमा पवन विद्युत के निष्क्रमण के लिए ग्रिड के उपलब्ध न होने की सीमा तक शिथिलनीय होगी जो कि डब्ल्यूपीजी के नियंत्रण के बाहर है। परियोजना के प्रचालन के पहले वर्ष के लिए वार्षिक सीयूएफ का परिकलन परियोजना के सीओडी के बाद संपूर्ण वर्ष के लिए किया जाएगा। बाद में वार्षिक सीयूएफ का परिकलन प्रत्येक वर्ष पहले अप्रैल से अगले वर्ष के 31 मार्च तक किया जाएगा।

7.2.2 यदि परियोजना से न्यूनतम सीयूएफ की तुलना में कम ऊर्जा का उत्पादन होता है, तो डब्ल्यूपीजी खरीदार को ऊर्जा की उपलब्धता में कमी के लिए अर्थदंड का भुगतान करने का भागी होगा। तथापि यह निष्क्रमण हेतु ग्रिड की अनुपलब्धता की सीमा तक शिथिलनीय है जो कि डब्ल्यूपीजी के नियंत्रण के बाहर की स्थिति है। इस अर्थदंड की राशि की गणना पीपीए की शर्तों के अनुसार ऊर्जा की दृष्टि से कमी के लिए पीपीए प्रशुल्क के 50 प्रतिशत (पचास प्रतिशत) की दर से की जाएगी। डब्ल्यूपीजी से बनूला गया अर्थदंड मध्यवर्ती खरीदार द्वारा वार्षिक खरीदार को मध्यवर्ती खरीदार के नुकसान की कटौती करके, जैसा भी मामला हो, हस्तांतरित किया जाएगा।

2.3 बिन्दु सं. 16 पर पैरा:

16. चालू करना (कमीशनिंग)

16.1 आंशिक रूप से चालू करना: परियोजना की पार्ट कमीशनिंग खरीदार द्वारा इस शर्त पर कि पहले आंशिक रूप से चालू करने की स्वीकृति के लिए न्यूनतम क्षमता परियोजना क्षमता की 50 प्रतिशत या 50 मेगावाट, जो भी कम हो, पीपीए के उस पार्ट पर जो चालू नहीं हुआ, पर जुमाना लगाए जाने के पूर्वाग्रह के बिना के अनुसार स्वीकार करेगा। हालांकि, अंतर-राज्यीय परियोजना के मामले में, पहले आंशिक रूप से चालू करने की स्वीकृति के लिए न्यूनतम क्षमता कम से कम 50 मेगावाट होगी। 100 मेगावाट या उससे कम क्षमता वाली एक परियोजना को अधिकतम दो भागों में चालू किया जा सकता है। 100 मेगावाट क्षमता से अधिक की परियोजना को कम से कम 50 मेगावाट प्रत्येक के भाग में चालू किया जा सकता है, अंतिम भाग बाकी क्षमता हो सकती है। हालांकि, आंशिक रूप से चालू करने के कारण एससीडी में बदलाव नहीं आएगा। आंशिक रूप से चालू करने की तारीखों के बावजूद, पीपीए एससीडी से 25 वर्षों की अवधि के लिए या परियोजनाओं को पूर्णतः चालू करने की तारीख से, जो भी पहले हो, लागू रहेगा।

- 16.2 **समय पूर्व चालू होना:** एससीडी से पहले परियोजना को चालू करने के साथ-साथ ट्रांसमिशन कनेक्टिविटी और लंबी अवधि की एक्सेस (एलटीए) की उपलब्धता के लिए डब्ल्यूपीजी की अनुमति दी जाएगी। समय से पूर्व चालू होने के मामले में, पूर्ण चालू होने की उपलब्धता तक या एससीडी, जो भी पहले हो, खरीदार पीपीए टैरिफ के 75 प्रतिशत (पचहत्तर प्रतिशत) पर उत्पादन की खरीद कर सकता है।
- 16.3 **चालू होने की समय सारिणी:** परियोजनाएं पीपीए के निष्पादन की तारीख से 18 (अठारह) महीनों के भीतर चालू हो जाएगी। हालांकि, अगर कुछ कारणों से, इन दिशानिर्देशों में निर्धारित अवधि में चालू करने के लिए अधिक समय लगता है तो प्राप्तकर्ता अपने स्तर पर ऐसा कर सकता है। चालू करने में देरी होने पर, एससीडी से अधिक जैसा कि पीपीए में बताया गया है कि डब्ल्यूपीजी पर जुर्माना लगाया जाएगा।

इस प्रकार पढ़ा जाए:

16. चालू करना (कमीशनिंग)

- 16.1 **आंशिक रूप से चालू करना:** परियोजना की पार्ट कमीशनिंग खरीदार द्वारा इस शर्त पर कि पहले आंशिक रूप से चालू करने की स्वीकृति के लिए न्यूनतम क्षमता परियोजना क्षमता की 50 प्रतिशत या 50 मेगावाट, जो भी कम हो, पीपीए के उस पार्ट पर जो चालू नहीं हुआ, पर जुर्माना लगाए जाने के पूर्वग्रह के बिना के अनुसार स्वीकार करेगा। हालांकि, अंतर-राज्यीय परियोजना के मामले में, पहले आंशिक रूप से चालू करने की स्वीकृति के लिए न्यूनतम क्षमता कम से कम 50 मेगावाट होगी। 100 मेगावाट या उससे कम क्षमता वाली एक परियोजना को अधिकतम दो भागों में चालू किया जा सकता है। 100 मेगावाट क्षमता से अधिक की परियोजना को कम से कम 50 मेगावाट प्रत्येक के भाग में चालू किया जा सकता है, अंतिम भाग बाकी क्षमता हो सकती है। हालांकि, आंशिक रूप से चालू करने के कारण एससीडी में बदलाव नहीं आएगा। परियोजना के आंशिक भाग को चालू करने के मामले में, चालू की जा रही आंशिक क्षमता के अनुरूप भूमि, उस आंशिक क्षमता के चालू होने की घोषणा से पहले डब्ल्यूपीजी द्वारा प्रदर्शित करनी अपेक्षित होगी। आंशिक रूप से चालू करने की तारीखों के बावजूद, पीपीए एससीडी से 25 वर्षों की अवधि के लिए या परियोजनाओं को पूर्णतः चालू करने की तारीख से, जो भी पहले हो, लागू रहेगा।
- 16.2 **समय पूर्व चालू होना:** एससीडी से पहले परियोजना को चालू करने के साथ-साथ ट्रांसमिशन कनेक्टिविटी और लंबी अवधि की एक्सेस (एलटीए) की उपलब्धता के लिए डब्ल्यूपीजी की अनुमति दी जाएगी। समय से पूर्व आंशिक चालू होने के मामले में, खरीदार पीपीए टैरिफ पर उत्पादन की खरीद कर सकता है।
- 16.3 **चालू होने की समय सारिणी:** परियोजनाएं निर्धारित कमीशनिंग की तिथि (एससीडी) तक चालू की जाएगी, जो पीपीए या पीएसए में जो भी कम हो, के निष्पादन की तारीख से 18 (अठारह) महीनों की तारीख तक चालू हो जाएगी। हालांकि, अगर कुछ कारणों से, इन दिशानिर्देशों में निर्धारित अवधि में चालू करने के लिए अधिक समय लगता है तो खरीदार अपने स्तर पर ऐसा कर सकता है। चालू करने में एससीडी से अधिक विलंब होने पर, जैसा कि पीपीए में बताया गया है, डब्ल्यूपीजी पर जुर्माना लगाया जाएगा।

उल्लेखनीय है कि परियोजना को चालू करने/आंशिक रूप से चालू करने की घोषणा तब तक नहीं की जाएगी, जब तक कि डब्ल्यूपीजी खरीदार/मध्यवर्ती खरीदार द्वारा तय अन्य शर्तों के अलावा उक्त खंड 5.2 (क) के अनुसार भूमि का कब्जा प्रदर्शित न कर दें। आंशिक रूप से चालू करने के लिए भूमि का वह भाग जिस पर परियोजना का आंशिक भाग चालू किया गया हो, खंड 5.2(क) के अनुसार डब्ल्यूपीजी के पास होना चाहिए।

धनश्याम प्रसाद, मुख्य अभियंता (आरएंडआर)

MINISTRY OF POWER

RESOLUTION

New Delhi, the 16th July, 2019

Amendment to the Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Wind Power Projects

No. 23/54/2017-R&R.—

1.0 The Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Wind Power Projects have been notified vide resolution No. 23/54/2017-R&R published in the Gazette of India (Extraordinary) (Part I-Sec. 1) on 8th December, 2017.

2.0 The following amendments are hereby made in the said guidelines of 8th December, 2017 namely:-

2.1 The Para at point No. 5.2, (a) under '**5.2. Site-related project preparatory activities including clearances**':

- a) Land acquisition: Identification of the 100% (hundred per cent) land at the time of bid submission and within 7 (seven) months of the execution of the PPA, submission of documents/ Lease Agreement to establish possession / right to use 100 % (hundred per cent) of the required land in the name of the WPG or its Affiliate for a period not less than the complete term of PPA. In case the land is in the name of Affiliate, the land should be transferred in the name of WPG prior to Scheduled Commissioning Date (SCD). Wherever leasing of private land is involved, the lease should allow transfer of land to the lenders or Procurer, in case of default of the WPG.

May be read as under:

- a) Land acquisition: Identification of the 100% (hundred per cent) land at the time of bid submission and submission of documents / Lease Agreement to establish possession and right to use 100 % (hundred per cent) of the required land in the name of the WPG for a period not less than the complete term of PPA, on or before the Scheduled Commissioning Date (SCD). Wherever leasing of private land is involved, the lease should allow transfer of land to the lenders or Procurer, in case of default of the WPG.

2.2 The Para at point No. 7.2.1 and 7.2.2, under '**7.2. Capacity Utilisation Factor (CUF)**':

- 7.2.1. The WPG will declare the annual CUF of its Project at the time of signing of PPA and will be allowed to revise the same once within first year of COD. Calculation of CUF will be on yearly basis from 1st April of the year to 31st March of next year. The declared annual CUF shall in no case be less than 22 per cent. The variation permitted in wind power generation from the declared CUF value will be indicated in the RfS. The lower limit will, however, be relaxable to the extent of non-availability of grid for evacuation of wind power, which is beyond the control of the WPG. For the first year of operation of the project, the annual CUF shall be calculated for the complete year after COD of the Project. Subsequently, the annual CUF will be calculated every year from 1st April of the year to 31st March next year.

- 7.2.2. In case the project supplies energy less than the energy corresponding to the minimum CUF, the WPG will be liable to pay to the Procurer, penalty for the shortfall in availability of energy. This will, however be relaxable to the extent of grid non-availability for evacuation, which is beyond the control of the WPG. The amount of such penalty will be in accordance with the terms of the PPA, which shall ensure that the Procurer is offset for all potential costs associated with low generation and supply of power under the PPA, subject to a minimum of 75% (seventy-five percent) of the cost of this shortfall in energy terms, calculated at PPA tariff. Penalties may be prescribed on the amount of shortfall, higher shortfall may attract higher penalties and vice-versa.

May be read as under:

- 7.2.1. The WPG will declare the annual CUF of its Project at the time of signing of PPA and will be allowed to revise the same once within first three years of COD. Calculation of CUF will be on yearly basis from 1st April of the year to 31st March of next year. The declared annual CUF shall in no case be less than 22 per cent. The variation permitted in wind power generation from the declared CUF value will be indicated in the RfS. The lower limit will, however, be relaxable to the extent of non-availability of grid for evacuation of wind power, which is beyond the control of the WPG. For the first year of operation of the project, the annual CUF shall be calculated for the complete year after COD of the Project. Subsequently, the annual CUF will be calculated every year from 1st April of the year to 31st March next year.

- 7.2.2. In case the project supplies energy less than the energy corresponding to the minimum CUF, the WPG will be liable to pay to the Procurer, penalty for the shortfall in availability of energy. This will, however be relaxable to the extent of grid non-availability for evacuation, which is beyond the control of the WPG. The amount of such penalty will be calculated @ 50% (fifty percent) of the PPA tariff for the shortfall in energy terms, in accordance with the terms of the PPA. Such penalty as recovered from the WPG, shall be passed on by the Intermediary Procurer to the End Procurer, as the case may be, after deducting losses of Intermediary procurer.

2.3 The Para at point No. 16.:

16. COMMISSIONING

- 16.1. **Part Commissioning:** Part commissioning of the Project shall be accepted by Procurer subject to the condition that the minimum capacity for acceptance of first part commissioning shall be 50% of Project Capacity or 50 MW, whichever is lower, without prejudice to the imposition of penalty, in terms of the PPA on the part which is not commissioned. However, in case of inter-state project, minimum capacity for acceptance of first part commissioning shall be at least 50 MW. A project of capacity 100 MW or less can be commissioned in maximum two parts. The projects with capacity more than 100 MW can be commissioned in parts of at least 50 MW each, with last part could be the balance capacity. However, the SCD will not get altered due to part-

commissioning. Irrespective of dates of part commissioning, the PPA will remain in force for a period of 25 years from the SCD or from the date of full commissioning of the projects, whichever is earlier.

- 16.2. **Early Commissioning:** The WPG shall be permitted for full commissioning as well as part commissioning of the Project even prior to the SCD subject to availability of transmission connectivity and Long-Term Access (LTA). In cases of early part commissioning, till the achievement of full commissioning or SCD, whichever is earlier, the Procurer may purchase the generation, at 75% (seventy-five per cent) of the PPA tariff.
- 16.3. **Commissioning Schedule:** The Projects shall be commissioned within a period of 18 (eighteen) months from the date of execution of the PPA. However, if for some reasons, the scheduled commissioning period needs to be kept higher than that provided in these Guidelines, the Procurer can do the same at his end. Delay in commissioning, beyond the SCD shall involve penalties on the WPG, as detailed out in PPA.

May be read as under:

16. COMMISSIONING

- 16.1. **Part commissioning:** Part commissioning of the Project shall be accepted by Procurer subject to the condition that the minimum capacity for acceptance of first part commissioning shall be 50% of Project Capacity or 50 MW, whichever is lower, without prejudice to the imposition of penalty, in terms of the PPA on the part which is not commissioned. However, in case of inter-state project, minimum capacity for acceptance of first part commissioning shall be at least 50 MW. A project of capacity 100 MW or less can be commissioned in maximum two parts. The projects with capacity more than 100 MW can be commissioned in parts of at least 50 MW each, with last part could be the balance capacity. However, the SCD will not get altered due to part-commissioning. In case of part-commissioning of the Project, land corresponding to the part capacity being commissioned, shall be required to be demonstrated by the WPG prior to declaration of commissioning of the said part capacity. Irrespective of dates of part commissioning, the PPA will remain in force for a period of 25 years from the SCD or from the date of full commissioning of the projects, whichever is earlier.
- 16.2. **Early Commissioning:** The WPG shall be permitted for full commissioning as well as part commissioning of the Project even prior to the SCD subject to availability of transmission connectivity and Long-Term Access (LTA). In cases of early part commissioning, the Procurer may purchase the generation, at the PPA tariff.
- 16.3. **Commissioning Schedule:** The Projects shall be commissioned by the Scheduled Commissioning Date (SCD), which will be the date as on 18 (eighteen) months from the date of execution of the PPA or PSA, whichever is later. However, if for some reasons, the scheduled commissioning period needs to be kept higher than that provided in these Guidelines, the Procurer can do the same at his end. Delay in commissioning, beyond the SCD shall involve penalties on the WPG, as detailed out in PPA.

It may be noted that commissioning/ part commissioning of the Project will not be declared until the WPG demonstrates possession of land in line with Clause 5.2.(a) above, in addition to the other conditions as established by the Procurer/Intermediary Procurer. For part commissioning portion of land on which the part of the project is commissioned should be with WPG in accordance with clause 5.2(a).

GHANSHYAM PRASAD, Chief Engineer (R&R)

Annexure - I (C)

F. No. 238/78/2017-Wind
Ministry of New and Renewable Energy
Government of India

Block No. 14, CGO Complex
Lodhi Road, New Delhi - 110043
Dated: 14th October 2020

To,

Shri J N Swain
Managing Director
Solar Energy Corporation of India (SECI)
1st Floor, D-3, A Wing, Religare Building
District Centre, Saket, New Delhi - 110017

Subject: Guidelines for Tariff Based Competitive Bidding Process for procurement of power from Grid Connected Wind Solar Hybrid Projects - Reg.

Sir,

The Government has issued Wind-Solar Hybrid Policy on 14.05.2018 which was with the objective to provide a framework for promotion of large grid connected wind-solar PV hybrid system for optimal and efficient utilization of transmission infrastructure and land, reducing the variability in renewable power generation and achieving better grid stability.


2. Subsequently, a scheme for setting-up of 2500 MW wind-solar hybrid power projects was sanctioned on 25.05.2018 for procurement of hybrid power at a tariff discovered through transparent process of bidding by Solar Energy Corporation of India (SECI). The wind solar hybrid projects of 1440 MW capacity have been awarded by SECI till date, under the above scheme.

3. As a step toward ensuring availability of renewable energy to DISCOMs at competitive rates, I am directed to issue the Guidelines for procurement of Wind- Solar Hybrid power through Tariff Based Competitive Bidding Process (annex). These Guidelines would be applicable for wind solar hybrid bids, till notification of unified Guidelines. The brief of these Guidelines is as under:

- i. **The objective** is to provide a framework for procurement of electricity from ISTS Grid Connected Wind-Solar Hybrid Power Projects (hereafter termed as 'Hybrid Power Project') through a transparent process of bidding.
- ii. **Capacity limits:** Individual minimum size of project allowed is 50 MW at one site and a single bidder cannot bid for less than 50 MW. Further, the rated power capacity of one resource (wind or solar) shall be at least 33% of the total contracted capacity.
- iii. **The arrangement for implementation shall be as under:**
 - a. SECI will be the nodal agency for implementation of these Guidelines.
 - b. The selection of the Hybrid Power Projects will be through a transparent e-bidding process followed by e-reverse auction.
 - c. The solar and wind projects may be located at same or different locations.
 - d. Storage may be added to the Hybrid power project

- e. The power procured from the project may be used for fulfilment of solar RPO and non-solar RPO in the proportion of rated capacity of solar and wind power in the plant respectively.
- f. Unless explicitly specified in these Guidelines, the provisions of these Guidelines shall be binding on the Procurer and SECI.
- g. The Intermediary Procurer, i.e. SECI, shall enter into a Power Purchase Agreement (PPA) with the Hybrid Power Generator(s) and also enter into a Power Sale Agreement (PSA) with the distribution licensee(s) / consumer(s). The PSA shall contain the relevant provisions of the PPA on a back to back basis. In case SECI is not able to enter into a PSA to sell power from projects awarded to distribution licensee(s) or bulk consumers within six months from issue of letter of award, those projects would be cancelled.
- h. The duration of the PPA period should not be less than 25 years from the Scheduled Commissioning Date (SCD).
- i. SECI may charge a trading margin of seven paise/kWh from the Buying entity / Procurer for purchase and sale of the hybrid power.
- j. The bidders may avail fiscal and financial incentives available for such projects as per prevailing conditions and Rules, and the same may be disclosed by the SECI in the Request for Selection (RfS) document.
- iv. **The Guidelines** for transparent bidding process, as required under Section 63 of the Electricity Act, 2003, are enclosed at annex.
- v. **Role of SECI:** SECI will be the nodal agency for implementation. In accordance with these Guidelines, SECI will conduct e-bidding process, followed by e-reverse auction for eligible bidders and develop a suitable mechanism for monitoring the performance/ commissioning of the Projects.
- vi. **Role of State Nodal Agencies (SNAs):** The State Nodal Agencies appointed by respective State Governments will provide necessary support to facilitate the required approvals and sanctions in a time bound manner so as to achieve commissioning of the projects within the scheduled timeline.
- vii. **Power to remove Difficulties:** If any difficulty arises in giving effect to any provision of these Guidelines or interpretation of the Guidelines or modification to the Guidelines, Ministry of New & Renewable Energy is empowered to do the same, with the approval of Minister, New & Renewable Energy. The decision in this regard shall be binding on all the parties concerned.
- 4. This issues with the approval of the Competent Authority.

Yours faithfully



(Dr. Rahul Rawat)
Scientist – C

Ph: 011-24363402


E-mail: rahul.mnre@gov.in

Copy for information to:

1. Secretary, Ministry of Power, Shram Shakti Bhawan, Rafi Marg, New Delhi - 110001
2. Chairman, Central Electricity Authority (CEA), Sewa Bhawan, R K Puram, New Delhi - 110066
3. Chairman & Managing Director, PGCIL, Gurgaon
4. Principal Director of Audit, Scientific Audit - II, DGACR Building, IP Estate, New Delhi - 110002
5. All State / UT Energy/Power/New & Renewable Energy Secretaries
6. Secretary, CERC/SERCs
7. All State Nodal Agencies
8. All Discoms

Internal Distribution:

1. PS to Hon'ble Minister
2. Sr. PPS to Secretary
3. All Group Heads/Advisors, MNRE
4. Director, NIC to upload the Guidelines on MNRE website
5. Sanction Folder



Annex

Guidelines for Tariff Based Competitive Bidding Process for procurement of power from Grid Connected Wind Solar Hybrid Projects

1. BACKGROUND

1.1. It has been established that combining different sources of renewable energy reduces their individual variability and gives better output. It also results in more efficient utilization of transmission infrastructure and land resource. It is common knowledge that wind is better during morning and evening or night, complementing solar energy which peaks during day time. Hybrid projects backed by storage facility can further enhance the quality of RE power.

1.2. MNRE issued Wind-Solar Hybrid Policy on 14.05.2018 (and issued amendment on 11.10.2018) with the objective to provide a framework for promotion of large grid connected wind-solar PV hybrid system for optimal and efficient utilization of transmission infrastructure and land, reducing the variability in renewable power generation and achieving better grid stability.

1.3. Subsequently, a scheme for setting-up of 2500 MW wind-solar hybrid power projects was sanctioned on 25.05.2018 for procurement of hybrid power at a tariff discovered through transparent process of bidding by Solar Energy Corporation of India (SECI). Under the above scheme, Wind Solar hybrid projects of 1440 MW capacity have been awarded by SECI.

1.4. Section 63 of Electricity Act, 2003 promotes the competition in electricity sector and provides for adoption of the tariff by the Appropriate Commission if the same has been determined through transparent process of bidding in accordance with the guidelines issued by the Central Government. The National Tariff Policy notified on 28 January 2016 also encourages the procurement of renewable power through competitive bidding to discover market based tariff. These Guidelines will provide framework for transparent bidding process, as required under Section 63 of the Electricity Act, 2003.

1.5. SECI will be the nodal agency for implementation of these Guidelines. SECI will conduct e-bidding process followed by e-reverse auction for eligible bidders in accordance with the guidelines and also develop a suitable mechanism for commissioning and performance monitoring of projects.

2. OBJECTIVES OF GUIDELINES

2.1. The specific objectives of these Guidelines are as follows:

- a. To promote competitive procurement of electricity from grid connected wind solar hybrid power projects (hereafter termed as 'Hybrid Power Project'), by distribution licensees, to protect consumer interests;
- b. To facilitate transparency and fairness in procurement processes / and to provide for a framework for an Intermediary Procurer as an Aggregator/Trader for the inter-state sale-purchase of long term power.
- c. To provide a risk-sharing framework between various stakeholders, involved in the wind solar hybrid power procurement, thereby encouraging investments, enhanced bankability of the Projects and profitability for the investors.

3. APPLICABILITY OF GUIDELINES

3.1. These Guidelines are being issued under the provisions of Section 63 of the Electricity Act, 2003 for long-term procurement of electricity through competitive bidding process, by Procurer(s), from Hybrid Power Projects having individual size of 50 MW and above at one site with minimum bid capacity of 50 MW, subject to the condition that the rated power capacity of one resource (wind or solar) shall be at least 33% of the total contracted capacity.

3.2. The solar and wind projects of the hybrid project may be located at same or different locations. The minimum capacity to be injected at each injection point shall be 50 MW.

3.3. Storage may be added to the hybrid power project:

- a. to reduce the variability of output power from wind solar hybrid project;
- b. providing higher energy output for a given capacity (bid/ sanctioned capacity) at delivery point, by installing additional capacity of wind and solar power in a wind solar hybrid project;
- c. to ensure availability of firm power for a particular period.

3.4. Unless explicitly specified in these Guidelines, the provisions of these Guidelines shall be binding on the Procurer and Intermediary Procurer. The process to be adopted in event of any deviation proposed from these Guidelines is specified in Clause 23 of these Guidelines.

3.5. The power procured from the project may be used for fulfilment of solar and non-solar RPO in the proportion of rated capacity of solar and wind power in the plant respectively.

4. EXPLANATION / DEFINITION:

- a. **Procurer(s):** The term 'Procurer(s)', as the context may require, shall mean the distribution licensee(s), or an Intermediary procurer.
- b. **Intermediary Procurer**
 - i. An intermediary, between the distribution licensee(s) and the Hybrid Power Generator(s) (HPG) is required to aggregate hybrid power to be purchased from different generators and sell it to the distribution licensee(s)/ customer(s), or to enhance the credit profile. The 'Intermediary Procurer' shall buy power from the Hybrid Power Generator(s) and sell the same to one or more distribution licensees and shall carry out the bidding as per provisions of these Guidelines. Solar Energy Corporation of India Ltd. (SECI) will be intermediary procurer under these Guidelines.
 - ii. The Intermediary Procurer shall enter into a Power Purchase Agreement (PPA) with the Hybrid Power Generator(s) and also enter into a Power Sale Agreement (PSA) with the distribution licensee(s) / consumer(s). The PSA shall contain the relevant provisions of the PPA on a back to back basis. The Intermediary Procurer may charge trading margin of seven paise/ kWh from the Buying entity / Procurer for purchase and sale of such power.
 - iii. As long as the Intermediary Procurer follows these Guidelines for procurement of hybrid power, the distribution licensee(s) shall be deemed to have followed these Guidelines for procurement of hybrid power.

5. APPROPRIATE COMMISSION

5.1. Subject to the provisions of the Electricity Act, 2003, Appropriate Commission would be as under:

- a. In case the hybrid power projects is supplying power to Distribution licensee(s) of one State, the Appropriate Commission, for the purpose of these bidding Guidelines, shall be the State Electricity Regulatory Commission of the concerned State where the distribution licensee(s) is located.
- b. In case the hybrid power projects supplying power to Distribution licensee(s) of more than one State, the Appropriate Commission, for the purpose of these bidding Guidelines, shall be the Central Electricity Regulatory Commission.
- c. For cases involving sale of hybrid power from generating companies owned or controlled by Central Government, the Appropriate Commission shall be the Central Electricity Regulatory Commission.

6. PREPARATION FOR INVITING BID AND PROJECT PREPAREDNESS

The Intermediary Procurer shall meet the following conditions:

6.1. Bid Documentation:

It shall prepare the bid documents in accordance with these Guidelines and shall approach the Ministry for any deviations (if required) from these Guidelines.

6.2. Site-related project preparatory activities including clearances:

In order to ensure timely commencement of supply of electricity, the bidder would be required to submit documents in respect of matters as mentioned below, as per the time schedule specified in the bidding documents:

- a. Land acquisition: Submission of documents / Lease Agreement to establish possession and right to use 100 % (hundred per cent) of the required land in the name of the HPG for a period not less than the complete term of PPA, on or before the Scheduled Commissioning Date (SCD). Wherever leasing of private land is involved, the lease should allow transfer of land lease rights to the lenders or Procurer, in case of default of the HPG.
- b. No Objection Certificate (NoC)/ Environmental clearance (if applicable) for the Project.
- c. Forest Clearance (if applicable) for the Project.
- d. No objection certificate (NoC) from Ministry of Defence (if applicable).
- e. A letter from Central Transmission Utility (CTU) confirming technical feasibility of connectivity of the plant to CTU substation.
- f. Any other clearances (if any), as may be legally required.

7. BID STRUCTURE

7.1. **Bid Size:** A bidder is allowed to bid for a minimum 50 MW project at one site. The Procurer may also choose to specify the maximum capacity that can be allotted to a single bidder including its Affiliates. The maximum capacity for single bidder or company or group of companies may be fixed by the Procurer keeping in mind factors such as economies of scale, land availability, expected competition and need for development of the market.

7.2. **Bidding Parameters:** For procurement of wind solar hybrid power, the tariff quoted by the bidder shall be the bidding parameter. The Procurer may select either

of the following kinds of tariff based bidding: (a) fixed tariff in Rs./kWh for 25 years or more or (b) escalating tariff in Rs./kWh with pre-defined quantum of annual escalations fixed in Rs./kWh and number of years from which such fixed escalation will be provided. The procurer may also opt for e-reverse auction for final selection of bidders, in such a case, this will be specifically mentioned in the notice inviting bids and bid document. The procurer may disclose in the RfS, the prevailing incentives available to the HPGs.

8. POWER PURCHASE AGREEMENT

The draft PPA proposed to be entered into with the successful bidder and draft PSA shall be issued along with the RfS. Standard provisions to be incorporated as part of the PPA shall include *inter alia* the following, which, unless otherwise specified herein, shall be provided for, on a back to back basis in the PSA:

8.1. PPA Period: As the PPA period influences the tariff by determining the period over which the investment is returned to the investor/ Developer, longer PPA is favoured for lower tariffs. The PPA period should thus be not less than 25 (twenty-five) years from the date of the Scheduled Commissioning Date (SCD). The Generators are free to operate their plants after the expiry of the PPA period in case the arrangements with the land and infrastructure owning agencies, the relevant transmission utilities and system operators so provide.

8.2. CAPACITY UTILIZATION FACTOR (CUF):

8.2.1. The Generator(s) will declare the annual CUF of its Project at the time of bid submission and will be allowed to revise the same once within first three years of COD. Calculation of CUF will be on yearly basis from 1st April of the year to 31st March of next year. The declared annual CUF shall in no case be less than 30 *per cent*. The Generator(s) shall maintain generation so as to achieve annual CUF not less than 90% of the declared value (i.e. Minimum CUF) and not more than 120% of the declared CUF value (i.e. Maximum CUF), during the PPA duration of 25 years. The lower limit will, however, be relaxable to the extent of non-availability of grid for evacuation of hybrid power, which is beyond the control of the HPG. Energy supplied between COD and the commencement of first financial year after COD will not be taken into consideration for the purpose of calculation of CUF. Subsequently, the annual CUF will be calculated every year from 1st April of the year to 31st March next year.

8.2.2. In case the project supplies energy less than the energy corresponding to the minimum CUF, the HPG will be liable to pay to the Procurer, compensation for the shortfall in availability of energy. This will, however be relaxable to the extent of grid non-availability for evacuation, which is beyond the control of the Generator. The amount of such compensation will be calculated @ 50% (fifty *per cent*) of the PPA tariff for the shortfall in energy terms, in accordance with the terms of the PPA. Such compensation as recovered from the Generator shall be passed on by the Intermediary Procurer to the End Procurer.

8.2.3. In case of availability of energy more than the maximum annual CUF specified, Generator will be free to sell it to any other entity provided first right of refusal will vest with the Procurer(s). In case the Procurer purchases the excess generation, the same may be done at 75% (seventy-five *per cent*) of the PPA tariff, and provision to this effect shall be clearly indicated in the RfS document.

8.3. Repowering: The Hybrid Power Generator(s) will be free to re-power their plants during the PPA duration. However, after repowering, the minimum ratio of both the resources (wind & solar) shall be kept as per clause 3.1. Further, the Procurer will be obliged to buy power only as per terms of PPA and any excess generation will be dealt as specified in clause 8.2.3 of these Guidelines.

8.4. Payment Security: The Procurer(s) shall provide adequate payment security measures, as specified below:

a. Payment Security by Intermediary Procurer to the HPG: The Intermediary Procurer shall provide payment security to the HPG through:

- i. **Revolving Letter of Credit (LC)** of an amount not less than 1 (one) months' average billing from the Project under consideration;

AND

- ii. **Payment Security Fund**, which shall be suitable to support payment of at least 3 (three) months' billing of all the Projects tied up with such fund. For the purpose of this Payment Security Fund, the Intermediary may collect Rs 5.0 Lacs / MW (Five Lacs per MW) from Hybrid Power Generator(s). Such charges shall be stipulated clearly in the RfS and shall go to the Payment Security Fund set up for such Intermediary Procurer.

b. Payment Security by Distribution licensee to Intermediary Procurer: The Distribution licensee shall provide payment security to the Intermediary Procurer through:

- i. **Revolving Letter of Credit (LC)** of an amount not less than 1 (one) months' average billing from the Project(s) under consideration;

AND

- ii. **State Government Guarantee (or Tri-Partite Agreement)**, in a legally enforceable form, such that there is adequate security, both in terms of payment of energy charges and termination compensation if any.

For the purpose of this clause, the Tri-Partite Agreement (TPA) signed between Reserve Bank of India, Central Government and State Government shall qualify as State Government Guarantee covering the security for payment of energy charges.

The Intermediary Procurer shall ensure that upon invoking this guarantee, it shall at once, pass on the same to the Hybrid Power Generator, to the extent the payments to the Hybrid Power Generator in terms of the PPA are due.

Provided that where the End Procurer is not covered by the Tri-Partite Agreement and is not in a position to give the State Government Guarantee, the Revolving Letter of Credit may be for two months.

8.5. CHANGE IN LAW

8.5.1. In the event a change in Law results in any increase or decrease in the cost of generation, the said increase / decrease in cost shall be passed on in tariff in the following manner:

(a) For the purpose of ensuring that the pass through happens in an expeditious manner within 30 days of the Change in Law event, the following formula may be followed:-

Let Financial Impact of Change in Law = P;

Then, the modification in PPA tariff (M.T.) for compensating the financial impact is given by

$$M.T. = Y/X$$

Where, X = estimated monthly electricity generation (in kWh) = (1/12) [contracted capacity of the RE power plant as per PPA (in MW) × Annual CUF declared in PPA (in %) × 8760 hours × 10];

and

$$Y = [(P \times M_r) \{ (1 + M_r)^n \}] + [\{ (1 + M_r)^n \} - 1]$$

where,

n = no. of months over which the financial impact has to be paid; and

M_r = monthly rate of interest = ; where R = annual rate of interest on loan component (in %) as considered by Central Electricity Regulatory Commission (CERC) in its Order for Tariff determination from Renewable Energy Sources for the year in which the project is commissioned. In absence of relevant CERC Orders for the concerned year, the interest rate shall be average interest rate plus 200 basis points above the average State Bank of India Marginal Cost of Funds based lending rate (MCLR of one year tenor) prevalent during the last available six months for such period.

Further, the M.T. shall be trued up annually based on actual generation of the year so as to ensure that the payment to the Generator is capped at the yearly annuity amount.

(b) The pass through according to the formula stipulated above shall be calculated and shall come into effect automatically after 30 days of the Change in Law event.

(c) Within 30 days of the pass through coming into effect the Generator/ Intermediary procurer/ Procurer shall submit the relevant documents/calculation sheets to the Appropriate Commission for truing up the rate of pass through per unit.

(d) The Appropriate Commission shall verify the calculation and do the truing up within 60 days of the pass through coming into effect after which the rates of pass through shall be adjusted if necessary according to the truing up.

8.5.2. In case change in Law / Regulations results in delay in commissioning, where cause and effect between these two can be clearly established, the Intermediary Procurer may provide suitable extension to commissioning of the project.

8.5.3. In these Guidelines, the term 'Change in Law' shall refer to the occurrence of the following events, after the last date of the bid submission, (i) the enactment of any new Law; or (ii) an amendment, modification or repeal of an existing Law; or (iii) the requirement to obtain a new consent, permit or license; or (iv) any modification to the prevailing conditions prescribed for obtaining a consent, permit or license, not owing to any default of the Generator; or (v) any change in the rates of any taxes which have a direct effect on the Project.

However, Change in Law shall not include any change in taxes on corporate income or any change in any withholding tax on income or dividends.

8.6. Force Majeure

The PPA shall contain provisions with regard to force majeure definitions, exclusions, applicability and available relief on account of force majeure, as per the industry standards. The HPG shall intimate the Procurer about the occurrence of force majeure within 15 (fifteen) days of the start of the force majeure and the Procurer shall take a decision on his claim within 15 days of the receipt of the intimation.

8.7. Offtake constraints due to Back down:

The Generator and the Procurer shall follow the forecasting and scheduling process as per the regulations in this regard by the Appropriate Commission. The Government of India, as per Clause 5.2(u) of the Indian Electricity Grid Code (IEGC), provides for status of "must-run" to solar power projects. Accordingly, no hybrid power plant, duly commissioned, should be directed to back down by a Discom/ Load Dispatch Centre (LDC). In case of Backdown, including non-dispatch of power due to non-compliance with "Order No. 23/22/2019-R&R dated 28.06.2019 of Ministry of Power regarding Opening and maintaining of adequate Letter of Credit (LC) as Payment Security Mechanism under Power Purchase Agreements by Distribution Licensees" and any clarifications or amendment thereto, the Power Generator shall be eligible for a Minimum Generation Compensation, from the Procurer, in the manner detailed below.

Duration of Backdown	Provision for Generation Compensation
Hours of Backdown during a monthly billing cycle.	Minimum Generation Compensation = 100% of [(Average Generation per hour during the month) (number of backdown hours during the month) x PPA Tariff] Where, Average Generation per hour during the month (kWh) = $\frac{\text{Total generation in the month (kWh)}}{\text{Total hours of generation in the month}}$

The Generation Compensation is to be paid as part of the energy bill for the successive month after receipt of Regional Energy Accounts (REA). No Trading Margin shall be applicable on this Generation Compensation. Possible conditions for exclusion of Generation Compensation, on account of Backdown purposes, shall be clearly specified in the RfS and the PPA.

No compensation shall be payable, however, if the backdown/ curtailment is on account of considerations of grid security/ safety. Such a backdown will be recorded and reported to RLDC/ NLDC. RLDC/ NLDC will examine the issue of grid safety/ security and give a finding that the issue of grid safety existed.

The details of back-down/ curtailment, including justifications for such curtailment, to be made public by the concerned Load Dispatch Centre.

8.8. Event of Default and the Consequences thereof

While detailed provisions with regard to the event of default of the concerned parties and its resulting consequences shall be detailed in the SBDs, this clause lays down the broad principles of contractually dealing with the default of the HPG and the Procurers.

8.8.1. Generator Event of Default and the consequences thereof:

- a. In the event the generator is unable to commission the plant within the stipulated time period, or fails to supply power in terms of the PPA, or assigns or novates any of its rights or obligations contrary to the terms of the PPA, or repudiates the PPA, or effectuates a change in control or shareholding of its promoters in breach of the provisions of the PPA, or commits any other acts or omissions as laid down in the PPA and is also unable to cure any of the aforesaid within the defined period, as may be provided in the PPA, the generator shall be construed to be in default.
- b. Upon being in default, the Generator shall be liable to pay to the Procurer, damages, as provided in these Guidelines in Clause 17.3 for failure to commission within stipulated time and Clause 8.2 for failure to supply power in terms of the PPA. For other cases, Generator shall pay to the Procurer, damages, equivalent to 6 (six) months, or balance PPA period whichever is less, of charges for its contracted capacity. The Procurer shall have the right to recover the said damages by way of forfeiture of bank guarantee, if any, without prejudice to resorting to any other legal course or remedy.
- c. In addition to the levy of damages as aforesaid, in the event of a default by the HPG, the lenders shall be entitled to exercise their rights of substitution, in accordance with the substitution agreement provided in the PPA and in concurrence with the Procurer. However, in the event the lenders are unable to substitute the defaulting generator within the stipulated period, the Procurer may terminate the PPA and acquire the project assets for an amount equivalent to 90% of the debt due, failing which, the lenders may exercise their mortgage rights and liquidate the project assets.

8.8.2. Procurer Event of Default and the consequences thereof:

- a. If the Procurer is in default on account of reasons including failure to pay the monthly and/or supplementary bills within the stipulated time period or repudiation of the PPA, the defaulting Procurer shall, subject to the prior consent of the HPG, novate its part of the PPA to any third party, including its Affiliates within the stipulated period.
- b. In the event the aforesaid novation is not acceptable to the HPG, or if no offer of novation is made by the defaulting Procurer within the stipulated period, then the HPG may terminate the PPA and at its discretion require the defaulting Procurer to either (i) takeover the Project assets by making a payment of the 'termination compensation' which will be equivalent to the amount of the 'debt due' and the 110% (one hundred and ten per cent) of the adjusted equity as defined below, less Insurance Cover if any or, (ii) pay to the Generator, damages, equivalent to 6 (six) months, or balance PPA

period whichever is less, of charges for its contracted capacity, with the Project assets being retained by the Generator.

- c. In the event of termination of PPA, any damages or charges payable to the STU/ CTU, for the connectivity of the plant, shall be borne by the Procurer.

Adjusted Equity means the Equity funded in Indian Rupees and adjusted on the first day of the current month (the 'Reference Date'), in the manner set forth below, to reflect the change in its value on account of depreciation and variations in Wholesale Price Index (WPI), and for any Reference Date occurring between the first day of the month of Appointed Date and the Reference Date;

- i. On or before COD, the Adjusted Equity shall be a sum equal to the Equity funded in Indian Rupees and expended on the Project, revised to the extent of one half of the variation in WPI occurring between the first day of the month of Appointed Date and Reference Date;
- ii. After COD, the Adjusted Equity hereunder shall be a sum equal to the Base Adjusted Equity, reduced by 0.333% (zero point three three *per cent*) thereof at the commencement of each month following the COD [*reduction of 1% (one percent) per quarter of an year*] and the amount so arrived at shall be revised to the extent of variation in WPI occurring between the COD and the Reference Date;
- iii. An amount equal to the Adjusted Equity as on COD shall be deemed to be the base (the 'Base Adjusted Equity').

For the avoidance of doubt, the Adjusted Equity shall, in the event of termination, be computed as on the Reference Date immediately preceding the Transfer Date; provided that no reduction in the Adjusted Equity shall be made for a period equal to the duration, if any, for which the PPA period is extended, but the revision on account of WPI shall continue to be made.

Debt Due means the aggregate of the following sums expressed in Indian Rupees outstanding on the Transfer Date:

- i. The principal amount of the debt provided by the Senior Lenders under the Financing Agreements for financing the Total Project Cost (the 'Principal') but excluding any part of the principal that had fallen due for repayment prior to the Transfer Date;
- ii. All accrued interest, financing fees and charges payable under the Financing Agreements on, or in respect of, the debt referred to in sub-clause (i) above until the Transfer Date but excluding (i) any interest, fees or charges that had fallen due one year prior to the Transfer Date, (ii) any penal interest or charges payable under the Financing Agreements to any Senior Lender (iii) any pre-payment charges in relation to accelerated repayment of debt except where such charges have arisen due to Utility Default, and (iv) any Subordinated Debt which is included in the Financial Package and disbursed by lenders for financing the Total Project Cost.

Provided that if all or any part of the Debt Due is convertible into Equity at the option of Senior Lenders and/or the Concessionaire, it shall for the

purposes of this Agreement be deemed not to be Debt Due even if no such conversion has taken place and the principal thereof shall be dealt with as if such conversion had been undertaken.

Provided further that the Debt Due, on or after COD, shall in no case exceed 80% (eighty percent) of the Total Project Cost.

9. BIDDING PROCESS

9.1. SECI shall call for the bids adopting a single stage bidding process to be conducted through Electronic mode (e-bidding). SECI shall adopt e-reverse auction. E- procurement platforms with a successful track record and with adequate safety, security and confidentiality features will be used.

9.2. SECI shall invite the bidders to participate in the RfS for installation of Hybrid Power Project(s) in terms of these Guidelines.

9.3. The bidding documents including the RfS and draft PPA shall be prepared by SECI in consonance with these Guidelines.

9.4. SECI shall publish the RfS notice on the Central Public Procurement Portal website and its own website, to accord wide publicity.

9.5. SECI shall provide opportunity for pre-bid conference to the prospective bidders, and shall provide written interpretation of the bid documents to any bidder which shall also be made available to all other bidders. All the concerned parties shall rely solely on the written communication. Any clarification or revision to the bidding documents shall be uploaded on the website of SECI for adequate information. In the event of the issuance of any revision or amendment of the bidding documents, the bidders shall be provided a period of at least 7 (seven) days therefrom, for submission of bids.

9.6. If the bids have already been invited prior to the notification of these Guidelines, and if there are any deviations between these Guidelines and the bidding documents, the bidding documents shall be amended as per these guidelines and the bidders shall be provided a period of at least 7 (seven) days therefrom, for submission of bids / revised bids.

10. RfS DOCUMENT

The standard provisions to be provided by the Procurer in the RfS shall include the following:

10.1. **Bid Responsiveness:** The bid shall be evaluated only if it is responsive and satisfies conditions including *inter-alia* ~

- a. bidder or any of its Affiliates is not a willful defaulter to any lender
- b. there is no major litigation pending or threatened against the bidder or any of its Affiliates which is of a nature that could cast a doubt on the ability or the suitability of the bidder to undertake the project
- c. performance of bidder is satisfactory in earlier project(s) awarded by SECI, if any.

10.2. Qualification requirements to be met by the bidders:

10.2.1. Technical Criteria:

The Government would like to encourage competition by way increased participation. However, in order to ensure proper implementation of the Projects, the Procurer may choose to specify Technical Criteria such as past experience of the bidders etc. Such criteria should be set after an assessment of the number of project developers that are expected to meet the criteria so that an adequate level of competition is achieved.

10.2.2. Financial Criteria:

a. Net-worth:

- i. SECI shall specify financial criteria in the form of net-worth as a part of the qualification requirement. The net-worth requirement should be at least 20% of the Estimated Capital Cost for project for the year in which bids are invited.
- ii. The net worth to be considered for the above purpose will be the cumulative net-worth of the bidding company or consortium, together with the net-worth of those Affiliates of the bidder(s) that undertake to contribute the required equity funding and performance bank guarantees in case the bidder(s) fail to do so in accordance with the RfS.
- iii. It is clarified that the net-worth to be considered for this clause will be the total net-worth as calculated in accordance with the Companies Act.

- b. **Liquidity:** It is necessary that the bidder has sufficient cash flow/ internal accruals/ any bank reference to manage the fund requirements for the project. Accordingly, SECI may also stipulate suitable parameters such as annual turnover, internal resource generation, bank references/ line of credit, bidding capacity, etc.

10.3. Quantum of the Earnest Money Deposit (EMD): SECI will specify the quantum of the Earnest Money Deposit (EMD) in the form of a bank guarantee or Letter of Undertaking (as given in para 14.3), to be furnished by the bidders. The EMD shall stand forfeited in the event of failure of the successful bidder to execute the PPA within the stipulated time period.

10.4. Compliance of Laws by foreign bidders: In case a Foreign Company is selected as the successful bidder, it shall comply with all the laws and provisions related to Foreign Direct Investment (FDI) in India.

11. BID SUBMISSION AND EVALUATION

11.1. Formation of consortium by bidders shall be permitted, in which case the consortium shall identify a lead member which shall be the contact point for all correspondences during the bidding process. SECI may specify technical and financial criteria, and lock in requirements for the lead member of the consortium.

11.2. SECI shall constitute committee for evaluation of the bids (Evaluation Committee), with at least three members, including at least one member with expertise in financial matters/ bid evaluation.

11.3. The bidders may be required to submit non-refundable processing fee as specified in the RfS.

11.4. The bidders shall be required to submit separate technical and price bids. Bidders shall also be required to furnish necessary bid-guarantee in the form of an EMD along with the bids.

11.5. The technical bids shall be evaluated to ensure that the bids submitted meet the eligibility criteria set out in the RfS document on all evaluation parameters. Only the bids that meet the evaluation criteria set out in the RfS shall be considered for further evaluation on the price bids.

11.6. To ensure competition, the minimum number of qualified bidders should be two. If the number of qualified bidders is less than two, even after three attempts of bidding, and the Procurer still wants to continue with the bidding process, the same may be done.

11.7. The price bid shall be rejected, if it contains any deviation from the bid conditions. No clarifications shall normally be requested from bidders at this stage.

11.8. Bid evaluation methodology: The comparison of bids shall be on the basis of the bidding criteria as specified in the RfS, i.e. the fixed tariff or the first year tariff. Ranking of the bidders will start from the bidder quoting the 'lowest tariff (L1)'. SECI may choose to define a band from L1 in terms of percentage of L1 within which they will accept bid offers.

11.9. The selection of all successful bidders would be on bucket filling approach starting with L1, till entire capacity for which the bid has been called for is full or the capacity corresponding to the upper limit for the band from the L1 tariff is reached, whichever is earlier. The detailed procedure for evaluation of the bid and selection of the bidder shall be provided for in the RfS.

12. INDICATIVE TIME TABLE FOR BID PROCESS

12.1. In the bidding process, a minimum period of 22 (twenty two) days shall be allowed between the issuance of RfS documents and the last date of bid submission. In normal circumstances, the bidding process is likely to be completed in a period of 110 (one hundred ten) days. The procurer may give extended timeframe than indicated in the table and this shall not be construed as deviation to the Guidelines. The indicative timetable for the bidding process is as below.

Tentative Time Table for Bid Process

Event	Time from Zero date
Date of issue of RfS and draft PPA and PSA	Zero date
Bid clarification, conferences, revision of RfS, etc.	**
RfS bid submission	22 days
Evaluation of bids and issue of LOI	110 days
Signing of PPA and the PSA	140 days

** In case of any change in RfS document, the Intermediary Procurer shall provide the bidders additional time in accordance with clause 9.5 and clause 9.6 of these Guidelines.

Note: It is clarified that if the Intermediary Procurer gives extended time for any of the events in the bidding process, on account of delay in achieving the activities required to be completed before the event, such extension of time shall not in any way be deviation from these Guidelines.

13. CONTRACT AWARD AND CONCLUSION

13.1. The PPA shall be signed with the successful Bidder/ Project Company or an SPV formed by the successful Bidder

13.2. After the conclusion of bidding process, the Evaluation Committee constituted for evaluation of RfS bids shall critically evaluate the bids and certify as appropriate that the bidding process and the evaluation has been conducted in conformity to the provisions of the RfS.

13.3. For the purpose of transparency, SECI shall, after the execution of the PPA, publicly disclose the name(s) of the successful Bidder(s) and the tariff quoted by them together with breakup into components, if any. The public disclosure shall be made by posting the requisite details on SECI's website for at least 30 (thirty) days.

14. BANK GUARANTEES

The Generator shall provide the following bank guarantees to the Procurer in terms of the RfS and the PPA:

14.1. **Earnest Money Deposit (EMD)** to be fixed by the Procurer [but not to be more than 2% (*two per cent*) of the Estimated Capital Cost for Hybrid Power Project], to be submitted in the form of a bank guarantee or Letter of Undertaking (as given in para 14.3) along with response to RfS.

14.2. **Performance Bank Guarantee (PBG)** to be fixed by the Procurer [but not to be more than 5% (*five per cent*) of the Estimated Capital Cost for Hybrid Power Project] to be submitted at the time of signing of the PPA. In addition to the other remedies, this PBG can be encashed to recover any damages/dues of the Generator in terms of the PPA. It is hereby clarified that the damages/dues recovered by SECI by encashing the PBG, upon the default of the Generator under the PPA, shall be credited to the Payment Security Fund to be maintained by SECI under Clause 8.4 of these guidelines.

14.3. As an alternative mechanism, the Generator may submit Letter(s) of Undertaking from Indian Renewable Energy Development Agency Limited (IREDA) or Power Finance Corporation Limited (PFC) or REC Limited (REC) in place of EMD and / or PBG, to pay in case situation of default by Generator in terms of PPA arises, in terms of relevant orders issued by MNRE.

15. FINANCIAL CLOSURE

15.1. Hybrid Power Generator shall attain the financial closure in terms of the PPA, within 12 (twelve) months from the date of execution of the Power Purchase Agreement. However, if for any reason, the time period for attaining the financial closure needs to be kept smaller than that provided in these Guidelines, the Procurer can do the same.

15.2. Failing the aforesaid, the Procurer shall encash the PBG / LoU unless the delay is on account of delay in allotment of land by the Government not owing to any action or inaction on the part of the Generator or caused due to a Force Majeure. An extension for the attainment of the financial closure can however be considered by the Intermediary Procurer, on the request of the Generator, on payment of a penalty as specified in the PPA. This extension will not have any impact on the SCD. Any penalty paid so, shall be returned to the Generator without any interest on achievement of successful commissioning within the SCD. In other cases, the extension charges /

penalty as collected under this clause, will be credited to the Payment Security Fund to be maintained by SECI.

15.3. It is presumed that in terms of Clause 13.4 of these Guidelines, the tariff will be adopted by the Appropriate Commission within 60 days of such submission. However, notwithstanding anything contained in these Guidelines, any delay in adoption of tariff by the Appropriate Commission, beyond 60 (sixty) days, shall entail a corresponding extension in financial closure.

16. MINIMUM PAID UP SHARE CAPITAL TO BE HELD BY THE PROMOTER

16.1 The successful bidder, if being a single company, shall ensure that its shareholding in the SPV/project company executing the PPA shall not fall below 51% at any time prior to 1 (one) year from the COD (as defined in Clause 18), except with the prior approval of the Procurer. In the event the successful bidder is a consortium, then the combined shareholding of the consortium members in the SPV/project company executing the PPA, shall not fall below 51% at any time prior to 1 (one) year from the COD, except with the prior approval of the Procurer. However, in case the successful bidder shall be itself executing the PPA, then it shall ensure that its promoters shall not cede control till 1 (one) years from the COD, except with the prior approval of the Procurer. In this case it shall also be essential that the successful bidder shall provide the information about its promoters and their shareholding to the Procurer before signing of the PPA with Procurer.

'Control' shall mean the ownership, directly or indirectly, of more than 50 per cent of the voting shares of such Company, or right to appoint majority Directors to the Board of Directors.

16.2. Any change in the shareholding after the expiry of 1 (one) year from the COD can be undertaken under intimation to Procurer.

16.3. In the event the Generator is in default to the lender(s), lenders shall be entitled to undertake 'Substitution of Promoter' in concurrence with the Procurers.

17. COMMISSIONING

17.1. Part Commissioning: Part commissioning of the Project shall be accepted by Procurer subject to the condition that the minimum capacity for acceptance of first part commissioning shall be atleast 50 MW, without prejudice to the imposition of penalty, in terms of the PPA on the part which is not commissioned. The projects can further be commissioned in parts of at least 25 MW batch size; with last part could be the balance capacity. However, the SCD will not get altered due to part-commissioning. In case of part-commissioning of the Project, possession of land in accordance with clause 6.2(a) of these Guidelines, corresponding to the part capacity being commissioned, shall be required to be demonstrated by the Generator prior to declaration of commissioning of the said part capacity. Irrespective of dates of part commissioning, the PPA will remain in force for a period of 25 years from the SCD. Part commissioning cannot be construed by just installing one source of generation, the Generator shall install both solar and wind capacities in proposed ratio on pro-rata basis.

17.2. Early Commissioning: The Generator shall be permitted for full commissioning as well as part commissioning (as per 17.1) of the Project even prior to the SCD subject to availability of transmission connectivity and Long-Term Access (LTA). In cases of early part commissioning, the Generator will be free to sell it to any other entity provided first right of refusal will vest with the Procurer(s). The procurer(s)

shall provide refusal within 30 (thirty) days from the receipt of the request, beyond which it would be considered as deemed refusal. Procurement of such early commissioned power, if accepted by the Procure / Intermediary Procurer, shall be done at the PPA tariff.

17.3. Commissioning Schedule:

(i) The projects shall be commissioned, within a period of 18 (eighteen) months from the date of execution of the PPA. However, if for some reason, the scheduled commissioning period needs to be kept smaller than that provided in these Guidelines, the Procurer can do the same. Subject to clause no. 8.6 of these Guidelines, delay in commissioning, beyond the Scheduled Commissioning Period shall involve penalties, on the Hybrid Power Generator, as detailed below:

a) For Delay in commissioning upto 6 (six) months from SCD, encashment of Performance Bank Guarantee (PBG) on per day basis and proportionate to the capacity not commissioned.

b) For Delay in commissioning beyond six months from SCD, Generator Event of Default, as per clause 8.8.1 of these Guidelines, shall be considered to have occurred and the contracted capacity shall stand reduced to the project capacity commissioned upto SCD + 6 (six) months. The PPA for the balance capacity not commissioned shall be terminated.

(ii) It may be noted that commissioning/ part commissioning of the Project will not be declared until the Generator demonstrates possession of land in line with Clause 6.2.(a) above, in addition to the other conditions as established by the Procurer/Intermediary Procurer. For part commissioning portion of land on which the part of the project is commissioned should be with Generator in accordance with clause 6.2(a).

(iii) It is presumed that in terms of Clause 13.4 of these Guidelines, the tariff will be adopted by the Appropriate Commission within 60 days of such submission. However, notwithstanding anything contained in these Guidelines, any delay in adoption of tariff by the Appropriate Commission, beyond 60 (sixty) days, shall entail a corresponding extension in scheduled commissioning date.

17.4. Delay in Commissioning on account of delay in LTA Operationalization:

Long Term Access (LTA) shall be required to be submitted by the Generator prior to commissioning of the Project. Subsequent to grant of connectivity, in case there is a delay in grant/operationalization of LTA by the CTU and/or there is a delay in readiness of the ISTS substation at the Delivery Point, including readiness of the power evacuation and transmission infrastructure of the ISTS network until SCD of the Project, and it is established that:

- i. The Generator has complied with the complete application formalities as per the Connectivity Procedure.
- ii. The Generator has adhered to the applicable Procedure in this regard as notified by the CERC/CTU, and
- iii. The delay in grant of connectivity/LTA by the CTU and/or delay in readiness of the ISTS substation at the Delivery Point, including readiness of the power evacuation and transmission infrastructure of the ISTS network, is a factor

attributable to the CTU/ transmission licensee and is beyond the control of the Generator;

The above shall be treated as delays beyond the control of the Generator and SCD for such Projects shall be revised as the date as on 60 days subsequent to readiness of the Delivery Point and power evacuation infrastructure and/or operationalization of LTA. Decision on requisite extension on account of the above factor shall be taken by SECI.

18. COMMERCIAL OPERATION DATE (COD):

Commercial Operation Date (COD) shall be considered as the actual date of commissioning of the project as declared by the Commissioning Committee constituted by procurer. In case of part commissioning COD will be declared only for that part of project capacity.

19. TRANSMISSION CONNECTIVITY

19.1. The project shall be designed for inter-connection with CTU substation either directly or from pooling station where other projects also connected, through a transmission network as per applicable Regulations at the appropriate voltage level, as specified by Procurer.

19.2. Responsibility of getting Transmission Connectivity and LTA to the transmission system owned by the CTU will lie entirely with the Generator and shall be at the cost of Generator.

19.3. The Inter-connection/ Metering Point, is the point at which energy supplied to the Procurer shall be measured, shall be the bus bar of the CTU substation/ Pooling station at which power is injected in the transmission system of CTU. For interconnection with grid and metering, the Generators shall abide by applicable Grid Code, Grid Connectivity Standards, Regulations on Communication System for transmission of electricity and other Regulations (as amended from time to time) issued by Appropriate Commission and CEA. The transmission of power up to the point of interconnection where the metering is done for energy accounting shall be the responsibility of the Generator at his own cost. All expenses including transmission charges (if any) and losses in relation to the transmission beyond the Metering Point shall be borne by the Procurer(s).

19.4. The Generator shall comply CERC/SERC regulations on Forecasting, Scheduling and Deviation Settlement, as applicable and are responsible for all liabilities related to LTA and Connectivity. The Generator and the Procurer shall follow the forecasting and scheduling process as per the Regulations in this regard by the Appropriate Commission.

19.5. The transmission connectivity to the Generator may be provided by the CTU, prior to commissioning of the project on the request of the project developer, to facilitate testing and allow flow of infirm power generated into the grid to avoid wastage of Power.

20. TECHNICAL SPECIFICATIONS

20.1. SECI shall promote commercially established and operational technologies to minimize the technology risk and to achieve the timely commissioning of the Projects.

20.2. In order to ensure quality of wind turbines installed, only type certified wind turbine models listed in Revised List of Models and Manufactures (RLMM) brought out by MNRE from time to time and updated as on the date of commissioning of the Project, will be allowed for deployment in the country. The wind power projects will be developed as per Guidelines issued by MNRE on Development of Onshore Wind Power Projects.

20.3. For solar modules and balance of systems, the technical guidelines issued by the Ministry from time to time for grid connected solar PV systems will be followed. Further, the orders of Ministry regarding 'Approved List of Models and Manufacturers (ALMM)' as applicable will be followed.

21. ROLE OF STATE NODAL AGENCIES

The State Nodal Agencies appointed by respective State Governments will provide necessary support to facilitate the required approvals and sanctions in a time bound manner so as to achieve commissioning of the projects within the scheduled timeline. This may include facilitation in the following areas:

- Coordination among various State and Central agencies for speedy implementation of projects.
- Support during commissioning of projects.

22. PERFORMANCE MONITORING

All Hybrid Power Projects shall install necessary equipment to continuously measure wind and solar resource data and other weather parameters and electrical parameters. They are required to submit this data through online portal to SECI, National Institute of Wind Energy (NIWE) and/ or other designated agency for monitoring the performance for the entire life of the project.

In addition to the above, the Successful Bidder shall also submit information, as required by SECI, for regular monitoring of status of the project. SECI may develop a standard monitoring template /parameter for capturing regular progress of the project.

23. DEVIATION FROM PROCESS DEFINED IN THE GUIDELINES

In case there is any deviation from these Guidelines, the same shall be subject to approval by the Appropriate Commission. The Appropriate Commission shall approve or require modification to the bid documents within a reasonable time not exceeding 60 (sixty) days.

24. ARBITRATION

All disputes arising out under the contractual documents under these Guidelines will be adjudicated by the Appropriate Commission, i.e. CERC or SERC / JERC, as the case may be.

25. CLARIFICATION AND MODIFICATION TO GUIDELINES

If any difficulty arises in giving effect to any provision of these Guidelines or interpretation of the Guidelines or modification to the Guidelines, Ministry of New & Renewable Energy is empowered to do the same, with the approval of Minister, New & Renewable Energy. The decision in this regard shall be binding on all the parties concerned.

No. 238/78/2017-Wind
Government of India
Ministry of New & Renewable Energy
CGO Complex, Block No.14, Lodhi Road, New Delhi - 110003

Dated: 23rd July, 2021

OFFICE MEMORANDUM

Subject: Amendment in the 'Guidelines for Tariff Based Competitive Bidding Process for procurement of power from Grid Connected Wind Solar Hybrid Projects' issued dated 14.10.2020 - Reg.

Reference is invited to the 'Guidelines for Tariff Based Competitive Bidding Process for procurement of power from Grid Connected Wind Solar Hybrid Projects' issued by this Ministry vide OM of even no. dated 14.10.2020.

2. As provided in clause no. 3 'APPLICABILITY OF GUIDELINES', the subject Guidelines have been issued under the provisions of Section 63 of the Electricity Act, 2003 for long-term procurement of electricity through competitive bidding process, by Procurer(s), from Hybrid Power Projects. The clause no. 4 'EXPLANATION/ DEFINITION' of the subject Guidelines, further provides that *'The term 'Procurer(s)', as the context may require, shall mean the distribution licensee(s), or an intermediary procurer.'*

3. In order to further remove ambiguity, it is hereby conveyed that the 'Guidelines for Tariff Based Competitive Bidding Process for procurement of power from Grid Connected Wind Solar Hybrid Projects' stand amended as under:

3.1 Clause no. 1.5 of these Guidelines is 'deleted'.

3.2 The word 'SECI' appearing in the guidelines shall be read as 'Procurer(s)' except at clause no. 4.(b).(i).

3.3 The phrase 'Intermediary procurer' appearing in clause no. 6 and note section of the clause no. 12.1 of the guidelines shall be read as 'Procurer(s)'.

3.4 Clause no. 6.1 shall be read as under:

'6.1. Bid Document:

It shall prepare the bid documents in accordance with these Guidelines. Any deviations from the Guidelines need to be approved by the appropriate Commission.'

3.5 Clause no. 8.4 shall be read as under:

'8.4. Payment Security: The Procurer(s) shall provide adequate payment security measures, as specified below:

8.4.1. Scenario 1: Direct Procurement by Distribution Licensee from Hybrid Power Generator:

Distribution Licensee shall provide payment security to the Hybrid Power Generator through:

i. Revolving Letter of Credit (LC) of an amount not less than 1 (one) months' average billing from the Project under consideration;

AND

ii. Payment Security Fund, which shall be suitable to support payment for at least 3 (three) months' billing of all the Projects tied up with such fund;

iii. In addition to (i) & (ii) above, Distribution Licensee may also choose to provide State Government Guarantee, in a legally enforceable form, ensuring that there is adequate security to the Hybrid Power Generator, both in terms of payment of energy charges and termination compensation if any.

8.4.2. Scenario 2: Intermediary Procurer procures from Hybrid Power Generator and sells to the Distribution Licensee:

a. Payment Security by Intermediary Procurer to the HPG: The Intermediary Procurer shall provide payment security to the HPG through:

i. Revolving Letter of Credit (LC) of an amount not less than 1 (one) months' average billing for the Project under consideration;

AND

ii. Payment Security Fund, which shall be suitable to support payment of at least 3 (three) months' billing of all the Projects tied up with such fund. For the purpose of this Payment Security Fund, the Intermediary may collect Rs 5.0 Lacs/MW (Five Lacs per MW) from Hybrid Power Generator(s). Such charges shall be stipulated clearly in the RFS and shall go to the Payment Security Fund set up for such Intermediary Procurer."

b. Payment Security by Distribution Licensee to Intermediary Procurer: Distribution Licensee shall provide payment security to the Intermediary Procurer through:

- i. **Revolving Letter of Credit (LC)** of an amount not less than 1 (one) months' average billing for the Project(s) under consideration;

AND

- ii. **State Government Guarantee**, in a legally enforceable form, such that there is adequate security, both in terms of payment of energy charges and termination compensation if any.

For the purpose of this clause, the Tri-Partite Agreement (TPA) signed between Reserve Bank of India, Central Government and State Government shall qualify as State Government Guarantee covering the security for payment of energy charges.

The Intermediary Procurer shall ensure that upon invoking this guarantee, it shall at once, pass on the same to the Hybrid Power Generator, to the extent the payments to the Hybrid Power Generator in terms of the PPA are due. Provided that in cases where the Distribution Licensee is neither covered by Tri-Partite Agreement (TPA) nor is able to provide the State Government Guarantee, the Revolving Letter of Credit shall be for 2 (two) months.

3.6 Clause No. 17.2 shall be read as under:

'Early Commissioning: The Generator shall be permitted for full commissioning as well as part commissioning (as per clause 17.1) of the Project even prior to the SCD subject to availability of transmission connectivity and Long Term/ Medium Term/Short Term Access. In cases of early part commissioning, the Generator will be free to sell it to any other entity provided first right of refusal will vest with the Procurer(s). The procurer(s) shall provide refusal within 30 (thirty) days from the receipt of the request, beyond which it would be considered as deemed refusal. Procurement of such early commissioned power, if accepted by the Procure, shall be done at the PPA tariff.'

3.7 Clause No. 17.4 shall be read as under:

'17.4. Delay in Commissioning on account of delay in LTA Operationalization:

Long Term/ Medium Term/Short Term Access shall be required to be submitted by the Generator prior to commissioning of the Project. However, for sale of power to procurer from SCD, the hybrid power generator shall have LTA. The ISTS/ InSTS substation at the Delivery Point and the power evacuation and transmission infrastructure of the ISTS/ InSTS network, with which the generator applies for connectivity, should be scheduled for completion on or before the SCD of the concerned hybrid project so as to match the two timelines. Subject to adherence to this, subsequent to grant of connectivity, in case there is a delay in grant/operationalisation of LTA by the CTU/ STU and/or there is a delay in readiness of the ISTS/ InSTS substation at the Delivery Point, including readiness of the power evacuation and

transmission infrastructure of the ISTS/ InSTS network until SCD of the Project, and it is established that:


i. The Generator has complied with the complete application formalities as per the Connectivity Procedure and the ISTS/ InSTS substation at the Delivery Point and the power evacuation and transmission infrastructure of the ISTS/ InSTS network, with which the Generator had applied for connectivity, was scheduled for completion on or before the SCD of the concerned hybrid project

ii. The Generator has adhered to the applicable Procedure in this regard as notified by the CERC/ SERC/JERC/CTU/ STU, and

iii. The delay in grant of connectivity/ LTA by the CTU/ STU and/or delay in readiness of the ISTS/ InSTS substation at the Delivery Point, including readiness of the power evacuation and transmission infrastructure of the ISTS/ InSTS network, is a factor solely attributable to the STU/ CTU/ transmission licensee and is beyond the control of the Generator;

The above shall be treated as delays beyond the control of the Generator and such Projects shall be eligible for suitable time extension in their SCD'.

4. All other provisions of the said Guidelines remain unchanged.
5. This Issues with approval of the Competent Authority.



23.7.21
(Dr. Prabir Kumar Dash)
Scientist - D

To,

1. All Concerned
2. NIC Cell for uploading in the website

Copy to:

1. PS to Hon'ble Minister, NRE
2. Sr. PPS to Secretary
3. PPS to JS (DDJ).
4. Shri Ganesh Srinivasan, Chief Executive Officer, Tata Power Delhi, Distribution Ltd. (TP-DDL, NDPL House, Hudson Lines, Kingsway Camp, Delhi - 110009).


23.7.21.

**No. 238/78/2017-Wind
Government of India
Ministry of New & Renewable Energy
(Wind Energy Division)
CGO Complex, Block No.14, Lodhi Road, New Delhi - 110003**

Dated: 9th March, 2022

OFFICE MEMORANDUM

Subject: Amendment in the 'Guidelines for Tariff Based Competitive Bidding Process for procurement of power from Grid Connected Wind Solar Hybrid Projects' issued dated 14.10.2020 and amended on 23.07.2021 - Reg.

Reference is invited to the 'Guidelines for Tariff Based Competitive Bidding Process for procurement of power from Grid Connected Wind Solar Hybrid Projects' issued by this Ministry vide OM of even no. dated 14.10.2020 and subsequently amended on 23.07.2021.

2. In this regard, it is hereby conveyed that the 'Guidelines for Tariff Based Competitive Bidding Process for procurement of power from Grid Connected Wind Solar Hybrid Projects' stand amended as under:

2.1 Clause no. 4 (a) shall be read as under:

Procurer(s): The term 'Procurer(s)', as the context may require, shall mean the distribution licensee(s), or their Authorized Representative, or an Intermediary Procurer.


2.2 A new Clause no. 4 (c) shall be inserted after 4 (b), as under:

Authorized Representative of the Procurer(s): In cases, where the distribution licensee(s), authorize(s) any agency to carry out the tendering / bidding process on its behalf then the agency will be responsible for fulfilling all the obligations imposed on the 'Procurer(s)' during the bidding phase, in accordance with these Guidelines.

2.3 Clause no. 17.3 shall be read as under:

'17.3. Commissioning Schedule:

(i) The Projects shall be commissioned by the Scheduled Commissioning Date (SCD), which will be the date as on 24 (twenty four) months from the date of execution of the PPA or PSA, whichever is later. Subject to clause no. 8.6 of these Guidelines, delay in commissioning, beyond the Scheduled Commissioning Period shall involve penalties, on the Hybrid Power Generator, as detailed below:




a) For Delay in commissioning upto 6 (six) months from SCD, encashment of Performance Bank Guarantee (PBG) on per day basis and proportionate to the capacity not commissioned.

b) For Delay in commissioning beyond six months from SCD, Generator Event of Default, as per clause 8.8.1 of these Guidelines, shall be considered to have occurred and the contracted capacity shall stand reduced to the project capacity commissioned upto SCD + 6 (six) months. The PPA for the balance capacity not commissioned shall be terminated.

(ii) It may be noted that commissioning / part commissioning of the Project will not be declared until the Generator demonstrates possession of land in line with Clause 6.2.(a) above, in addition to the other conditions as established by the Procurer / Intermediary Procurer. For part commissioning portion of land on which the part of the project is commissioned should be with Generator in accordance with clause 6.2(a).

(iii) It is presumed that the tariff will be adopted by the Appropriate Commission within 60 days of such submission. However, notwithstanding anything contained in these Guidelines, any delay in adoption of tariff by the Appropriate Commission, beyond 60 (sixty) days, shall entail a corresponding extension in scheduled commissioning date.

3. All other provisions of the said Guidelines remain unchanged.
4. This issues with approval of the Competent Authority.


(Dr. Rahul Rawat)
Scientist - C

To,

1. All Concerned.
2. NIC Cell for uploading in the website

Copy to:

1. PS to Hon'ble Minister
2. Sr. PPS to Secretary
3. PPS to JS (DDJ)



Annexure II (a)

AMENDED/REVISED

REQUEST FOR SELECTION (RfS)

**FOR PURCHASE OF POWER THROUGH COMPETITIVE BIDDING
PROCESS FOLLOWED BY REVERSE E-AUCTION] FROM 500 MW GRID
CONNECTED RE PROJECTS WITH ASSURED PEAK POWER SUPPLY
ALONG WITH ENERGY STORAGE SYSTEM (ESS) LOCATED
ANYWHERE IN INDIA.**

**RfS No. GUVNL / 500 MW / RE with ESS (Phase XV) dated 14.06.2022
(Tender Search Code @: GUVNL-2022-TN000010)**

ISSUED BY

**GUJARAT URJA VIKAS NIGAM LTD
SARDAR PATEL VIDYUT BHAVAN, RACE COURSE VADODARA-390007
TEL No. 0265-2340289, 0265-2310582 / 83 /84 / 85/ 86
WEBSITE: WWW.GUVNL.COM**

DISCLAIMER

1. Though adequate care has been taken while preparing the RfS document, the bidder(s) shall satisfy themselves that the document is complete in all respect. Intimation regarding any discrepancy shall be given by the prospective bidders to the office of GUVNL immediately. If no intimation is received from any bidder within **15 (Fifteen) days from the date of issuance of RfS documents**, it shall be considered that the document is complete in all respect and has been received/ acknowledged by the bidder(s).
2. Gujarat Urja Vikas Nigam Limited (GUVNL) reserves the right to modify, amend or supplement this RfS document including the draft PPA.
3. While this RfS document has been prepared in good faith, and on best endeavor basis, neither GUVNL nor their employees or advisors make any representation or warranty, express or implied, or accept any responsibility or liability, whatsoever, in respect of any statements or omissions herein, or the accuracy, completeness or reliability of information, and shall incur no liability under any law, statute, rules or regulations as to the accuracy, reliability or completeness of this document, even if any loss or damage is caused by any act or omission on their part.
4. This RfS is not an agreement and is neither an offer nor invitation to the prospective bidders or any other person. The purpose of this RfS is to set the terms for the selection process and to provide Bidders with information that may be useful to them in preparation and submission of their Bids.
5. The bidder shall bear all its costs associated with or relating to the preparation and submission of its bid, including but not limited to preparation, copying, postage, delivery fees or any other costs incurred in connection with or relating to its bid. All such costs and expenses will remain with the bidder and the authority shall not be liable in any manner whatsoever for the same or for any other costs or other expenses incurred by a bidder in preparation of submission of the bid, regardless of the conduct or the outcome of the bidding process.

Place: Vadodara

Date: 14-06-2022

Bid Information Sheet

Document Description	RfS Document for purchase of power through competitive bidding process (followed by reverse e-auction) from 500 MW RE projects with assured Peak power supply along with Energy Storage System (ESS)Phase XV)
RfSNo.&Date	GUVNL / 500 MW / RE withESS(Phase XV) dated 14.06.2022
Downloadingoftenderdocuments	From 14.06.2022
Pre-bid Conference / Clarification Meeting	Bidders interested to participate in the pre-bid meeting are required to get themselves registered on or before 30.06.2022 by sending an email to aocom.guvnl@gebmil.com with name, designation and mobile numbers of persons interested to participate. Further, Interested Bidders are requested to forward their queries (if any) to GUVNL through email / letter on or before 30.06.2022. The pre-bid meeting is scheduled on 11.07.2022 through video conferencing. GUVNL will forward the link of video conferencing to registered bidders on the email address registered with GUVNL. Any clarification and/or revision in the Tender Documents i.e. RfS& PPA shall be uploaded on GUVNL's website and https://www.bharat-electronictender.com BiddingPortal.
Last Date&Timefor a) OnlineSubmissionof Responseto RfS ("Bid Deadline")fand b) Alldocumentsas perSection 4.23(A)physicallyatGUVNL office,Vadodara	a) Online Submission - Date:30.07.2022 Time: 5:00PM ("Bid Deadline") b) Offline Submission - Date :02.08.2022Time: 5:00 PM

Technical Bid Opening	Date :03.08.2022Time : 11.00AM
Financial Bid Opening and Reverse e-auction	Date :10.08.2022Time : 11.00 AM followed by Reverse Auction Process Intimation of Reverse e-auction will be conveyed to eligible bidders on e-bidding portal on the same day.
Cost of RfS Document (non-refundable)	Rs.25,000/- plus 18% GST to be submitted , online i.e. through NEFT / RTGS mandatorily the details of which shall be mentioned in Electronic Form on e-bidding portal. For reference, the details of GUVNL are as under:- Name of Bank – STATE BANK OF INDIA Bank Account No. – 10565103714 IFSC CODE - SBIN0001946 GST No. : 24AACCG2861L1ZK PAN: AACCG2861L
Processing Fee (non-refundable)	Rs. 3 Lakhs plus 18% GST, to be submitted , online i.e. through NEFT / RTGS mandatorily the details of which shall be mentioned in Electronic Form on e-bidding portal Name of Bank – STATE BANK OF INDIA Bank Account No. – 10565103714 IFSC CODE - SBIN0001946 GST No -24AACCG2861L1ZK PAN -AACCG2861L
EMD	<u>Earnest Money Deposit @ Rs.10 Lakh/MW</u> to be submitted in the form of Bank Guarantee along with the Response to RfS. Bank details of GUVNL for Structured Financial Messaging System (SFMS) Confirmation regarding issuance of BG are as under: Name of Bank – State Bank of India Bank Account No. – 10565103714 IFSC Code - SBIN0001946 The SFMS confirmation for issuance of BG shall be forwarded to GUVNL on aocom.guvnl@gebmail.com
Name, Designation, Address and other details (For Submission of Response to RfS)	Sailaja Vachhrajani General Manager (RE&IPP) Gujarat Urja Vikas Nigam Ltd

	Sardar Patel VidyutBhavan, Race Course, Vadodara-390007 Tel No. 0265-2340289, 0265-2310582 / 83 / 84 / 85 / 86 Website-www.guvnl.com
Details of persons to be contacted incase of any assistance is required from GUVNL.	1) Sailaja Vachhrajani General Manager (RE &IPP) Phone No: +919879200656 Email ID: gmipp.guvnl@gebmil.com 2) Parthik Joshi Dy Chief Accounts Officer (Solar) Phone No: +919979536445 Email ID: aocom.guvnl@gebmil.com 3) Amitkumar H. Chavda Deputy Engineer Phone No: +918238034977 Email ID: decom.guvnl@gebmil.com
Important Note: Prospective Bidders are requested to remain updated for any notices/amendments/clarifications etc. to the RfS document through the websites www.guvnl.com and https://www.bharat-electronictender.com. No separate notifications will be issued for such notices/amendments/clarifications etc. in the print media or individually.	

For conducting the e-bidding, GUVNL is using the portal <https://www.bharat-electronictender.com>, (e-bidding Portal). Bidders may register themselves online with the portal service provider (if they are not already registered), as 'Supply organization/ Bidder', by paying 'Buyer-specific Annual Portal Registration Fee' to the portal service provider, through the payment gateway facility of the E-bidding Portal as indicated in the e-bidding Portal, and subsequently download the RfS and other Bid Documents from the E-bidding Portal.

It is further clarified that in case a Bidder intends to participate in tenders published by any other organization(s) on the E-bidding Portal, the 'Annual Portal Registration Fee' payable shall be as indicated in the E-bidding Portal.

A Bidder, who is already validly registered on the E-bidding Portal need not register again on the E-bidding Portal.

Additionally, prior to the submission of the Proposal, Bidders are required to pay online non-refundable ETS bidding fee as indicated in the e-bidding Portal through the payment gateway facility on the E-bidding Portal.

Further, after opening of Financial Bids, the Bidders who are qualified for e-reverse auction will get intimation through email from the E-Bidding portal. Within the time period stipulated

in the email, the qualified Bidders shall have to make payment of requisite fees as indicated in the e-bidding Portal to the Portal for participation in Reverse e-auction and have to undertake necessary activities / procedures online at e-bidding portal for user authorization etc for participating in the Reverse e-auction by logging into e-bidding portal. The bidders are expected to make themselves familiar with the above procedures well in advance in consultation with the portal service provider.

Section 1: Introduction

1.1 Introduction

- 1.1.1 GujaratUrjaVikas Nigam Ltd (hereinafterreferred to as "GUVNL") is a company incorporated under the Companies Act 1956 and is the successor of erstwhile Gujarat Electricity Board (GEB) and also the holding company of other reorganized functional entities of the GEB. GUVNL and is performing the functions of bulk purchase and bulk sale of power, assigned as per the re-organization scheme notified by the Government of Gujarat.
- 1.1.2 In order to fulfil the renewable power purchase obligation (RPPO), Energy Storage Obligation (ESO) as notified from time to time and to meet the future requirements of Discoms, with the intention of getting sustained peak power GUVNL intends to hold a tariff based competitive bidding process and procure RE power with ESS Systems up to capacity of 500 MW (Phase XV) [conducted through electronically facilitated online web based portal followed by reverse auction].
- 1.1.3 GUVNL has filed Petition No. 2098 of 2022 before the Hon'ble GERC for approval of deviations from Guidelines for tariff based competitive bidding process notified by Government of India for procurement of power from grid connected RE projects i.e. Wind or Solar or Wind-Solar Hybrid Projects. Hon'ble Commission vide daily order dated 09.06.2022 read with addendum order dated 13.06.2022 in the matter has allowed GUVNL to issue the tender documents subject to final decision and directives of the Hon'ble Commission. Therefore, the terms & conditions of this tender shall be subject to the Hon'ble Commission's orders in Petition No. 2098 of 2022.

1.2 Details of Power Procurement

- 1.2.1 The bidders selected by GUVNL based on this RfS, shall set up RE projects in accordance with the provisions of this RfS document and standard Power Purchase Agreement (PPA) which shall also be read as an integral part of this RFS. PPA format has been enclosed and can be downloaded from <https://www.bharat-electronictender.com>. Under this RfS, a Project shall comprise minimum two 'components' - one being the ESS component, and second the renewable energy generating component, which can be either a solar PV system, or a wind power system, or a wind-solar hybrid system.
- 1.2.2 Successful Bidder can opt for connectivity at STU or CTU Sub-station. A detailed indicative list providing tentative RE integration capacity (MW) of STU district wise / sub-station wise is available on GETCO's website and can be downloaded from https://www.getcogujarat.com/getco_news/reif.php; Bidders shall have to choose the location(s) and sub-station(s) for their proposed Project(s) from the above list as amended / updated by GETCO from time to time, in case the connectivity with STU is opted for. Availability of feeder bays

will be checked by GETCO after receipt of connectivity application from respective bidders. The successful bidders may declare the name(s) of proposed sub-station within 7 days from issuance of LOI by GUVNL to GETCO to decide priority to be given to such successful bidders for granting connectivity which shall be done on L1 priority basis and no changes shall be allowed by GETCO after such declaration and selection of sub-station within 7 days based on L1 priority. The successful bidders may choose to declare the name of sub-station after the above time period of 07 days and the connectivity application in such cases will be processed on first come first serve basis by GETCO and change in location / sub-station may be allowed as per the provisions of PPA.

If the Bidders opt for connecting its power station and facilities to an Inter State Transmission System, the Delivery Point / Interconnection Point for the purposes of this would be binding as per the PPA to be executed with the selected bidder and shall be at the point or points of connection at which Electricity is delivered into the Grid System of the GETCO. GUVNL shall not bear interstate transmission charges and losses for the energy procured during the term of the PPA.

All expenses, including transmission and wheeling charges and losses between the Project and the Delivery Point including on account of any change in law event, shall be paid by the Power Producer without any reimbursement by GUVNL.

All expenses including wheeling charges and losses in relation to the transmission and distribution beyond and after the Delivery Point shall be borne by GUVNL except in case of Combination D wherein the mechanism of sharing of transmission charges and losses between the project developer and GUVNL shall be as under.

- (i) In case of Hybrid Power Plants with Combination D, incremental transmission charges due to multiple interconnection points of the project i.e. **transmission charges for the transmission / LTA / GNA quantum in excess of PPA capacity / contracted capacity**, shall be borne by the project developer irrespective of the delivery point.
- (ii) It is further clarified that in case of Combination D, the transmission charges in relation to the transmission of power beyond and after the delivery point **for the transmission / LTA / GNA quantum corresponding to PPA capacity / contracted capacity** shall be borne by GUVNL.
- (iii) Moreover, the transmission losses upto delivery point shall be borne by the project developer and after delivery point shall be borne by GUVNL.

- (iv) For example, if a HPP with contracted capacity of 100 MW under Combination D, being set up with a solar component of 90 MW with ESS and wind component of 60 MW with or without ESS, is interconnected with the CTU grid at two separate interconnection points, the developer of such project shall be required to bear the CTU transmission charges of 150 MW capacity upto Delivery Point and GETCO transmission charges of 50 MW capacity after Delivery Point whereas GUVNL shall bear GETCO transmission charges of 100 MW capacity after Delivery Point.

1.2.3 GUVNL shall enter into PPA with successful bidders for the term of the PPA as defined in and as per the draft PPA. The bidders will be free to avail fiscal incentives like Accelerated Depreciation, Concessional Customs and Excise Duties, Tax Holidays, benefits from trading of carbon credits, etc. as available for such projects. The same will not have any bearing on comparison of bids for selection. As equal opportunity is being provided to all bidders at the time of tendering itself, it is upto the bidders to avail various tax and other benefits. No claim shall arise on GUVNL for any liability if bidders are not able to avail fiscal incentives for any reason and this will not have any bearing on the applicable tariff.

1.3 Eligible Projects

- 1.3.1 The Projects selected under this tender shall, deploy Solar PV Technology and / or Wind Power Technology along with required Energy Storage System. However, the selection of projects would be technology agnostic within the technology mentioned above. For Solar PV Technology, Crystalline silicon or thin film etc., with or without trackers can be installed. In order to ensure that quality systems are installed for Solar Power, the equipment used in the project shall comply with MNRE's "Approved List and Manufacturers of Solar PV Modules (Requirements for Compulsory Registration) Order, 2019" and List(s) thereunder as amended from time to time prior to actual commissioning of the Project. In order to ensure that quality systems are installed for Wind Power Technology, the type certified wind turbine models listed in Revised List of Models and Manufacturers (RLMM) of Wind Turbines prepared by MNRE will only be allowed. Only commercially established and operational technologies can be used, to minimize the technology risk and to achieve the timely commissioning of the Projects.
- 1.3.2 Projects having untied capacity shall also be eligible to submit the bid under this RFS.
- 1.3.3 RE Projects will also be allowed to be set up in the existing Wind Farm which is already connected to the grid subject to availability of spare capacity for RE integration at corresponding GETCO / CTU substation and subject to

compliance of Section 4.8& Section 1.2.2 of the RFS and also subject to GETCO / CTU's concurrence for utilizing the connectivity granted to Wind Farms.

SECTION 2:DEFINITIONS

Section 2: Definitions

The Expression defined and dealt in the Draft PPA attached to this RfS as a part of the Tender Document and used in this RfS shall have the same meaning for the purposes of this RfS. Following terms used in the document will carry the meaning and interpretations as described below, unless the context otherwise requires:

"ACT" or "ELECTRICITY ACT, 2003" shall mean the Electricity Act, 2003 and include any modifications, amendments and substitution from time to time;

"AFFILIATE" shall mean a company that, directly or indirectly,

- i. controls, or
- ii. is controlled by, or
- iii. is under common control with, a company developing a Project or a Member in a Consortium developing the Project and control means ownership, directly or indirectly, of more than 50% (fifty percent) of the voting shares of such company or right to appoint majority Directors;

"APPROPRIATE COMMISSION" shall mean as defined in the PPA;

"BIDDER" shall mean Bidding Company (including a foreign company) or a Bidding Consortium submitting the Bid. Any reference to the Bidder includes Bidding Company/ Bidding Consortium, Member of a Bidding Consortium including its successors, executors and permitted assigns and Lead Member of the Bidding Consortium jointly and severally, as the context may require; foreign companies participating in the bidding process shall be registered as companies as per the rules of their country of origin;

"BIDDING CONSORTIUM" or "CONSORTIUM" shall refer to a group of Companies that collectively submit the response in accordance with the provisions of this RfS under a Consortium Agreement;

"CAPACITY UTILIZATION FACTOR (CUF)" shall have the same meaning as provided in CERC (Terms and Conditions for Tariff determination from Renewable Energy Sources) Regulations, 2009 as amended from time to time; For illustration, the CUF shall be calculated based on the annual energy injected and metered at the Delivery Point. In any Contract Year, if 'X' MWh of energy has been metered out at the Delivery Point for 'Y' MW Project capacity, $CUF = (X \text{ MWh} / (Y \text{ MW} * 8760)) * 100\%$;

"CERC" shall mean Central Electricity Regulatory Commission;

"CENTRAL TRANSMISSION UTILITY (CTU)" shall mean the Central Transmission Utility as defined in Sub-Section (1) of Section 38 of the Electricity Act, 2003;

"CHARTERED ACCOUNTANT" shall mean a person practicing in India or a firm whereof all the partners practicing in India as a Chartered Accountant(s) within the meaning of the Chartered Accountants Act, 1949.

For bidders incorporated in countries other than India, "Chartered Accountant" shall mean a person or a firm practicing in the respective country and designated/ registered under the corresponding Statutes/ laws of the respective country;

"COMPANY" shall mean a body corporate incorporated in India under the Companies Act, 2013 or any law in India prior thereto relating to Companies, as applicable;

"COMMISSIONING" with respect to the Project as certified by GEDA shall mean when all equipment as per rated capacity has been installed and energy has flown into the grid, in line with the Commissioning procedures defined in the RfS/ PPA and upon certification of commissioning by GEDA;

"COMMERCIAL OPERATION DATE (COD)" shall be the date certified by GEDA upon successful commissioning of the full Project Capacity or the last part capacity of the Project as the case may be;

"CONTRACTED CAPACITY" shall mean the AC capacity in MW contracted with GUVNL for supply by the HPD to GUVNL at the Delivery Point from the Hybrid Power Project;

"CONTRACT YEAR" shall mean the period beginning from the Effective Date and ending on the immediately succeeding 31st March and thereafter each period of 12 months beginning on 1st April and ending on 31st March provided that:

- (a) in the financial year in which the Scheduled Commissioning Date would occur, the Contract Year shall end on the date immediately before the Scheduled Commissioning Date and a new Contract Year shall commence once again from the Scheduled Commissioning Date and end on the immediately succeeding 31st March, and thereafter each period of 12 (Twelve) Months commencing on 1st April and ending on 31st March, and
- (b) provided further that the last Contract Year of this Agreement shall end on the last day of the Term of this Agreement or on Termination of this Agreement whichever is earlier;

"CONTROL" shall mean the ownership, directly or indirectly, of more than 50% (fifty percent) of the voting shares of such Company or right to appoint majority Directors;

"CONTROLLING SHAREHOLDING" shall mean not less than 51% of the voting rights and paid up share capital in the Company/ Consortium;

"DAY" shall mean calendar day;

"DELIVERED ENERGY" in case of projects connected with STU grid shall mean energy actually fed and measured by the energy meters at the Delivery Point as certified by Gujarat SLDC in State Energy Account as per provisions of PPA and in case of projects connected with CTU grid shall mean the energy scheduled at the Delivery Point as certified by Gujarat SLDC in State Energy Account in accordance with provisions of PPA, based on energy certified by the Regional Power Committee under Regional Energy Account.

In case of import of energy from the grid, the successful bidder shall be required to make payment to GUVNL at the rate of HT Temporary Tariff as determined by GERC from time to time. In case of

export of energy, the Successful Bidder shall be eligible for receiving agreed tariff from GUVNL for such delivered energy provided the energy is supplied in peak and off-peak period in the manner defined in this RFS. Following points shall also form part of this definition.

(i) In case, the project is installed in existing Wind Farm and connected to the grid through its Pooling Station as per Section 1.3.3, the delivered energy shall be arrived at by deducting the below mentioned normative transmission losses between Pooling Station and GETCO's receiving sub-station from the energy recorded at Pooling Station. The normative losses for lines of different voltages to be considered for the purpose of deriving delivered energy for the Projects connected to GETCO / STU shall be as under:-

66 KV Level: 0.90 %
132 KV Level: 0.75 %
220 KV Level: 0.60 %

(ii) In case, the project is connected through CTU Network, then all transmission charges and losses upto Delivery Point shall be to the account of the Successful Bidder. Additionally, the mechanism of sharing of transmission charges and losses stipulated under Section 1.2.2 of the RFS shall also be applicable. No change in charges / losses of CTU shall be covered under Change in Law;

"DELIVERY POINT / INTERCONNECTION POINT" shall be the point or points of connection at which Electricity is delivered into the Grid System of the GETCO; All expenses including transmission & wheeling charges and losses between the Project and the Delivery Point shall be paid by the Power Producer without any reimbursement by GUVNL. Expenses including wheeling charges and losses in relation to the transmission and distribution beyond the Delivery Point shall be borne by GUVNL as per the mechanism stipulated under Section 1.2.2 of the RFS."

"DISCOM(s)" means one or more of the following distribution companies:

- a) Madhya Gujarat Vij Company Limited,
- b) Dakshin Gujarat Vij Company Limited
- c) Uttar Gujarat Vij Company Limited, and
- d) Paschim Gujarat Vij Company Limited

"ELECTRICITY" shall mean the electrical energy in kilowatt-hours;

"ELECTRICITY LAWS" shall mean the Electricity Act, 2003 and the relevant rules, notifications, and amendments issued thereunder and all other Laws in effect from time to time and applicable to the development, financing, construction, ownership, operation or maintenance or regulation of electric generating companies and Utilities in India, the rules, regulations and amendments issued by CERC/ GERC from time to time;

"EFFECTIVE DATE" shall mean the date of signing of PPA, which shall be indicated in the Power Purchase Agreement (PPA) executed by both the parties;

"ENERGY STORAGE SYSTEMS" or "ESS" shall mean the system(s) installed in addition to the solar PV and/or wind power capacity as part of the Project, that can capture energy produced at one time for use at a later time;

"EQUITY" shall have the meaning as defined in Companies Act, 2013;

"FINANCIAL CLOSURE" or "PROJECT FINANCING ARRANGEMENTS" means arrangement of necessary funds by the Hybrid Power Developer either by way of commitment of funds by the Company from its internal resources and/or tie up of funds through a bank/ financial institution by way of sanction of a loan or letter agreeing to finance;

"FINANCING DOCUMENTS" shall mean the agreements and documents entered/to be entered into between the bidder and the Financing Parties relating to the financing of the Project.

"FINANCING PARTIES" means Parties financing the Project, pursuant to Financing Documents.

"GUIDELINES" shall mean the "Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects" issued by the Ministry of Power vide Resolution dated 03.08.2017 including subsequent amendments and clarifications thereof, along with the "Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Wind Power Projects" issued by the Ministry of Power vide Resolution No. 23/54/2017-R&R dated 08.12.2017, including subsequent amendments and clarifications thereof, and the Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Wind Solar Hybrid Projects issued by the Ministry of New & Renewable Energy vide O.M. dated 14.10.2020, including subsequent amendments and clarifications thereof;

"GERC" shall mean Gujarat Electricity Regulatory Commission.

"GROUP COMPANY" of a Company means

- (a) a Company which, directly or indirectly, holds 10% (Ten Percent) or more of the share capital of the Company or;
- (b) a Company in which the Company, directly or indirectly, holds 10% (Ten Percent) or more of the share capital of such Company or;
- (c) a Company in which the Company, directly or indirectly, has the power to direct or cause to be directed the management and policies of such Company whether through the ownership of securities or agreement or any other arrangement or otherwise or;
- (d) a Company which, directly or indirectly, has the power to direct or cause to be directed the management and policies of the Company whether through the ownership of securities or agreement or any other arrangement or otherwise or;
- (e) a Company which is under common control with the Company, and control means ownership by one Company of at least 10% (Ten Percent) of the share capital of the other Company or power to direct or cause to be directed the management and policies of such Company whether through the ownership of securities or agreement or any other arrangement or otherwise;

Provided that a financial institution, scheduled bank, foreign institutional investor, Non-Banking Financial Company, and any mutual fund, pension funds and sovereign funds shall not be deemed to be Group Company, and its shareholding and the power to direct or cause to be directed the management and policies of a Company shall not be considered for the purposes of this definition unless it is the Project Company or a Member of the Consortium developing the Project;

"HYBRID POWER PLANT or HYBRID POWER PROJECT (HPP)" shall mean the development of system of generation of power with one of the following combinations. **Combination A** - Wind Power Project with co-located energy storage system or **Combination B** - Solar PV Project with co-located Energy Storage System or **Combination C** - Wind-Solar Hybrid Power Project with co-located energy storage system or **Combination D** - Generation and blending of power from separate Wind and/or Solar and/or Wind-Solar Hybrid sources along with ESS connected with the Grid at more than one interconnection points wherein installation of ESS is mandatory. The developer of "Hybrid Power Plant / Project" shall establish a dedicated line at its own cost for evacuation of power up to receiving end sub-station of the grid where the Project Developer desires to inject power in the grid where connectivity is granted.

"Installed Capacity" shall mean the rated capacity of the Project at the generating terminal(s). It is clarified that arithmetic summation of the rated capacities of Wind and/or Solar PV components of the Project can be more than the Contracted Capacity. It is further clarified that the summation of generation schedule of RE Projects and Power from ESS cannot be more than the Contracted Capacity in any time block.

"LEAD MEMBER OF THE BIDDING CONSORTIUM" or "LEAD MEMBER": There shall be only one Lead Member, having the shareholding of not less 51% in the Bidding Consortium which cannot be changed till 1 year after the Commercial Operation Date (COD) of the Project;

"LETTER OF INTENT" or "LOI" shall mean the letter issued by Gujarat UrjaVikas Nigam Limited (GUVNL) to the selected Bidder intending to award of the Project subject to adoption of tariff under Section 63 by Gujarat Electricity Regulatory Commission;

"LIMITED LIABILITY PARTNERSHIP" or "LLP" shall mean a Company governed by Limited Liability Partnership Act 2008 or as amended;

"LLC" shall mean Limited Liability Company;

"MEMBER IN A BIDDING CONSORTIUM" or "MEMBER" shall mean each Company in a Bidding Consortium; In case of a Technology Partner being a member in the Consortium, it has to be a Company;

"Metering Point" shall mean the point at which energy shall be measured for supply to GUVNL and shall be the interconnecting bus bar of the GETCO / CTU substation.

In case of Projects to be set up in an existing Wind Farm and proposed to be interconnected to the grid through a common pooling sub-station, the power generated from Wind and Solar Projects shall be injected and measured separately at the pooling station and the successful bidder shall have to install separate ABT compliant meters at pooling station for this purpose;

"MONTH" shall mean calendar month;

"NET-WORTH" shall mean the Net-Worth as defined section 2 of the Companies Act, 2013;

"Normative CUF" shall be the % CUF as defined in the PPA.

"OFF-PEAK HOURS" shall mean the energy scheduling hours between (& including) 09:00hrs up to 18:00 hrs and the hours between (& including) 00:00hrs up to 05:00hrs of the subsequent day;

"OFF-PEAK POWER" shall mean the power supplied during Off-Peak Hours;

"OFF-PEAK TARIFF" shall mean the tariff payable to the HPD for energy supplied during the Off-Peak Hours;

"PAID-UP SHARE CAPITAL" shall mean the paid-up share capital as defined in Section 2 of the Companies Act, 2013;

"Part Commissioning" shall mean a part of the Project Capacity (AC MW) commissioned as per clause 4.16(a) under Section 4 and provisions of PPA;

"PARENT" shall mean a Company, which holds not less than 51% equity either directly or indirectly in the Project Company or a Member in a Consortium developing the Project;

"PEAK HOURS" shall mean the energy scheduling hours between (& including) 05:00hrs up to 09:00 hrs, and between (& including) 18:00hrs to 24:00 hrs of the same day. For the purpose of scheduling, a 'day' shall commence from 00:00 hrs and end at 24:00 hrs;

"PEAK POWER" shall mean the power supplied from the Project during Peak Hours;

"PEAK TARIFF" shall mean the tariff payable to the HPD for energy supplied during the Peak Hours as per the dispatch schedule confirmed by the Discom / GUVNL / SLDC, applicable to supply of energy limited to 300 MWh (along with permissible additional limit of 20% as per PPA) within a time period of 24 hours, for each 100 MW Contracted Capacity;

"Performance Bank Guarantee" shall mean the irrevocable unconditional bank guarantee to be submitted by the successful bidder as per Section 4.12;

"PLANT" or "PROJECT" shall mean the new renewable energy based power generation facility, including ESS, having single or multiple point(s) of injection into the grid at Interconnection/ Delivery/ Metering Point, having separate control systems and metering. The Project may include Solar PV and/or Wind power generation units, including auxiliaries and associated facilities, bay(s) for transmission system in the Project switchyard, dedicated transmission line up to the Delivery Point and all the other assets, buildings/structures, equipment, plant and machinery, facilities and related assets required for the efficient and economic operation of the power generation facility, whether completed or at any stage of development and construction or intended to be developed and constructed for the purpose of supply of power to GUVNL. It may be noted that the ESS may be co-located with RE generation plants as per Combination A, B & C or may be set up at a different location as per Combination D, to be considered as a part of the Project. In case the Project comprises both wind and solar power generation components interconnected with grid through a single interconnection point, it shall be denoted as a "Wind-Solar Hybrid Power Project" as per its definition;

It is further clarified that an ESS charged using a source other than RE power would not qualify as RE power. Further, the ESS capacity offered with a Project under this tender shall only be charged through the RE power capacity set up under this tender. It must be noted that in case the ESS is charged from non-RE power, such ESS will be construed to be the non-RE component. ESS capacity other than aforementioned capacity could be charged with RE / Non-RE power subject to provisions of this Agreement and other applicable laws and regulations. The ESS capacity charged with RE power of this tender cannot be utilized for supply to any third party without the consent of GUVNL. The HPD shall be allowed to supply power from ESS in excess of the ESS capacity Contracted under this tender, to any third party or power exchange without requiring GUVNL's consent.

"POOLING SUBSTATION" shall mean a point where more than one Project may connect to a common Transmission System. Multiple Projects can be connected to a pooling substation from where common transmission system shall be constructed and maintained by the HPD(s) to get connected to the GETCO substation. Interconnection voltages and metering shall be governed as per applicable Regulations. Accordingly, if interconnection is at 66 KV voltage level, the metering will be allowed by GETCO at 66 KV voltage level subject to applicable regulations. In case of Projects to be set up in an existing Wind Farm and proposed to be interconnected to the grid through a common pooling sub-station, the power generated from Wind and Solar Projects shall be injected separately through independent dedicated lines and measured separately as per the extant rules and regulations and the successful bidder shall have to install separate ABT compliant meters (Main + Check) at pooling station for this purpose over and above the Main meters (Main + Check) installed at GETCO end;

"PPA" shall mean the Power Purchase Agreement signed between the selected bidder or its SPV and GUVNL according to the terms and conditions of the Draft PPA enclosed with this RfS;

"PROJECT DEVELOPER" or "DEVELOPER" or "HYBRID POWER DEVELOPER (HPD)" shall also mean the Bidding Company or a Bidding Consortium participating in this bid and having been

selected and allocated a contracted capacity by GUVNL through a competitive bidding process, including the SPV formed by the selected bidder/ consortium for the purpose of setting up of project and signing of PPA with GUVNL;

"Project Site" means any and all parcels of real property, right-of-way, easements and access roads, upon which the Project and its related infrastructure will be located;

"Project Capacity" shall mean the maximum AC capacity of the Project at the point(s) of injection on which the Power Purchase Agreement has been signed.

"PROJECT COMMISSIONING": The Project will be considered as commissioned by GEDA if all equipment as per rated Contracted Capacity has been installed and energy has flown into grid, in line with the Commissioning procedures defined in the RfS/ PPA and upon certification of commissioning by GEDA;

"RfS" or "RfS DOCUMENT" or "BIDDING DOCUMENT(S)" shall mean the 'Request for Selection' document issued by GUVNL including standard Power Purchase Agreement along with all attachments; clarifications and amendments thereof vide RfS No. **GUVNL / 500 MW / RE with ESS (Phase XV) dated 14.06.2022;**

"RE Project" shall mean Solar PV Project or Wind Power Project or Wind-Solar Hybrid Power Project or system of combined generation / blending of Wind and Solar Projects in a single PPA"

"SCHEDULED COMMERCIAL OPERATION DATE" or "SCOD" shall be the date as declared by the Successful Bidder in the PPA which shall not exceed **24 (twenty four) months** in case of Wind-Solar Hybrid Project with ESS (Combination C) as well as for blending of Wind and Solar Generation (Combination D) and **18 (eighteen) months** from the date of execution of the PPA in case of Wind (Combination A) or Solar (Combination B) Project with ESS;

"SEA" means the State Energy Account issued by State Load Dispatch Centre, Gujarat and amendment thereto;

"SELECTED BIDDER" or "SUCCESSFUL BIDDER" shall mean the Bidder selected pursuant to this RfS to set up the Project and reverse e-auction, if any, conducted thereunder for supply electrical output as per the terms of PPA;

"SLDC" means the State Load Dispatch Center as notified by the State Government;

"SOLAR PV PROJECT" shall mean the Solar Photo Voltaic Power Project that uses sunlight for direct conversion into electricity through Photo Voltaic Technology;

"STU or "State Transmission Utility" or "GETCO" shall mean the Gujarat Energy Transmission Company Limited (GETCO).

"SUB-POOLING SUBSTATION" shall mean the intermediate pooling point where power from the Solar and/or Wind Project components, along with the Energy Storage System (ESS) in a Wind-Solar Hybrid Project is injected into and from where the power is evacuated through a single transmission line and injected into the grid / Interconnection Point. It should be noted that this point shall be prior to the Metering Point of the Project;

"TOE" shall mean Tender Opening Event;

"ULTIMATE PARENT" shall mean a Company, which owns not less than fifty-one percent (51%) equity either directly or indirectly in the Parent and Affiliates (It is to clarify that the Parent or Ultimate Parent or Affiliate of a bidder can be a foreign company);

"Voltage of Delivery" means the voltage at which the Electricity generated by the Project is required to be delivered to GUVNL and shall be in accordance with applicable regulations;

"WEEK" shall mean calendar week;

"WIND POWER PROJECT" means the wind power project that uses wind energy for conversion into electricity through wind turbine generator;

"WIND-SOLAR HYBRID POWER PROJECT" means the wind-solar hybrid power project where the rated power capacity of one resource is at least 33% of the rated power capacity of the other resource;

SECTION 3: **BID** INFORMATION AND INSTRUCTIONS TO BIDDERS

Section 3: Bid Information and Instructions to Bidders for

SELECTION OF PROJECT DEVELOPERS FOR SETTING UP OF 500 MW GRID CONNECTED RE PROJECTSWITH ASSURED PEAK POWERSUPPLY WITH ENERGY STORAGE SYSTEM (Phase-XV)

(SINGLE STAGE TWO ENVELOPE BIDDING)under e-Tendering

3.1 Obtaining RfS Document, Cost of Documents & Processing Fees

- 3.1.1 The RfS document can be downloaded from the website <https://www.bharat-electronictender.com>. A link of the same is also available at www.guvnl.com. Interested bidders have to download the official copy of RfS& other documents after logging into the website-Bidding Portal by using the Login ID & Password provided by portal service provider during registration (Refer Annexure – D).
- 3.1.2 The bidders shall be eligible to submit / upload their response to bid document only after logging into the <https://www.bharat-electronictender.com> and downloading the official copy of RfS.
- 3.1.3 Prospective Bidders interested to participate in the bidding process are required to submit their Project proposals in response to this RfS document along with a non-refundable processing fee as mentioned in the Bid Information Sheet. The bids submitted without cost of the RfS document and/or Processing Fee and/or Bank Guarantee against EMD, shall not be considered for the bidding and such bids shall not be opened by GUVNL.

3.2 Capacity Offered & Project Scope

3.2.1 Capacity

The selection of Grid-connected RE Power Projects with ESSfor total capacity contracts of 500 MW will be carried out through e-bidding followed by e-Reverse Auction process.

3.2.2 Minimum Capacity of Project:

The minimum project capacity / bid capacity shall be **50 MW for HPD having Combination B & C & D and 25 MW for HPD having Combination A** subject to the following further conditions.

- (1) Individual minimum size of project allowed is 50 MW at one site and a single bidder cannot bid for less than 50 MW in case of Combination C.
- (2) The rated power capacity of one resource (wind or solar) shall be at least **33%** of the total contracted capacity in case of Combination C.
- (3) Individual size of 5 MW and above at one site with minimum bid capacity of 25 MW shall be applicable in case of Combination A.

3.2.3 Project Scope:

The successful bidder shall set up RE Power Project with ESS including the transmission network up to the Delivery Point in line with Section 4.8, at its own cost and in accordance to the provisions of this RfS document. All approvals, permits and clearances required for setting up of the Project (including connectivity and land registration) and those required from State Government and local bodies shall be in the scope of the successful bidder. However, the selection of Projects would be technology agnostic within PV technology for Solar Power and crystalline silicon or thin film, etc. with or without Trackers can be installed ensuring compliance to MNRE's "Approved List and Manufacturers of Solar PV Modules (Requirements for Compulsory Registration) Order, 2019" and List(s) thereunder as amended from time to time and for Wind Power Technology to ensure that quality systems are installed, the type certified wind turbine models listed in Revised List of Models and Manufacturers (RLMM) of Wind Turbines prepared by MNRE will only be allowed. In order to ensure only quality systems are installed, the Bidders shall strictly comply with the technical parameters detailed in the Annexure –A or as specified by MNRE from time to time whichever is applicable.

3.2.4 With the objective to provide a framework for promotion of large grid connected wind-solar PV hybrid systems for optimal and efficient utilization of transmission infrastructure and land, reducing the variability in renewable power generation and achieving better grid stability, MNRE has issued the National Wind-Solar Hybrid Policy on 14.05.2018.

Further, Central Government has issued the following Guidelines

- (a) "Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects" vide Gazette Resolution dated 03.08.2017.
- (b) "Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Wind Power Projects", vide Resolution No. 23/54/2017-R&R dated 08.12.2017.

- (c) "Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Wind Solar Hybrid Projects" vide O.M. dated 14.10.2020, including subsequent amendments and clarifications thereof.

The above Guidelines have been issued under the provisions of Section 63 of the Electricity Act, 2003 for long term procurement of electricity by the 'Procurers', from grid-connected Solar, Wind and Wind-Solar-Hybrid Power Projects, through competitive bidding. This RfS document has been prepared in line with the above Guidelines, under the National Wind-Solar Hybrid Policy and after duly taking into consideration the deviations from MoP Guidelines approved by GERC from time to time. The above Guidelines shall be applicable for the respective combinations of Hybrid Power Project i.e. (A) Wind Power Project with co-located Energy Storage System (B) Solar PV Project with co-located energy storage system or (C) Wind-Solar Hybrid Power Project with co-located energy storage system or (D) Generation and blending of power from separate Wind and/or Solar and/or Wind-Solar Hybrid sources along with ESS, connected with the Grid at more than one interconnection points.

- 3.2.5 GUVNL wishes to invite proposals for setting up of grid connected RE (renewable energy based) Power projects on "Build Own Operate" (B-O-O) basis for an aggregate capacity of 500MW, along with assured Peak Power supply. GUVNL may enter into a Power Purchase Agreement (PPA) with the successful Bidder(s) selected based on this RfS for purchase of power for a period of 25 years based on the terms, conditions and provisions of the RfS and draft PPA. The project installation shall also be augmented with mandatory installation of Energy Storage Systems (ESS) with minimum rated capacity of the ESS being equal to 'X/2' MWh, where 'X' is the Contracted Capacity of the Project as per the PPA, in order to meet the above criteria of supply of power during the Peak Hours, which is the essence of this tender.

3.3 OVERVIEW OF THE RfS

- 3.3.1 Hybrid Power Developers (hereinafter referred to as HPDs) selected by GUVNL based on this RfS, shall set up Hybrid Power Projects on Build Own Operate (BOO) basis in accordance with the provisions of this RfS document and standard Power Purchase Agreement (PPA). The Draft PPA forms a part of the tender documents and can be downloaded from ISN-ETS portal <https://www.bharat-electronictender.com>.
- 3.3.2 GUVNL shall enter into PPA with HPDs for a period of 25 years from the date as per the provisions of PPA. Projects selected under this RfS shall be eligible for two-different tariffs. These shall be referred to as "Peak Tariff" and "Off-Peak Tariff" as defined in the RfS. Energy supplied during the Off-Peak Hours shall be eligible for a fixed tariff payment @ Rs. 2.57/kWh, i.e. the Off-Peak Tariff. Energy supplied during

the Peak Hours shall be purchased at the tariff discovered through e-Reverse Auction as per this RfS, i.e. the Peak tariff. The bidders shall quote only for the Peak tariff under this RfS. The Applicable Tariff under the PPA shall comprise both Peak and Off-Peak Tariffs, and shall be fixed for the entire term of the PPA.

The Bidders will be free to avail fiscal incentives like Accelerated Depreciation, Concessional Customs and Excise Duties, Tax Holidays etc. as available for such Projects. The same will not have any bearing on comparison of bids for selection. As equal opportunity is being provided to all bidders at the time of tendering itself, it is up to the bidders to avail various tax and other benefits. No claim shall arise on GUVNL for any liability if bidders are not able to avail fiscal incentives and this will not have any bearing on the applicable tariff. GUVNL does not however, give a representation on the availability of fiscal incentive and submission of bid by the bidder shall be independent of such availability or non-availability as the case may be of the fiscal incentives.

- 3.3.3 Bidders shall submit their bid by offering a single Peak Tariff for all the Projects quoted for, which shall be applicable for all the 25 years as per provisions of PPA.
- 3.3.4 Without prejudice to the rights of GUVNL to object to the assignment of the Projects by the Successful Bidders as provided in the PPA, if the Project is transferred or sold to a third party after initial lock-in period of 1 year after COD, the same shall be in accordance with the provisions of PPA.

3.4 SELECTION OF TECHNOLOGY & ELIGIBLE PROJECTS UNDER THIS RFS

- 3.4.1 The Projects to be selected under this RfS for aggregate capacity of 500 MW, must provide for deployment of Wind/Solar/Wind-Solar Hybrid Power Technology along with Energy Storage System (ESS) technologies. However, the selection of projects would be technology agnostic within the technology mentioned above. Only commercially established and operational technologies may be used, to minimize the technology risk and to achieve the timely commissioning of the Projects.

Energy Storage Systems (ESS): With respect to the ESS being used in the Project, the Bidder has the flexibility to choose the type and power rating of the energy storage system to be installed in addition to the Solar PV and/or wind power capacity. The ESS may include, but not be limited to, battery energy storage systems, pumped storage systems, mechanical and chemical systems, or combination thereof.

Note: Irrespective of the ESS technology being implemented in the Project, the HPD shall be responsible for minimum 6-hour Peak Power supply, on daily basis, during the Peak Hours, as elaborated in Section-4 Clause 4.10.2 of the RfS.

- 3.4.2 . Projects under construction.projects which are not yet commissioned or projects not having any contractual obligation / PPA with other buyers shall be allowed to participate in the tender, in case these projects are not already accepted under any other Central or State Schemes. The new projects being installed in existing Wind Farm or Solar Parks are permitted subject to terms mentioned in the RfS.

3.5 GUIDELINES FOR IMPLEMENTATION OF THE RfS

- 3.5.1 This RfS document has been prepared based on the "Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar PV Power Projects" and "Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Wind Power Projects", issued by Ministry of Power vide Gazette Resolutions dated 03.08.2017 and 08.12.2017 respectively, with subsequent amendments and clarifications thereof, and "Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Wind Solar Hybrid Projects", issued by Ministry of New & Renewable Energy vide O.M. dated 14.10.2020, including subsequent amendments and clarifications thereof. These guidelines and their elaborations/ clarifications form the basis for selection of new Projects under this RfS.

3.6 GENERAL

- 3.6.1 The complete RfS Documents are available at ISN-ETS portal <https://www.bharat-electronictender.com> as well as on GUVNL's website <http://www.guvnl.com> Interested bidders shall download the RfS Documents from the portal <https://www.bharat-electronictender.com> as per the provisions available therein.

- 3.6.2 Interested bidders have to necessarily register themselves on the portal <https://www.bharat-electronictender.com> through International Support Network-Electronic Tender Services (ISN-ETS), to participate in the bidding under this invitation for bids. It shall be the sole responsibility of the interested bidders to get themselves registered at the aforesaid portal for which they are required to contact M/s Electronic Tender Services (ETS), to complete the registration formalities. All required documents and formalities for registering on ETS are mentioned in the subsequent provisions.

For proper uploading of the bids on the portal namely <https://www.bharat-electronictender.com> (hereinafter referred to as the 'portal'), it shall be the sole responsibility of the bidders to apprise themselves adequately regarding all the relevant procedures and provisions as detailed in the portal as well as by contacting the portal service provider directly, as and when required, for which contact details are

also mentioned in the RFS at Annexure D. GUVNL in no case shall be responsible for any issues related to timely or properly uploading/ submission of the bid in accordance with the relevant provisions of Section 4 - ITB of the Bidding Documents.

- 3.6.3 While submitting/ uploading the bids, the system through portal asks to key in the pass-phrase for encryption of the documents. The pass-phrase is required by GUVNL for opening the bids (Separate for both First Envelopes as well as Second Envelopes). The same may be submitted as per the provisions existing for submission of the pass-phrase and as per the details given in ITB.

In the event of not opening of the bid with the pass-phrase provided by the bidder, GUVNL on its discretion may give an option through the portal, to the bidder to open its bid as per provisions available on the portal. However, GUVNL shall not be responsible if bid could not be opened within reasonable time for what so ever reason. In such a case, the bid shall be sent unopened to 'Archive' on the portal and shall not be considered at all any further.

- 3.6.4 A Single Stage Two Envelope Bidding Procedure will be adopted and will proceed as detailed in the RfS Documents. Bidding will be conducted through the competitive bidding procedures as per the provisions of ITB/ BDS and the contract shall be executed as per the provisions of the Contract. The respective rights of GUVNL and the Bidder/ HPD shall be governed by the RfS Documents/ Contract signed between GUVNL and the HPD.

- 3.6.5 Bidders should submit their bid proposal online complete in all aspect on or before last date and time of Bid Submission as mentioned on ETS Portal of ISN (<https://www.bharat-electronictender.com>), GUVNL website <http://www.guvnl.com> and as indicated in the Bid Information Sheet as amended from time to time.

- 3.6.6 Bidder shall submit bid proposal along with non-refundable RfS Document Fees and Bid Processing Fees, Earnest Money Deposit (EMD) complete in all respect as per the Bid Information Sheet. Techno-Commercial bids will be opened as per the Bid Information Sheet. Bid proposals received without the prescribed Document Fees, Bid Processing Fees and Earnest Money Deposit (EMD) will be rejected. In the event of any date indicated is a declared Holiday, the next working day shall become operative for the respective purpose mentioned herein.

- 3.6.7 RfS documents which include Eligibility Criteria, Technical Specifications, various Conditions of Contract, Formats etc. can be downloaded from ETS Portal of

ISN(<https://www.bharat-electronictender.com>) or from GUVNL website (<http://www.guvnl.com>). It is mandatory to download official copy of RfS Document from Electronic Tender System (ETS) Portal of ISN to participate in the Tender. Any amendment(s)/ corrigendum(s)/ clarification(s) with respect to this RfS shall be uploaded on ETS-ISN website. The Bidder should regularly check for any Amendment(s)/ Corrigendum(s)/ Clarification(s) on the above mentioned website. The same may also be uploaded on GUVNL website <http://www.guvnl.com>. However, in case of any discrepancy, the information available on ISN-ETS website shall prevail.

3.6.8 (not used)

3.6.9 The detailed Qualifying Requirements (QR) are given in Section-4 of RfS.

3.6.10 GUVNL shall conduct e-Reverse Auction (e-RA), as per provisions of this RfS documents.

3.6.11 GUVNL reserves the right to cancel/ withdraw/ defer this invitation for bids without assigning any reason and shall bear no liability whatsoever consequent upon such a decision.

INTERPRETATIONS

1. Words comprising the singular shall include the plural & vice versa.
2. An applicable law shall be construed as reference to such applicable law including its amendments or re-enactments from time to time.
3. A time of day shall save as otherwise provided in any agreement or document be construed as a reference to Indian Standard Time.
4. Different parts of this contract are to be taken as mutually explanatory and supplementary to each other and if there is any differentiation between or among the parts of this contract, they shall be interpreted in a harmonious manner so as to give effect to each part.
5. The table of contents and any headings or sub headings in the contract has been inserted for case of reference only & shall not affect the interpretation of this agreement.

SECTION –4

INSTRUCTIONS TO BIDDERS (ITB)

4.1 Preamble

This part (Section —4) of the RfS Documents provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of GUVNL. It also provides

information on bid submission and uploading the bid on portal <https://www.bharat-electronictender.com>, bid opening, evaluation and on contract award.

Bidders may note that the respective rights of GUVNL and Bidders/HPDs shall be governed by the RfS Documents/PPA/Contracts signed between GUVNL and the Bidders/HPDs.

Further in all matters arising out of the provisions of this Section -4 and the RfS Documents, the laws of India shall be the governing laws subject to regulatory and adjudicatory jurisdiction of the Gujarat Electricity Regulatory Commission and courts of Gujarat shall have exclusive jurisdiction.

4.2 OBTAINING RfS DOCUMENTS

The RfS document can be downloaded from the website of ISN-ETS <https://www.bharat-electronictender.com>. A link of the same is also available at www.guvnl.com.

Note: Interested bidders have to download the official copy of RfS & other documents after login into the ISN-ETS website by using the Login ID & Password provided by ETS during registration (Refer Annexure - D). The bidder shall be eligible to submit/ upload the bid document only after logging into the ISN-ETS portal and downloading the official copy of RfS.

4.3 COST OF DOCUMENTS & PROCESSING FEES

Prospective Bidders interested to participate in the bidding process are required to submit their Project proposals in response to this RfS document along with a nonrefundable processing fee as mentioned in the Bid Information Sheet. A bidding Company/ Consortium will be eligible to participate in the bidding process only on submission of entire financial amounts as per the Bid Information Sheet. Bidder shall submit the amounts pertaining to Cost of RfS document and Bid Processing Fee through NEFT/RTGS (electronic transfer), and submit the transaction receipt / UTR No. as part of the offline bid submission.

The bank details of GUVNL are available on www.guvnl.com under the "Notice" section.

The bids submitted without cost of the RfS document and/or Bid Processing Fee and/or Bank Guarantee against Earnest Money Deposit (EMD) (including partial submission of either of the respective amounts), shall be liable for rejection by GUVNL.

4.4 TOTAL CAPACITY OFFERED

4.4.1 Selection of Grid Connected RE Power Projects for total capacity of 500MW will be carried out through e-bidding followed by e-Reverse Auction process. The Projects may be setup anywhere in India.

4.4.2 The interested Bidders are required to participate in the Request for Selection (RfS) for installation of grid-connected RE Projects on Build-Own-Operate (B-O-O) basis.

4.4.3 Capacity of each Project:

The Projects are required to be designed for inter-connection with transmission network of CTU/GETCO. For each Project, the minimum Project capacity shall be 25 MW in case of Combination A and 50 MW in case of Combination B&C&D as per Section 3.2.2 and the maximum capacity shall be **500 MW**.

The HPDs shall demonstrate the contracted capacity at the grid injection point(s), as defined in the Commissioning procedure enclosed in Annexure-A and Appendix A-1.

4.4.4 Project Configuration:

- i. The term "Project" shall have the meaning as defined in Section 2 of the RfS, and shall refer to the Project capacity as quoted by the bidder (at the time of bidding)/awarded to the Bidder (after issue of LOI).
- ii. Under this RfS, a Project shall comprise minimum two 'components' - one being the ESS component, and the renewable energy generating component, which can be either a solar PV system, or a wind power system, or wind-solar hybrid system. In case of a single generation source in addition to the ESS i.e. Combination A and Combination B, the Contracted capacity of the Project shall be the rated capacity of the wind or solar PV capacity installed in the Project.


In case the Project Developer chooses to install both wind and solar PV components in the Project with a common grid inter-connection point, the Project shall be denoted as a "Wind-Solar Hybrid Power Project", under the Guidelines for Wind-Solar Hybrid Power Project issued by Central Government; and in such case, the rated installed Project capacity of either of the wind and solar components shall be at least 33% of the rated installed capacity of the other wind/solar component. The above capacity shall be calculated based on the installed turbine rating (for wind component) and installed inverter rating (for solar component).

For e.g. if a single Wind-Solar Hybrid Project Capacity comprises 200 MW of rated installed Wind Power capacity, the minimum rated installed project capacity for the corresponding Solar Project component shall be 66 MW. **The minimum ESS rated energy capacity installed shall be equal to 'X/2' MWh, where 'X' is the Contracted Capacity of the Project as per the PPA. For example, in case the Contracted Capacity of a Project is 100 MW, the minimum energy rating of the ESS installed shall be 50 MWh.**

- iii. **Note:** In case of Wind-Solar Hybrid Power Projects, in the interest of utilizing the optimization potential offered by hybridization of the two components, the HPD is free to declare the rated Project capacity of the Project at the output level of the Sub-Pooling Substation, which shall be considered as the Project capacity of the Hybrid Power Project. The same Project capacity shall be entered in the Covering Letter and shall be considered as the Contracted Capacity under the PPA. For avoidance of any doubt, it is hereby reiterated that the Project capacity of the Hybrid Project does not necessarily have to be the arithmetic sum of the Installed capacity of the two components. However, the requirements as indicated above, regarding the minimum installed rated capacity of each of the components shall be strictly adhered to, failing which, the Project shall not be eligible for commissioning under the RfS.
- iv. A single Project component may however, also be sub-divided into a number of 'blocks', being set up at multiple locations, if required. The minimum voltage level for a single block shall be 33 kV. These individual blocks shall be pooled at a minimum voltage level of 33 kV, at a 'pooling station'. It may be noted that the said pooling station will have a different meaning than the Pooling Substation as defined in the RfS.

One of the possible configurations of a solar Project component having separate locations for each block, is illustrated below, for elaboration:

PROJECT COMPONENT CAPACITY: 50 MW



- v. The HPD shall demonstrate the rated capacities of each component separately at the input side of the Sub-Pooling Substation, in line with the Commissioning procedure.
- vi. A single PeakTariff for energy supply during the Peak Hours from the Delivery Point shall be quoted by the Bidder for its response to RfS, irrespective of the number of Projects and each Project configuration.
- vii. A single Power Purchase Agreement can be signed for all Projects with same Combination. However, if the Combinations of the projects are different within the capacity allocated to bidder, separate PPAs shall be signed for each Combination. The HPD shall be responsible for obtaining Connectivity and Long Term Open Access (LTA) for each Project if LTA is applicable.
- viii. The HPD may modify the Project configuration of a single Project, in terms of blocks, subsequent to issuance of LOI until the deadline of Financial Closure, subject to the conditions as per (vi) & (vii) above. GUVNL shall not be responsible for any delay in reconfiguration of the Project, which might lead to delay in achieving financial closure and in-turn, commissioning of the Project.

4.5 PROJECT LOCATION

The Projects can be located anywhere in India. The solar PV and/or wind power components, along with ESS installed, in relation to each project shall be co-located prior to the energy meter, and shall inject power through a single Delivery Point except in case of Combination D. In case of Combination D, the solar / wind / wind-solar-hybrid sources along with ESS component of the project can be interconnected with grid at multiple interconnection points. A single bidder can submit a single bid for more than one Project however the capacity to be quoted by bidder shall be single and aggregate of all the capacities proposed to be developed in multiple projects.

4.6 PROJECT SCOPE & TECHNOLOGY SELECTION

Under this RfS, the HPD shall set up the Project(s), including the dedicated transmission network up to the Interconnection/ Delivery Point, at its own cost and in accordance with the provisions of this RfS document. All approvals, permits and clearances required for setting up of the Project and/ or dedicated transmission network upto interconnection/ delivery point (including connectivity and LTA) including those required from State Government and local bodies shall be in the scope of the HPD.

Any interim changes required in the ESS shall be taken care by the HPD, if required, to provide dispatchable energy throughout the project life. The HPD may change the type of the ESS at any time during the term of the Project, based on the technological developments. Throughout the term of the PPA, irrespective of the changes made in ESS technology, minimum ESS rated energy capacity installed shall be equal to 'X/2' MWh, where 'X' is the Contracted Capacity of the Project as per the PPA. For example, in case the Contracted Capacity of a Project is 100 MW, the minimum energy rating of the ESS installed shall be 50 MWh.

The HPD shall be required to follow the applicable rules regarding project registration with the State Nodal Agency i.e. GEDA. It shall be the responsibility of the HPD to remain updated about the applicable charges payable to GEDA.

4.7 ELIGIBILITY FOR PROJECT CAPACITY ALLOCATION FOR A BIDDER

Following conditions shall be applicable to the Bidders for submission of bids against this RfS:

- (i) For the purpose of bidding and deciding the contracted capacity, Project capacity shall refer to the capacity (AC) to be quoted by the bidder.
- (ii) A Bidder including its Parent, Affiliate or Ultimate Parent or any Group Company can submit a single bid for any quantity between (and including) minimum capacity as per Section 3.2.2 and **500 MW**, which shall be quoted in the prescribed formats.
- (iii) The total capacity to be allocated to a Bidder including its Parent, Affiliate or Ultimate Parent or any Group Company shall be up to **500 MW**. Capacity of a single Project shall range between (& including) minimum capacity as per Section 3.2.2 and **500 MW**.
- (iv) The evaluation of bids shall be carried out as described in Section-6 of RfS. The methodology for allocation of Projects is elaborated in Section-6.
- (v) In case the Bidder wishes to set up more than one Project, then the Projects would need to be physically identifiable for capacity of each project with separate injection points and metering arrangement of each project.

4.8 CONNECTIVITY WITH THE GRID

- 4.8.1 The Project should be designed for delivery of energy at GETCO periphery. Grid interconnection of the project with STU / CTU Sub-station can be made either directly through a dedicated line or through pooling substation of an existing Wind Farm where

wind projects are also connected. For interconnection with the grid and metering, the HPD shall abide by the Central Electricity Authority (Technical Standards for Connectivity to the Grid) Regulations, 2007 (as amended from time to time), along with applicable Grid Code, Grid Connectivity Standards, Regulations on Communication System for transmission of electric and other regulations (as amended from time to time) issued by Appropriate Commissions and Central Electricity Authority (CEA). Minimum voltage for interconnection at the GETCO grid shall be 66 kV or above.

- 4.8.2 The responsibility of getting the grid connectivity with GETCO / CTU shall entirely be of the HPD. In case of connectivity with STU, the interconnection voltages shall be governed as per the applicable Regulations.
- 4.8.3 The arrangement of connectivity can be made by the HPD through a dedicated transmission line which the Successful Bidder may construct himself or get constructed by GETCO or any other agency on deposit work basis or through a pooling sub-station of an existing Wind Farm subject to GETCO/CTU's Concurrence. The entire cost of transmission including cost of construction of line, wheeling charges, SLDC/Scheduling charges, SOC, MOC, maintenance, losses etc. and any other charges from the project up to and including at the delivery/interconnection point will be borne by the HPD. The Bidders are free to choose the CTU / GETCO substations for interconnection of the Project to the Grid. While doing so, the Bidders shall apply due diligence while choosing the proposed substation, and may choose their substations from any one of the following options"
- i. Existing substations having available margin as indicated by the GETCO on their website from time to time.
 - ii. Under construction substations where augmentation is under process in advanced stages as indicated by the GETCO on their website from time to time.
 - iii. Existing and commissioned sub-stations of CTU in any other State within India having spare capacity for RE integration.

The location of the project / substation may be changed by the HPD as per the provisions of PPA, but the revised substation / location shall be in line with the above provisions and the project timelines shall remain unchanged.

- 4.8.4 The transmission of power up to the point of interconnection and energy accounting infrastructure shall be the responsibility of the successful bidder at his own cost. The maintenance of Transmission system up to the interconnection point shall be responsibility of the HPD.
- 4.8.5 All expenses including wheeling and transmission charges & losses between the Project and the Delivery Point shall be paid by the HPD without any reimbursement by GUVNL. If the Bidders opt for connecting its power station and facilities to an Inter State Transmission System including CTU/Powergrid the Delivery Point / Interconnection Point" shall be the point or points of connection at which Electricity is delivered into the Grid System of the GETCO. All expenses including transmission & wheeling charges and losses between the Project and the Delivery Point including on account of any

change in law event shall be paid by the Power Producer without any reimbursement by GUVNL.

4.8.6 All expenses including wheeling charges and losses in relation to the transmission and distribution beyond and after the Delivery Point shall be borne by GUVNL except in case of Combination D wherein the mechanism of sharing of transmission charges and losses between the project developer and GUVNL shall be as under.

- (i) In case of Hybrid Power Plants with Combination D, incremental transmission charges due to multiple interconnection points of the project i.e. transmission charges for the transmission / LTA / GNA quantum in excess of PPA capacity / contracted capacity, shall be borne by the project developer irrespective of the delivery point.
- (ii) It is further clarified that in case of Combination D, the transmission charges in relation to the transmission of power beyond and after the delivery point for the transmission / LTA / GNA quantum in excess capacity corresponding to PPA capacity / contracted capacity shall be borne by GUVNL.
- (iii) Moreover, the transmission losses upto delivery point shall be borne by the project developer and after delivery point shall be borne by GUVNL.
- (iv) For example, if a HPP with contracted capacity of 100 MW under Combination D, being set up with a solar component of 90 MW with ESS and wind component of 60 MW with or without ESS, is interconnected with the CTU grid at two separate interconnection points, the developer of such project shall be required to bear the CTU transmission charges of 150 MW capacity upto Delivery Point and GETCO transmission charges of 50 MW capacity after Delivery Point whereas GUVNL shall bear GETCO transmission charges of 100 MW capacity after Delivery Point.

The above mechanism of sharing of transmission charges & losses has been stipulated so that the bids to be submitted by bidders in all Combinations become comparable for evaluation.


4.8.7 The HPD shall not be entitled to deemed generation in case of any delay in grant of connectivity.

4.8.8 The Successful Bidder shall comply with the GERC / CERC regulations on Forecasting, Scheduling and Deviation Settlement, as applicable and shall be responsible for all liabilities related to Connectivity.


4.8.9 The responsibility of getting GETCO / CTU connectivity and Long Term Open Access (LTA) of ISTS Network, if any, shall entirely be with the HPD and shall be at the cost of the HPD. The transmission of power upto and at the point of Interconnection/Delivery Point where the metering is done for energy accounting shall be the responsibility of the HPD at his own cost. Additionally, in respect of Combination D, the mechanism of sharing of transmission charges and losses stipulated at Section 4.8.6 shall also be applicable.

In case of Wind-Solar Hybrid Power Projects (Combination C), Bidders shall have to follow only either of the following configurations for interconnection with the Grid, based on the prevailing provisions in the applicable regulations:


Option-1:



Option 2: It may be noted that sub-pooling of wind and solar power from the respective components may also be achieved on 'cluster-basis', prior to the Delivery Point, i.e., there can be more than one Sub-pooling Substations, pooling multiple smaller groups of solar and wind components, where hybridization of power takes place. However, any such hybridization of power shall mandatorily be achieved prior to injection of power into the Delivery Point. Further, at each Sub-pooling Substation, individual meters accounting energy injected from solar and wind power components are required. One of such combinations is proposed as follows:



It is reiterated that the 'sub-pooling station' as indicated in Option-1 above, is different than the Pooling Substation as defined in Section-2 of the RfS. The Pooling Sub-Station as defined in the RfS shall construe the following configuration:



The Hybrid Project Developers shall strictly follow the configurations only from the options provided above. Configurations deviating from the above may be liable to be rejected by GUVNL/ GETCO / Load Dispatch Centre at the time of commissioning.

Hybridization of energy with ESS: With respect to hybridization of renewable energy with the energy from the ESS, it may be noted that the HPD has the flexibility to design the system as per its convenience, subject to the condition that the hybridization with ESS shall take place prior to the Metering point.

Any changes in the Project configuration will be allowed only up to signing of PPA, and the Project configuration shall remain unchanged thereafter.

- 4.8.10 The maintenance of Transmission system up to the Delivery / Inter-connection Point shall be the responsibility of the HPD, to be undertaken entirely at its cost and expense.
- 4.8.11 The arrangement of connectivity shall be made by the HPD through a dedicated transmission line upto the Delivery / Interconnection Point. The entire cost of transmission including cost of construction of line, wheeling & transmission charges and losses, WRLDC / SLDC/Scheduling charges, SOC, MOC maintenance, losses etc. and any other charges from the Project upto and including at the Delivery Point will be borne by the HPD. Two or more Projects can be connected to a common pooling substation from which the pooled power can be transferred to the CTU / GETCO substation through a common transmission line subject to the following conditions;

- a) Acceptance of such an arrangement by GECTO / CTU.
- b) The meters for each project at pooling substation are sealed by STU/CTU/Discom/ SLDC / WRLDC.
- c) The energy accounts are divided and clearly demarcated for the power generated at the project and are issued by the STU/SLDC concerned.
- d) In case of Pooling substation, losses in the transmission line between the Pooling substation and the CTU / GETCO substation shall be apportioned among the HPDs who share such a Pooling arrangement, based on their monthly generation.

For the purpose of pooling of two or more Projects for CTU connectivity, the HPDs shall on mutatis mutandis basis adhere to the detailed Connectivity Procedure as issued by CERC as amended from time to time. For connectivity with STU, the developers shall follow the procedure stipulated by GETCO.

- 4.8.12 The HPD shall comply with CERC/GERC regulations on Forecasting, Scheduling and Deviation Settlement Mechanisms applicable and are responsible for all liabilities related to Connectivity. In case of absence of regulations specific to Projects, the above regulations will be adhered to, separately for Wind and Solar Project components.
- 4.8.13 Reactive power charges and charges against power drawn from grid as per CERC /GERC regulations, as applicable, shall be payable by HPD as per provisions of PPA.
- 4.8.14 Metering arrangement of each project shall have to be adhered to in line with relevant clauses of the PPA and applicable regulations.
- 4.8.15 GUVNL will be responsible for transmission charges and losses and any other charges as applicable under the respective regulations beyond Delivery Point subject to provisions mentioned at Section 4.8.6.
- 4.8.16 The responsibility of getting GETCO / CTU connectivity and Long Term Open Access (LTA) in case of CTU connectivity shall entirely be with the HPD and shall be at the cost of the HPD. In this regard, the HPD shall be required to follow the detailed Connectivity Procedure as issued by GERC / CERC and amended from time to time. The HPDs shall be required to apply for connectivity at the identified substations as per clause 1.2.2 of this RfS document.

The Generator shall comply with the complete application formalities as per the Connectivity Procedure.

4.9 Clearances Required from the State Government and other Local Bodies

- 4.9.1 The Hybrid Power Developers at their own cost and responsibility are required to obtain necessary clearances and permits as required for setting up the Solar Power Projects and / or Wind Power Projects including but not limited to the following:
 - a. No Objection (NOC)/Environmental clearance (if applicable) for the Project.
 - b. Forest Clearance (if applicable) for the land for the Project.
 - c. Approval for water from the concerned authority (if applicable) required for the Project.

- d. Any other clearances as may be legally required, in order to establish and operate the Project.
- e. The Bidders are required to obtain necessary clearances and permits as required for setting up the Wind Power Project in case of Combination A and C including Clearance from Airport Authority of India (If applicable), MoD clearance (Bidders setting up projects in vicinity of Air Force bases/aerodromes are advised to apply for necessary MoD clearances within 30 days of Effective Date of PPA), No objection Certificate from Ministry of Defense (If applicable).

4.9.2 The above clearances, as applicable for the Project, shall be required to be submitted to GEDA prior to commissioning of the Project. In case of any of the clearances as indicated above being not applicable for the said Project, the HPD shall submit an undertaking in this regard, and it shall be deemed that the HPD has obtained all the necessary clearances for establishing and operating the Project. Any consequences contrary to the above shall be the responsibility of the HPD.

Note: The HPD shall apply for all the necessary approvals, permits and clearances not later than 3 months from the issuance of LOI, which shall be complete in all respects, incorporating the clarifications/changes as required by the concerned authorities. The above timeline shall be adhered to, in order to examine cases where the HPD faces delay in grant of the necessary approvals and permits, for a period substantially greater than the standard period of grant of approval by the respective organizations.

HPDs setting up projects in vicinity of Air Force bases/aerodromes, are advised to apply for necessary MoD clearances within 30 days of Effective Date of PPAs, if applicable.

4.10 POWER GENERATION BY HYBRID POWER DEVELOPER

4.10.1 CRITERIA FOR GENERATION

The Bidders will declare the annual CUF of the Projects at the time of submission of response to RfS, and the HPDs will be allowed to revise the same once within first three years after COD. Thereafter, the CUF for the Project shall remain unchanged for the entire term of the PPA. The declared annual CUF shall in no case be less than the percentage CUF mentioned in the PPA.

Note: Out of the generated energy, the HPD shall supply energy corresponding to a minimum amount of 3000 kWh per MW of the Contracted Capacity, on daily basis during Peak Hours, as per the schedule provided by the SLDC. The requirement of electricity supply during Peak Hours is to be mandatorily met on a day-to-day basis, and shall be monitored on a monthly basis.

It shall be the responsibility of the HPD, entirely at its cost and expense to install such number of project components and associated equipment (including arrangement of extra land for such installation), as may be necessary to achieve the required CUF, and

for this purpose HPD shall make its own study and investigation of the GHI and other factors prevalent in the area which have implication on the quantum of generation. HPD shall maintain generation so as to achieve annual CUF within the range of CUF mentioned in the PPA till the end of the PPA duration of 25 years. The lower limit will, however, be relaxable by GUVNL to the extent of non-availability of grid for evacuation which is beyond the control of the HPD. The annual CUF will be calculated every year from 1st April of the year to 31st March next year. In case of Wind-Solar Hybrid Power Project, GUVNL shall use the power for fulfillment of solar and non-solar RPO in the proportion of rated capacity of solar and wind power in the hybrid project respectively.

4.10.2 SCHEDULING AND OFFTAKE OF ENERGY DURING PEAK HOURS

- i. The generated energy shall be dispatched through scheduling of power in both Peak and Off-Peak hours. It is mandated to deliver the 3000 kWh of energy per MW rated Project capacity of the project in AC terms, during Peak Hours as per the schedule given by GUVNL / SLDC (i.e 100 MW of project capacity shall supply 300,000 kWh of energy during Peak Hours). Reconciliation of the same shall be carried out on a monthly basis. Modifications in the metering arrangement on account of the same, if any, shall be under the scope of the HPD, at its own risk and cost.
- ii. The HPD may supply the required energy during Peak Hours either from the stored energy in the ESS or from any RE generation available during the Peak Hours.
- iii. GUVNL will mandatorily off-take the specified 300MWh for each 100MW capacity during Peak Hours at the Peak Tariff discovered in the e RA and SLDC shall schedule the same accordingly.
- iv. The complete energy supplied by the HPD during Off-Peak Hours will be at the pre fixed tariff of Rs 2.57/kWh.
- v. The discharge of mandated supply of energy during Peak Hours shall be governed by Schedule issued by SLDC based on the demand pattern of the Gujarat State. It is clarified that power supply from the Project will be off-taken by GUVNL on a "must-run" basis, for the 24-hour period of the day. However, for each 100 MW of Contracted Capacity, as per the PPA, GUVNL shall off-take 50 MW power for each 1-hr block during the Peak Hours, limited to six nos. of 1-hour blocks, at the Peak Tariff. The off-take of power at Peak Tariff shall be limited to 50 MW for each 1-hr block during the Peak Hours, subject to the flexibility in the upper limit as per Clause 4.10.4 below. However, energy exceeding the above limits supplied during the Peak Hours will be off-taken by GUVNL at Off-Peak Tariff.

The discharge cycle corresponding to offtake of stored energy may vary as per requirements of GUVNL / SLDC, only as per the following breakup:

Discharge hours during morning Peak Hours, between (& including) 05:00 hrs up to 09:00 hrs	Discharge hours during evening Peak Hours, between (& including) 18:00hrs up to 24:00 hrs	Total discharge hours
2	4	6

In other words, GUVNL / SLDC shall mandatorily off-take Peak Power by choosing 4 hours from the evening Peak Hours and 2 hours from the morning Peak Hours. GUVNL / SLDC and RE developers can modify the peak hours with mutual agreement during the term of the PPA provided that the quantum for assured power offtake remains unchanged.

During the 6 nos. of 1-hr blocks as selected by GUVNL / SLDC, in case of power being supplied in excess of 50 MW in any of the 1-hr blocks (for each Contracted Capacity of 100 MW), such power will be off-taken @ Off-Peak Tariff.

Further, for every 100 MW Contracted Capacity, supply of power below 50 MW, during any 1-hr block in the 6 nos. of 1-hr block as identified by GUVNL / SLDC, will be counted as shortfall in supply of Peak Power, as per Clause 4.10.3 below.

- vi. GUVNL / SLDC shall intimate its choice of Peak Hours to HPD on a day ahead basis, which will be deemed to have been accepted by the HPD for supply of Peak Power. GUVNL shall mandatorily off take such power as scheduled by the HPD.

In case GUVNL / SLDC fails to intimate its choice of Peak Hours for a particular day or chooses less than 6 hours for Peak Power supply, the HPD shall be free to choose such Peak Hours in line with Clause 4.10.2 vi of the RfS, as per its own discretion, and shall intimate such choice to GUVNL / SLDC on day-ahead basis. Energy accounting will be done based on the scheduling done by the HPD, at the respective Peak and Off-Peak PPA tariffs.

- vii. It is clarified that grid charging of the ESS capacity offered under this tender will not be allowed under this RfS.

4.10.3 SHORTFALL IN GENERATION

- i. If for any Contract Year, it is found that the HPD has not been able to generate minimum energy corresponding to the value of annual CUF within the permissible lower limit of CUF declared by the HPD, on account of reasons primarily attributable to the HPD, such shortfall in performance shall make the HPD liable to pay the compensation provided in the PPA as payable to GUVNL. This compensation shall be applied to the amount of shortfall in generation during the Contract Year.
- ii. The amount of such compensation will be calculated in accordance with the terms of the PPA. However, this compensation shall not be applicable in events of Force Majeure identified under PPA with GUVNL affecting supply of power by HPD.

- iii. The computation of compensation for shortfall provided is only a measure of damage and it shall not be construed that the compensation is payable by HPD only if GUVNL is required to pay compensation for not meeting of RPO or the HPD shall be required to prove or establish such payment of compensation for not meeting the RPO.
- iv. Shortfall in supply of Peak Power: In case of any shortfall in supply of Power during the Peak Hours as notified by SLDC, from the mandated supply of energy (i.e. 300 MWh for 100 MW capacity), the HPD shall pay a compensation corresponding to the energy shortfall, calculated at the Peak Tariff. Such shortfall shall be permissible upto 20% below the energy commitment during the Peak Hourson a monthly basis without any compensation. For the purpose of calculation of shortfall in energy supplied during Peak Hours, a 'month' shall be the billing month as defined in the PPA. For e.g. in case of a 100 MW Project Capacity, the above monthly minimum limit of energy supply during Peak Hours will be (240 MWh x no. of days in the billing month). Calculation for shortfall shall be done on part of a month basis in case of commissioning during a given month. The compensation for shortfall in supply of peak power specified herein shall be in addition to the other compensation provided in this RfS.
- v. HPD shall agree that the methodology specified hereinabove and elsewhere in this RFS or in the PPA for calculation of liquidated damages payable by the HPD for shortfall in generation is a genuine and accurate pre-estimation of the actual loss that will be suffered by GUVNL. HPD shall further acknowledge that a breach of any of the obligations contained herein result in injuries and that the amount of the liquidated damages or the method of calculating the liquidated damages specified in this document is a genuine and reasonable pre estimate of the damages that may be suffered by GUVNL in each case specified under this Agreement.
- vi. While calculating shortfall in energy with respect to the energy declared under Clause 4.10.1 above, the shortfall in supply of Peak Power as elaborated at Sl. iv above, will be adjusted against the annual energy reconciliation for the Project. For e.g. considering a Project with minimum annual energy to be supplied by the HPD as per Clause 4.10.1 being 10,00,000 MUs, and the annual energy supplied during the Contract year being 8,00,000 MUs. Further, based on monthly reconciliation, the annual shortfall in supply of Peak Power amounts to 1,00,000 MUs, in line with iv above. Thus, the net compensation payable by the HPD on account of shortfall in supply of energy on an annual basis will be Rs. $[(10,00,000 - (8,00,000 + 1,00,000)) \times (\text{rate as per schedule 4 applicable for Off-peak tariff})]$. This compensation shall be in addition to the compensation for shortfall in supply of Peak Power stipulated at Clause 4.10.2 above
- vii. However, this compensation shall not be applicable to the extent of shortfall on account of events of Force Majeure identified under the PPA with GUVNL, affecting supply of power by the HPD.

- viii. The Project Developer shall not sell the power from Contracted Capacity to any other third party including Power Exchanges without prior consent of GUVNL. In case the Project Developer fails to offer the contracted power as per the agreement to GUVNL and sells this power without GUVNL's consent to any other third party, the procurer shall be entitled to claim damages from seller for an amount equal to higher of : (a) twice the Tariff as per the PPA for the corresponding contracted power; and (b) the entire sale revenue accrued from Third parties on account of sale of the contracted power. These damages shall be in addition to other penalties / liquidated damages specified in the PPA. For the avoidance of doubt, no Tariff or any amount in lieu thereof shall be due or payable by GUVNL to the Seller for and in respect of any electricity sold hereunder.

4.10.4 **EXCESS GENERATION**

Any excess generation over and above the declared annual CUF may be purchased by GUVNL at its discretion {without any obligation to do so} as per PPA. The HPD shall inform at least 30 days in advance of such excess generation to GUVNL, to enable GUVNL take necessary actions for sale / consumption of this excess generated energy. GUVNL shall be required to intimate its approval/refusal to the HPD, for buying such excess generation not later than 15 days of receiving the above offer from the HPD. In the event the offer of the HPD is not accepted by GUVNL within the said period of 15 days, such right shall cease to exist and the HPD, at its sole discretion, may sell such excess power to any third party.

While the HPD would be free to install DC solar field and wind turbines as per his design of required output, including his requirement of auxiliary consumption, HPD will not be allowed to sell any excess power to any other entity other than GUVNL, unless refused by GUVNL.

Supply of excess energy during Peak Hours:

The HPD shall be allowed to supply excess energy over and above the mandated energy requirement upto a limit of 20% in excess of the mandated energy requirement, on a monthly basis. For e.g.: in case of a 100 MW Project Capacity, the HPD shall be allowed to supply energy upto a maximum limit of (360 MWh x no. of days in the billing month), at the Peak Tariff, on a monthly basis. Any excess energy supplied over and above the above limit shall be procured by GUVNL @ Off-Peak Tariff, i.e. Rs2.57/kWh, to be reconciled on a monthly basis.

Illustration: An example to illustrate the computation of excess and shortfall in energy supplied during Peak Hours as per this Clause and Clause 4.10.4 above is provided below:

Considering a single day's Peak Power supply data as follows (Peak Tariff = Rs. 4.50/kWh):

Notified Peak Hour-block (Day 1)	Energy supplied (MWh)	Notified Peak Hour-block (Day 2)	Power supplied (MW)
Hour 1	50	Hour 1	50

Hour 2	57.5	Hour 2	57.5
Hour 3	60	Hour 3	60
Hour 4	30	Hour 4	80
Hour 5	40	Hour 5	50
Hour 6	10	Hour 6	50

Total energy supplied in the notified Peak Hours (Day 1): 247.5 MWh.

Total energy supplied in the notified Peak Hours (Day 2): 347.5 MWh.

Calculation of compensation due to shortfall in supply of Peak Power

In case of shortfall in supply of Peak Power, the hourly supply will be measured against the reference value, i.e. 50 MWh. Only negative deviations will be considered for calculation of shortfall in this regard.

Thus, for Day 1, the deviation from reference of 50 MWh is as follow:

Notified Peak Hour-block (Day 1)	Energy supplied (MWh)	Deviation from 50 MWh
Hour 1	50	0
Hour 2	57.5	0
Hour 3	60	0
Hour 4	30	-20
Hour 5	40	-10
Hour 6	10	-40
Total deviation		-70

The total deviation from reference is (-) 70 MWh, for Day 1.

The similar methodology will be followed for all the days in the concerned billing month, with total deviation calculated for 180 hours in a month (consisting of 30 days), being matched against the reference value of 50 MWh x 30*6 Hours, i.e. 9000 MWh. It is reiterated that only negative deviations from 9000 MWh will be considered for reconciliation on the monthly basis.

It is clarified that for the purpose of payment of Peak Tariff, the total supply of Peak Power within the upper limit of (360 MWh x no. of days in the billing month) and lower limit of (240 MWh x no. of days in the billing month), will be considered, on a monthly basis.

In line with the principle applicable for treatment of annual shortfall in energy supply with respect to limits as per Clause 4.10.3 above, the excess energy supplied during the Peak Hours will be adjusted against the excess energy supplied over and above the annual limit as per Clause 4.10.1, for payment at the Off-Peak Tariff.

In case at any point of time, the peak of capacity reached is higher than the rated capacity and causes disturbance in the system at the point where power is injected, the HPD will have to forego the excess generation and reduce the output to the rated capacity to ensure compliance with grid requirement.

4.10.5 OFFTAKE CONSTRAINTS DUE TO TRANSMISSION INFRASTRUCTURE/ GRIDUNAVAILABILITY, BACKDOWN&CONSEQUENT LOWER DISCHARGE OF STORED ENERGY

- A. **Generation Compensation in Offtake Constraint due to Transmission Infrastructure not Complete / Ready Beyond Delivery Point (Transmission Constraint)**- After the scheduled commissioning date, if the plant is ready but the necessary power evacuation / transmission infrastructure beyond Delivery Point is not ready, for reasons not attributable to the HPD, leading to offtake constraint, the provision for generation compensation is as follows:

Transmission Constraint beyond Delivery Point	Provision for Generation Compensation
If the plant is ready but the necessary power evacuation/ transmission infrastructure beyond Delivery Point is not ready, leading to offtake constraint	a) The normative CUF(as per PPA) or committed CUF, whichever is lower, for the period of grid unavailability beyond Delivery Point, shall be taken for the purpose of calculation of generation loss. Corresponding to this generation loss, the excess generation by the HPD in the succeeding 3 (three) Contract Years, shall be procured by GUVNLs as per PPAs as to offset this loss. b) If the transmission delay is directly attributable to the organization building the transmission network and some penalty is imposed on him, then a part of that penalty may be utilized by GUVNL for compensating the generation loss.

However, it is clarified that if the plant is ready before SCOD, but the offtake is constrained because of inadequate / incomplete power evacuation infrastructure beyond Delivery Point, no compensation shall be permissible.

- B. **Compensation in offtake constraint due to Grid Unavailability beyond Delivery Point**: During the operation of the project, there can be some periods where the project can generate power but due to temporary transmission unavailability the power is not evacuated, for reasons not attributable to the Hybrid Power Developer. In such cases the generation compensation shall be addressed by GUVNLs as per provisions of PPA:
- C. **Offtake Constraints due to Backdown**: The Hybrid Power Developer and GUVNL shall follow the forecasting and scheduling process as per the regulations in this regard by the GERC / CERC. The Government of India, as per Clause 5.2(u) of the Indian Electricity Grid Code (IEGC), encourages a status of "must-run" to renewable power projects. Accordingly, no RE Power plant, duly commissioned, should be directed to back down by a Discom/ Load Dispatch Centre (LDC). In case such eventuality of Backdown arises, including non-dispatch of power due to non-compliance with "Order

No. 23/22/2019-R&R dated 28.06.2019 of Ministry of Power regarding Opening and maintaining of adequate Letter of Credit (LC) as Payment Security Mechanism under Power Purchase Agreements by Distribution Licensees" and any clarifications or amendment thereto, except for the cases where the Back down is on account of events like consideration of grid security or safety of any equipment or personnel or other such conditions, the Successful Bidder shall be eligible for a Minimum Generation Compensation, from GUVNL, in the manner provided in the PPA.

4.11 EARNEST MONEY DEPOSIT (EMD)

4.11.1 Earnest Money Deposit (EMD) of INR 10,00,000/ MW in the form of Bank Guarantee according to Format 8.3A and valid for 06 months (claim period upto 7 months) from the last date of bid submission, shall be submitted by the Bidder along with their bid, failing which the bid shall be summarily rejected. The Bank Guarantees towards EMD have to be issued in the name of the Bidding Company/ Lead Member of Bidding Consortium. In the event of encashment of EMD, the encashed amount shall include all applicable taxes. The EMD shall be valid as per the timelines stipulated above. However, shortfall in the EMD validity, if any, up to a period of seven (7) days shall be acceptable. Further, an additional shortfall only in the following cases shall be acceptable: If bidder has submitted the EMD with validity as per original bid submission date or as per any revised submission date and if the deadline for submission of bids has been extended further, the Bid Guarantee shall be acceptable provided, the EMD is valid for more than two months from the actual date of bid submission and the Bidder submits the EMD extension for the requisite period within seven days from the date of actual bid submission, if required.

4.11.2 The Bidder shall furnish the Bank Guarantees towards EMD from any of the Banks listed at Annexure-C in favor of GUVNL.

4.11.3 GUVNL has agreed to accept the EMD in the form of an unconditional and irrevocable Bank Guarantee instead of the cash deposit with the clear position intimated to the bidder that the EMD Bank Guarantee shall be encashable for being appropriated by GUVNL in terms of the guarantee as in the case of appropriation of the cash deposit lying with GUVNL.

4.12 PERFORMANCE BANK GUARANTEE (PBG)

4.12.1 Bidders selected by GUVNL based on this RfS shall submit Performance Guarantee for a value @ INR 25 Lakh/ MW within 30 days of issuance of Letter of Intent (LoI) or before signing of PPA, whichever is earlier. It is to clarify here that GST is applicable on Penalty / Liquidated Damages. It may be noted that successful Bidders shall submit the Performance Guarantee according to the Format 8.3B issued in favor of GUVNL, for a value @ Rs25 Lakh/MW with a validity period at least upto 6 months from Scheduled Commercial Operation Date with claim period at least upto 7 months from SCOD. On receipt and after successful verification of the total Performance Bank Guarantee in the acceptable form, the BG submitted towards EMD shall be returned by GUVNL to the successful Bidder. Non submission of PBG within the above mentioned timelines shall be the sufficient ground for encashment of EMD.

4.12.2 (not used)

4.12.3 (not used)

4.12.4 (not used)

4.12.5 (not used)

4.12.6 The Bidders shall furnish the Performance Bank Guarantees (PBGs) from any of the Banks listed at Annexure - C to GUVNL.

4.12.7 All Performance Bank Guarantees (PBGs) shall be submitted separately for each Project.

Note: The PBGs are required to be arranged and furnished by the entity signing the PPA. In case of the PPA being eventually signed with the SPV incorporated/utilized by the successful bidder, the PBG may be arranged and furnished by the successful bidder within the above prescribed timeline, if the bidder chooses to do so, and the same shall be replaced by the PBG issued in the name of the SPV, prior to signing the PPA.

4.12.8 (not used)

4.12.9 The format of the Bank Guarantees prescribed in the Formats 8.3 A (EMD) and 8.3 B (PBG) shall be strictly adhered to and any deviation from the above Formats shall be liable for rejection of the EMD/ PBG and consequently, the bid. In case of deviations in the formats of the Bank Guarantees, the corresponding PPA may not be signed by GUVNL.

GUVNL has agreed to accept the PBG in the form of an unconditional and irrevocable Bank Guarantee instead of the cash deposit with the clear position intimated to the bidder that the PBG shall be encashable for being appropriated by GUVNL in terms of the guarantee as in the case of appropriation of the cash deposit lying with GUVNL.

- 4.12.10** The Bidder for the Project selected based on this RfS to whom Lol is required to sign PPA with GUVNL within 30 Days after the issue of Lol. In case, GUVNL offers to execute the PPA with the Selected Bidder and if the Selected Bidder does not submit the requisite documents as per Clause No. 4.14, Section-4, Instructions to Bidders (ITB) of RfS documents or does not meet eligibility criteria upon submission of documents or does not execute the PPA within the stipulated time period, then the Bank Guarantee equivalent to the amount of the EMD shall be encashed by GUVNL from the Bank Guarantee available with GUVNL (i.e. EMD or PBG) as liquidated damages not amounting to penalty, the selected Project shall stand cancelled and the selected Bidder expressly waives off its rights and objections, if any, in that respect.
- 4.12.11** The Bank Guarantees have to be executed on non-judicial stamp paper of appropriate value as per Stamp Act relevant to the place of execution.
- 4.12.12** All expenditure towards execution of Bank Guarantees such as stamp duty etc. shall be borne by the Bidders. All expenditure towards execution of Bank Guarantees such as stamp duty etc. shall be borne by the Bidders/HPDs..
- 4.12.13** In order to facilitate the Bidders to submit the Bank Guarantee as per the prescribed format and in line with the requirements, checklist at Annexure-B has been attached. Bidders are advised to take note of the above checklist while submitting the Bank Guarantees.
- 4.12.14** After the bidding process is over, GUVNL shall release the Bank Guarantees towards EMD of the unsuccessful Bidders / unsuccessful capacity within 15 days after the completion of e-Reverse Auction. The PBG of HPDs shall be returned to them, after successful commissioning of their projects as per Terms of PPA within 45 days after taking into account any liquidated damages due to delays in commissioning as per Clause No. 4.16, Section-4, Instructions to Bidders (ITB) of RfS.

4.13 FORFEITURE OF EMD

The BG towards EMD shall be encashed by GUVNL in following cases:

- i If the bidder withdraws or varies the bid after due date and time of bid submission and during the validity of bid;
- ii In case, GUVNL offers to execute the PPA with the Selected Bidder and if the Selected Bidder does not submit the requisite documents as per Clause No. 4.14, Section-4, Instructions to Bidders (ITB) of RfS or does not execute the PPA within the stipulated time period;
- iii If after issuance of Lol, it is found that the documents furnished by the bidders as part of response to RfS are misleading or misrepresented in any way and that relevant facts have been suppressed;

- iv If the bidder fails to furnish required Performance Bank Guarantee in accordance with Clause No. 4.12, Section-4, Instructions to Bidders (ITB) of RfS documents;

4.14 POWER PURCHASE AGREEMENT (PPA)

- 4.14.1** GUVNL may enter into Power Purchase Agreement (PPA) with Bidders selected based on this RfS. A copy of standard Draft Power Purchase Agreement to be executed between GUVNL and the selected HPD will be made available on website of ISN-ETS <https://www.bharat-electronictender.com> and also on GUVNL website www.guvnl.com. The PPA may be signed within 30 (Thirty) days from the date of issue of LoI. The PPA will be executed between GUVNL and selected bidder or its SPV for each Project. The PPA shall be valid for a period of 25 years as per provisions of PPA.

Note: PPA will be executed between GUVNL and the HPD as per the breakup of the cumulative Project capacity awarded to the Bidder. **The HPD shall provide the project breakup for the cumulative capacity quoted, in the Covering Letter (Format 8.1), which may be changed by the HPD subsequent to issuance of LOI upto the date as on 30 days from issuance of LOI. In case of Wind-Solar Hybrid Projects, for an individual Project, any modification in the rated capacities of wind and solar components in the Project, shall be intimated to GUVNL within 30 days of issuance of LOI. Both the above parameters will remain unchanged, thereafter.** The PPA will remain in force for a period of 25 years from the SCOD or from the date of full commissioning of the projects, whichever is earlier.

- 4.14.2** The Performance Bank Guarantee as per Clause 4.12 above shall be arranged and submitted by the HPD prior to signing of PPA. Before signing of PPA between GUVNL and the HPDs, GUVNL will verify the shareholding of the Project Company along with a copy of complete documentary evidence. If at this stage it is found that the documents furnished by the HPDs are false / misleading or misrepresented in any way, then the provisions contained in this RfS will be applicable.
- 4.14.3** Successful bidders will have to submit the required documents to GUVNL within 25 days from the issue of LoI. In case of delay in submission of documents beyond the 25 days as mentioned above, GUVNL shall not be liable for delay in verification of documents and subsequent delay in signing of PPA. The Effective Date of the PPA shall be the date of signing of PPA.
- 4.14.4** The HPDs will be free to reconfigure and repower the project at their own risk and cost from time to time during the PPA duration. However, GUVNL will be obliged to buy power only within the Capacity Utilization Factor (CUF) range laid down in Power Purchase Agreement (PPA) as per the respective guidelines. Provided that the HPD shall be allowed to revise the CUF% once within first three years of COD of the full project capacity.
- 4.14.5** Any extension of the PPA period beyond 25 years shall be through mutual agreement between the HPD and GUVNL.

4.15 FINANCIAL CLOSURE OR PROJECT FINANCING ARRANGEMENTS AND LAND ARRANGEMENTS

4.15.1 FINANCIAL CLOSURE OR PROJECT FINANCING ARRANGEMENTS

- (i) The Projects shall achieve Financial Closure within the period mentioned in the Power Purchase Agreement (PPA).
- (ii) At the stage of financial closure, the HPDs shall report 100% tie-up of Financing Arrangements for the Projects. In this regard, the HPD shall submit a certificate/necessary documents from all financing agencies regarding the tie-up of 100% of the funds indicated for the Project, including arrangements of funds in the form of Equity.
- (iii) DPR & Technology Tie-up: At this stage, the HPD shall also submit the Detailed Project Report (DPR) for the Project, indicating HPD's plans to meet the quoted CUF and power delivery obligations. The HPD shall also demonstrate the technology tie-ups for major equipment, such as solar PV modules, Inverters, wind turbines, ESS component, as per the DPR for the Project.
- (iv) In case of default in achieving above condition as may be applicable within the stipulated time, GUVNL shall be entitled to encash Performance Bank Guarantees and shall remove the Project from the list of the selected Projects, unless the delay is caused due to a Force Majeure as per PPA. An extension can however be considered, on the sole request of HPD, on advance payment of extension charges of INR 1,000/- per day per MW. This extension will not have any impact on the obligation of HPD to achieve commissioning by the Scheduled Commissioning Date of the Project. The amount of Rs. 1,000/MW/day shall be paid by the HPDs in advance prior to the commencement of the said delay period and shall be calculated based on the period of delay as estimated by the HPD. In case of the HPD meeting the requirements of Financial Closure before the last date of such proposed delay period, the remaining amount deposited by the HPD shall be returned by GUVNL. Interest on account of delay in deposition of the above mentioned charges or on any subsequent extension sought, shall be levied @ one year SBI MCLR rate /annum on pro-rata basis. Any extension charges paid so, shall be returned to the HPD without any interest on achievement of successful commissioning within the Scheduled Commissioning Date, on pro-rata basis, based on the project capacity commissioned as on Scheduled Commissioned Date.
- (v) The HPD will have to submit the required documents to GUVNL at least 14 days prior to the scheduled Financial Closure date. In case of delay in submission of documents mentioned above, GUVNL shall not be liable for delay in verification of documents and subsequent delay in Financial Closure.

4.15.2 LAND ARRANGEMENTS

The bidder shall identify 100% of the land for the project at the time of bid submission and the HPD shall demonstrate clear possession and right to use 100% of the land

identified for the Project, on or before the SCOD of the Project. In this regard, the HPD shall be required to furnish documents/lease agreements to establish possession and **right to use 100%** of the required land in the name of the HPD for a period not less than the complete term of the PPA. The non availability of Government Land/ Revenue Land shall not be considered as force majeure or otherwise release the HPD from the due performance of the obligations. The HPD acknowledges that commissioning / part commissioning of the project will not be declared until the HPD demonstrates possession of land, in addition to the other conditions as established by GEDA. For part commissioning, portion of land on which the part of the project is commissioned should be with the HPD.

In case of leasing of Government land, state regulations regarding tenure of lease agreement shall be applicable. In both cases where the lease agreements are for a period shorter than the PPA Term, solely on account of applicable State Governmental regulations, the HPD shall be required to submit an undertaking that the lease agreements shall be appropriately extended in line with the Term of the PPA, when required. Wherever leasing of private land is involved, the lease should allow transfer of land to the lenders or GUVNL, in case of default of the HPD. Further, in case of sub-leasing of land from an entity other than the Government, the lessor and lessee shall submit letters in their respective letterheads addressed to each another, confirming handing over and taking over the said land parcel(s), respectively.

The above data shall be submitted along with a sworn affidavit from the authorized signatory of the HPD listing the details of the land and certifying that total land required for the Project is under clear possession of the HPD, on or before the SCOD to GEDA. It is further to be noted that part/full commissioning of the Project will not be allowed until demonstration of land possession for the corresponding capacity being commissioned.

4.16 Commissioning and compensation for delay in commissioning

The Commissioning of the Project shall be carried out by the HPD in line with the **Commissioning Procedure at Annexure-A and Appendix-A-1**. The Successful Bidder shall be required to obtain Developer and / or Transfer Permission, Key Plan drawing etc. from GEDA prior to mounting of the solar panels (if required). Commissioning certificates shall be issued by the State Nodal Agency i.e. GEDA after successful commissioning of Project in accordance with the applicable Rules / Regulations.

Further, evidence of clear possession of Project Site selected by Successful Bidder shall be submitted on or before the Scheduled Commercial Operation Date for which the Successful Bidder shall provide documents/ Lease Agreement to establish possession/ right to use 100% (hundred per cent) of the required land in the name of the Successful Bidder or its Affiliate to GEDA. In case the land is in the name of Affiliate, the land should be transferred in the name of Successful Bidder prior to Scheduled Commercial Operation Date (SCOD). Wherever leasing of private land is involved, the lease should allow transfer of land to the lenders or GUVNL, in case of default of the Successful Bidder. For lease of Government land, if the lease is not available upfront for the entire term of the PPA, then the Successful Bidder shall be required to give an undertaking stating that they shall be solely responsible for securing the extension of required

land for the balance period of term of PPA. For lease of private land, the lease period shall cover the entire term of PPA. Sworn affidavit from the authorized person of the Successful Bidder listing the details of the land and certifying total land required for the Project under clear possession of the Successful Bidder shall be submitted by the Successful Bidder on or before SCOD to GEDA. Commissioning / part commissioning of the project will not be declared until the HPD demonstrates possession of land, in addition to the other conditions as established by GEDA. For part commissioning, portion of land on which the part of the project is commissioned should be with the HPD.

In addition to above, the Successful Bidder shall submit the Connectivity agreement with STU and/or CTU, if applicable and requisite consent for Power Evacuation from STU and/or CTU, if applicable confirming technical feasibility of connectivity of the Solar Power Project upto the Delivery Point. In case, the project is connected through CTU Network, then all transmission charges and losses upto Delivery Point shall be to the account of the Successful Bidder. No change in charges / losses of CTU shall be covered under Change in Law.

a) **PART COMMISSIONING**

Part commissioning of the Project shall be accepted by GUVNL as per terms of the PPA, subject to the condition that the minimum capacity for acceptance of first and subsequent part(s) commissioning, without prejudice to the imposition of penalty, in terms of the PPA on the part which is not commissioned, shall be as per schedule 4 of the PPA.

For example, a wind-solar hybrid project with ESS of 70 MW may be commissioned in 2 parts: First being a part capacity of 50 MW and the remaining part capacity being 20 MW.

Similarly, part commissioning of such project of 110 MW capacity shall be done as follows: 1st part capacity=50 MW, 2nd part capacity=50 MW and 3rd part capacity=10 MW.

In case of part commissioning of the Wind-Solar Hybrid Power Projects, it shall be mandatory to demonstrate commissioning of one component (either wind or solar) having capacity equal to at least 33% of the project capacity of the other component being commissioned, otherwise the project shall not be demonstrated as part-commissioned. In other words, it is clarified that commissioning of a single component or having a composition lower than the above required percentage, shall not construe part commissioning of the Hybrid Project.

In case of part-commissioning of the Wind Project, land corresponding to the part capacity being commissioned, shall be required to be demonstrated by the WPD prior to declaration of commissioning of the said part capacity. Part commissioning of the project will not be declared until the HPD demonstrates possession of land, in addition to the other conditions as established by GEDA. For part commissioning, portion of land on which the part of the project is commissioned should be with the HPD.

In all cases, the SCOD will not get altered due to part commissioning. Irrespective of dates of part commissioning, the PPA will remain in force for a period of 25 (twenty five) years as per the provisions of PPA.

b) **COMMISSIONING SCHEDULE AND LIQUIDATED DAMAGES NOT AMOUNTING TO PENALTY FOR DELAY IN COMMISSIONING**

- i. The Project shall be fully commissioned on or before the Scheduled Commercial Operation Date (SCOD). In this regard, a duly constituted committee by GEDA will physically inspect and certify successful commissioning of the Project.
- ii. The extension in commissioning and liquidated damages shall be governed as per the provisions of PPA.
- iii. Delay upto six (6) months from SCOD – GUVNL will encash total Performance Bank Guarantee on per day basis and proportionate to the balance Capacity not commissioned
- iv. In case the commissioning of the project is delayed beyond Six (6) months from SCOD, the Power Producer's Event of Default as per Article 13.3.1 of PPA shall be considered to have occurred and the contracted capacity shall stand reduced to the project capacity commissioned upto SCOD + 6 months. The PPA for balance capacity not commissioned shall be terminated
- v. It is to be noted that commissioning/part commissioning of the Project will not be declared until the project developer demonstrates possession of land in line with Clause 4.15.2 above, in addition to the other conditions as per the Commissioning Procedure enclosed at Appendix-A-1. For part-commissioning, portion of land on which the part of the project is commissioned should be under clear possession of the HPD in accordance with clause 4.15.2.
- vi. In case of delay in commissioning of the Project due to Force Majeure, GUVNL may extend the SCOD after examining the issue on a case-to-case basis in terms of the PPA and on receiving timely notice from the HPD.

c) **DELAY IN COMMISSIONING ON ACCOUNT OF DELAY IN LTA OPERATIONALIZATION**

The delay in grant of connectivity/LTA, if applicable, by the CTU / STU and/or delay in readiness of the ISTS / InSTS substation at the Delivery Point, including readiness of the power evacuation and transmission infrastructure of the ISTS / InSTS network, will be considered as a factor attributable to the CTU / STU / transmission licensee and beyond the control of the HPD subject to the following;

- i. The ISTS / InSTS sub-station at the Delivery Point and the power evacuation and transmission infrastructure of the ISTS / InSTS network, with which the

HPD applies for connectivity, shall be scheduled for completion on or before the SCOD of the concerned Project so as to match the two timelines.

- ii. Subject to adherence to above, subsequent to grant of connectivity, in case there is a delay in grant / operationalization of connectivity / LTA by CTU / STU and/or there is a delay in readiness of the ISTS / InSTS sub-station at the delivery point, including readiness of the power evacuation & transmission infrastructure of the ISTS / InSTS network until SCOD of the project and it is established that;
- iii. The HPD has complied with the complete application formalities as per the connectivity procedure(s) and the ISTS / InSTS sub-station at the delivery point at the power evacuation and transmission infrastructure of the ISTS / InSTS Network with which the HPD had applied for connectivity, was scheduled for completion on or before the SCOD of the project and;
- iv. The HPD has adhered to the applicable procedure in this regard as notified by the CERC / GERC / CTU / STU and;
- v. The delay in grant of connectivity / LTA by CTU / STU and / or delay in readiness of the ISTS / InSTS sub-station at the delivery point, including readiness of the power evacuation and transmission infrastructure of the ISTS / InSTS Network, is a factor solely attributable to CTU / STU / transmission licensee and is beyond the control of the HPD;

The above shall be treated as delays beyond the control of the HPD under Article 11.1 (a) of the PPA and such projects shall be eligible for suitable time extension in their SCOD.

d) **EARLY COMMISSIONING**

The HPD shall be permitted for full commissioning as well as part commissioning of the Project even prior to the SCOD subject to availability of transmission connectivity and Long Term/Medium Term/Short Term Access. In cases of early part-commissioning, the Generator will be free to sell it to any other entity provided first right of refusal will vest with GUVNL. GUVNL shall provide refusal within 30 (thirty) days from the receipt of the request, beyond which it would be considered as deemed refusal. Further, in cases of early part-commissioning, till the SCOD, GUVNL may, at its discretion agree to purchase the generation as per provisions of PPA. However, in case the entire capacity is commissioned prior to the scheduled commissioning date, GUVNL may at its discretion, agree to purchase the generation at the PPA Tariff. However, early part/ full commissioning of the Project and subsequent energy procurement from the same shall be subject to the approval of GUVNL.

4.17 COMMERCIAL OPERATION DATE (COD)

Commercial Operation Date (COD) shall be the date certified by GEDA on which the commissioning certificate is issued upon successful commissioning of the full capacity of the

Project. Successful Bidders shall have to provide a written notice to GUVNL at least 10 days in advance for the same. The 25-year tenure of PPA shall be as per the provisions of PPA. The following milestone dates may therefore be observed and may fall on separate dates

- (a) **Interconnection with Grid:** This may be provided by the STU/ CTU/ Discom on the request of the project developer, even if the project is only partially ready to facilitate testing and allow flow of power generated into the grid for testing.
- (b) **Commissioning of the Project:** This will be on a date, when the project meets the criteria defined for project commissioning by GEDA. GEDA being State Nodal Agency is authorized to declare the project commissioned on site.

4.18 MINIMUM PAID UP SHARE CAPITAL TO BE HELD BY PROJECT PROMOTER

- 4.18.1 The Bidder shall provide complete information in their bid in reference to this RfS about the Promoters and upon issuance of LoI, the HPD shall indicate its shareholding in the company indicating the controlling shareholding before signing of PPA with GUVNL.
- 4.18.2 No change in the controlling shareholding of the Bidding Company or Bidding Consortium shall be permitted from the date of submission of response to RfS till the execution of the PPA. However, in case the Project is being set up by a listed Company, this condition will not be applicable.

Following shall not be considered as change in shareholding as mentioned above:

1. Infusion of Fresh equity capital amongst the existing shareholders/promoters at the time of Bid Submission to meet equity requirements.
2. Conversion of CCDs, CCPs etc. already issued to existing shareholders.
3. Death, marriage, Divorce, minor attaining major (any legal heir who was minor at the time of signing of PPA), insolvent, insane of existing shareholders.
4. Transfer of shares within the members of Promoter Group.
5. Transfer of shares to IEPF.
6. Issue of Bonus Shares.

- 4.18.3 **In case of Project being executed through SPVs:** The Selected Bidder executing the project, if being a single company, shall ensure that its shareholding in the SPV/ Project Company executing the PPA, shall not fall below 51% at any time prior to 01 (one) year after the COD, except with the prior approval of GUVNL. In the event the selected Bidder is a consortium, then the combined shareholding of the consortium members in the SPV/ Project Company executing the PPA, shall not fall below 51% at any time prior to 01(one) year after COD, except with the prior approval of GUVNL. However, in case the Project is being set up by a listed Company, this condition will not be applicable.
- 4.18.4 **In case of the selected Bidder itself executing the PPA,** it shall ensure that its promoters shall not cede control (Control shall mean the ownership, directly or indirectly, of more than 50% of the voting shares of such Company or right to appoint majority Directors), till 01 (one) year after the COD, except with the prior approval of GUVNL. However, in case the Project is being set up by a listed Company, this condition will not be applicable.

- 4.18.5** In case of companies having multiple promoters (but none of the shareholders having more than 50% of voting rights and paid up share capital), it shall be considered as a company under joint control. In such cases, the shareholding pattern in the company as submitted at the time of bidding, shall be maintained for a period of 01 year after COD.
- 4.18.6** Any change in the shareholding after the expiry of 01 year after COD can be undertaken under intimation to GUVNL. Transfer of controlling shareholding of the company developing the project within the same group of companies will however be allowed after COD with the permission of GUVNL, subject to the condition that, the management control remains within the same group of companies.
- 4.18.7** In the event of Change in Shareholding/ Substitution of Promoters triggered by the Financial Institutions leading to signing of fresh PPA with a new entity, an amount of INR 10 Lakh per Project +18% GST per Transaction as Facilitation Fee (non-refundable) shall be deposited by the developer to GUVNL.

4.19 STRUCTURING OF THE BID SELECTION PROCESS

- 4.19.1** Single stage, Double Envelope bidding followed by e-Reverse Auction has been envisaged under this RfS. Bidders have to submit both Techno-Commercial Bid and Financial Bid (Tariff) together in response to this RfS online. The preparation of bid proposal has to be in the manner described in Clause No. 4.23, Section-4, Instructions to Bidders (ITB) of RfS.
- 4.19.2** Aggregate capacity offered under this RfS is 500 MW with ESS. For each project, Minimum Project size shall be 25 MW in case of Combination A and 50 MW in case of Combinations B & C and the maximum size shall be 500 MW. The Bidders may submit their proposals accordingly. The proposals may be enclosed in the same envelope in the manner described in Clause No. 4.23, Section-4, Instructions to Bidders (ITB) of RfS.

4.20 INSTRUCTIONS TO BIDDERS FOR STRUCTURING OF BID PROPOSALS IN RESPONSE TO RfS

The bidder including its Parent, Affiliate or Ultimate Parent or any Group Company shall submit single response to RfS.

Detailed Instructions to be followed by the bidders for online submission of response to RfS are stated at Annexure - D

Submission of bid proposals by Bidders in response to RfS shall be in the manner described below:

1. Covering Letter as per **Format 8.1**
2. In case of a Bidding Consortium, a **Power of Attorney** in favour of the Lead Member issued by the other Members of the Consortium shall be provided in original as per format attached hereto as **Format 8.2**

In the event any Member of the Bidding Consortium (other than Lead Member) is a foreign entity, it may submit Board Resolutions in place of Power of Attorney for the purpose of fulfilling the requirements under this clause. Provided that such Board Resolutions shall be supported by an unqualified opinion issued by the legal counsel of such foreign entity stating that the Board Resolutions are in compliance with the applicable laws of the respective jurisdictions of the issuing Company and the authorizations granted therein are true and valid.

3. Earnest Money Deposit (EMD) in the form as per **Format 8.3 A**.
4. **Performance Guarantee** (to be submitted before signing of PPA as specified in Section 4.12) in the form as per **Format 8.3B**.
5. Board Resolutions, as per prescribed formats enclosed as per **Format 8.4** duly certified by the Company Secretary or the Director of the relevant Bidder, as applicable to the Bidder and mentioned hereunder:
 - a. Board Resolution from the Bidding Company or the Lead Member of the Consortium, as the case may be, in favour of the person signing the response to RfS and in the event of selection of the Projects and to sign the PPA with GUVNL. Board Resolution from each of the Consortium Members in favour of the person signing Consortium Agreement
 - b. Board Resolution from the Bidding Company committing 100% (One Hundred Percent) of the equity requirement for the Project/ Board Resolutions from each of the Consortium Members together in aggregate committing to 100% (One Hundred Percent) of equity requirement for the Project (in case of Bidding Consortium); and
 - c. Board Resolutions from each of the Consortium Members and Lead member contributing such additional amount over and above the percentage limit (specified for the Lead Member and other member in the Consortium Agreement) to the extent becoming necessary towards the total equity share in the Project Company, obligatory on the part of the Consortium pursuant to the terms and conditions in the Consortium Agreement.
 - d. Board Resolution from the affiliate of the bidding company, if network of such affiliate is used by the bidder, undertaking that such affiliate shall contribute the required equity funding and performance bank guarantees in case the bidder fails to do so in accordance with clause C.1 (b), Section 5 of RFS.
6. In case of a Consortium, the Consortium Agreement between the Members in the Consortium as per **Format 8.5** along with Board resolution from each Member of the Consortium for participating in Consortium.
7. Format for Financial Requirements as per **Format 8.6** along with the certificate from practicing Chartered Accountant/ Statutory Auditors showing details of computation of the financial credentials of the Bidder.

8. Undertaking regarding no willful default and no major litigation pending as per **Format 8.7**.
9. A disclosure statement as per **Format 8.8** regarding participation of any related companies in the bidding process.
10. Format for Technical Criteria as per **Format 8.9** (to be filled out separately for each Project) in line with Clause No. 4.15, Section-4, Instructions to Bidders (ITB) of RfS.
11. Declaration by the Bidding Company/ Lead Member of Bidding Consortium for the Proposed Technology Tie Up as per **Format 8.10** and in accordance with MNRE's Approved List and Manufacturers of Solar PV (Requirements for Compulsory Registration) Order, 2019 and List(s) there under and Revised List of Models and Manufacturers (RLMM) of Wind Turbines prepared by MNRE as amended from time to time prior to actual commissioning of the Project (to be filled out separately for each Project).

12. Attachments

- a. Memorandum of Association, Article of Association needs to be attached along with the bid. The bidder should also highlight the relevant provision which highlights the objects relating to Power/ Energy/ Renewable Energy/ Solar/ Wind Power plant development.
 - In case, there is no mention of the above provisions in the MoA/ AoA of the bidding company, the same has to be amended and submitted prior to signing of PPA, if the bidder is selected as Successful bidder.
 - If the selected bidder wishes to execute the project through a Special Purpose Vehicle (SPV), the MoA/ AoA of the SPV highlighting the relevant provision which highlights the objects relating to Power/ Energy/ Renewable Energy/ Solar Power plant development has to be submitted prior to signing of PPA.
 - Undertaking with regards to clause A8 in Section-5.
- b. Certificate of Incorporation of Bidding Company/ all member companies of Bidding Consortium.
- c. A certificate of shareholding of the bidding company, its Parent and Ultimate Parent (if any) duly certified by a practicing Chartered Accountant/ Company Secretary as on a date within 30 days prior to the last date of bid submission. GUVNL reserves the right to seek additional information relating to shareholding in promoter companies, their parents/ ultimate parents and other group companies to satisfy themselves that RfS conditions have been complied with and the bidder will ensure submission of the same within the required time lines.

- d. Certified copies of annual audited accounts for the last financial year ending on 31.03.2022 or 31.12.2021 or 31.03.2021 as applicable or as on the date at least 7 days prior to the bid submission deadline, and provisional audited accounts, along with certified copies of Balance Sheet, Profit & Loss Account, Schedules and Cash Flow Statement supported with bank statements (if applicable), shall be required to be submitted.
- e. Details of all types of securities/instruments which are pending conversion into equity whether optionally or mandatorily.

4.21 IMPORTANT NOTES AND INSTRUCTIONS TO BIDDERS

- 4.21.1** Wherever information has been sought in specified formats, the Bidders shall fill in the details as per the prescribed formats and shall refrain from any deviations and referring to any other document for providing any information required in the prescribed format.
- 4.21.2** The Bidders shall be shortlisted based on the declarations made by them in relevant schedules of RfS. The documents submitted online will be verified before signing of PPA in terms of Clause No. 4.14, Section-4, Instructions to Bidders, ITB of RfS.
- 4.21.3** If the Bidder/Member in a Bidding Consortium conceals any material information or makes a wrong statement or misrepresents facts or makes a misleading statement in its response to RfS, in any manner whatsoever, GUVNL reserves the right to reject such response to RfS and/ or cancel the Letter of Award, if issued, and the Bank Guarantee provided up to that stage shall be encashed. Bidder shall be solely responsible for disqualification based on their declaration in the submission of response to RfS.
- 4.21.4** If the event specified at 4.21.3 is discovered after the Effective Date of PPA, consequences specified in PPA shall apply.
- 4.21.5** Response submitted by the Bidder shall become the property of GUVNL and GUVNL shall have no obligation to return the same to the Bidder. However, the EMDs submitted by unsuccessful Bidders shall be returned as specified in Clause no. 4.11, Section-4, Instructions to Bidders (ITB) of RfS.
- 4.21.6** All documents of the response to RfS (including RfS and subsequent Amendments/ Clarifications/ Addenda and PPA) submitted online must be digitally signed by the person authorized by the Board as per Format 8.4 as there are provisions regarding same on the portal.
- 4.21.7** The response to RfS shall be submitted as mentioned in Clause No. 4.21, Section-4, Instructions to Bidders (ITB) of RfS. No change or supplemental information to a response to RfS will be accepted after the scheduled date and time of submission of response to RfS. However, GUVNL reserves the right to seek additional information from the Bidders, if found necessary, during the course of evaluation of the response to RfS.

- 4.21.8 The bidder shall make sure that the correct, valid and operative Pass-Phrase to decrypt the relevant Bid-part is submitted to GUVNL as per Section 4.23 (A).
- 4.21.9 All the information should be submitted in English language only. In case of foreign bidders having documents in other than English language, then the documents shall be translated in English language by certified translator and submitted.
- 4.21.10 Bidders shall mention the name of the contact person and complete address and contact details of the Bidder in the covering letter.
- 4.21.11 Response to RfS that are incomplete, which do not substantially meet the requirements prescribed in this RfS, will be liable for rejection by GUVNL.
- 4.21.12 Response to RfS not submitted in the specified formats will be liable for rejection by GUVNL.
- 4.21.13 Bidders delaying in submission of additional information or clarifications sought will be liable for rejection.
- 4.21.14 Non-submission and/ or submission of incomplete data/ information required under the provisions of RfS shall not be construed as waiver on the part of GUVNL of the obligation of the Bidder to furnish the said data/ information unless the waiver is in writing.
- 4.21.15 The Gujarat Electricity Regulatory Commission shall be the Appropriate Commission to exercise the regulatory and adjudicatory jurisdiction in regard to matters between HPD and GUVNL. Subject to the above, only Gujarat Courts shall have exclusive jurisdiction in all matters pertaining to this RfS.
- 4.21.16 All the financial transactions other than transactions for purchase / sale of power to be made with GUVNL including success charges, delay charges, and any additional charges (if required), shall attract 18% GST on each transaction, irrespective of the same being mentioned in the RfS/PPA.

4.22 NON-RESPONSIVE BID

The electronic response to RfS submitted by the bidder along with the documents submitted **OFFLINE** to GUVNL shall be scrutinized to establish "Responsiveness of the bid". Each bidder's response to RfS shall be checked for compliance with the submission requirements set forth in this RfS.

Any of the following conditions shall cause the Bid to be "Non-responsive":

- (a) Non-submission of the requisite cost of RfS and/or processing fee as mentioned in the Bid Information Sheet.
- (b) Non-submission or partial submission of EMD in acceptable form along with RfS document.

- (c) Response to RfS (offline as well as online) not received by the due date and time of bid submission;
- (d) Non-submission of correct, valid and operative Pass-Phrase to decrypt either the Technical Bid Part or Financial Bid Part offline before due date and time of submission of bid;
- (e) Non submission of the original documents mentioned at Section 4.23 by due date and time of bid submission;
- (f) Non-submission of Original Bank Guarantee and/or DDs against Cost of RfS Document and/or DDs against bid processing fee.
- (g) Any indication of tariff in any part of response to the RfS, other than in the financial bid;
- (h) Data filled in the Electronic Form of Financial Bid (Second Envelope), not in line with the instructions mentioned in the same electronic form;
- (i) Bidder or any of its Affiliates whose credentials are used is a willful defaulter to any lender
- (j) In case it is found that the Bidding Company including Ultimate Parent Company/ Parent Company/ Affiliate/ Group Companies have submitted more than one response to this RfS, then all these bids submitted shall be treated as non-responsive and rejected.
- (k) Conditional bids shall be summarily rejected.

In any of the above cases, the bid shall be treated as non-responsive and liable to be rejected. Further, in case of (b), such bidder will be liable to be debarred from participating in any of the tenders issued by GUVNL, for a period of 6 (six) months, starting from the last date of bid submission of this RfS.

4.23 METHOD OF SUBMISSION OF RESPONSE TO RfS BY THE BIDDER

A. DOCUMENTS TO BE SUBMITTED OFFLINE (IN ORIGINAL)

1. Bank Guarantee towards EMD as mentioned in the Bid Information Sheet (as per Format 8.3). One EMD may be submitted for the cumulative capacity quoted by the bidder, or individual EMDs may be submitted for different capacities.
2. Pass-phrases for Techno-commercial and Financial bids submitted on the ETS portal in two separate envelopes. Bidders shall take special note that no documents other than the above shall be submitted offline.

Bidders shall take special note that no documents other than the above shall be submitted offline.

Bank Guarantee against EMD needs to be submitted in both online and offline modes. The bidders will be required to submit the bank guarantee, either in person or through post, at the office of GUVNL until the date as on 2 working days after the closing date of online bid submission. The 2-day duration will be counted from the date of online bid submission deadline. For e.g., if the bid submission deadline is 18:00 hrs on 22.05.2022, the above deadline will expire at 18:00 hrs on 24.05.2022. In case of the above deadline being a holiday, the next working day in GUVNL will be the deadline for submission of Bank Guarantees.

Note: In all cases, the Bank Guarantee against EMD (if applicable), shall be issued on or before the bid submission deadline. These instruments issued after the expiry of the deadline will be summarily rejected. The bidding envelope shall contain the following sticker:

Response to RfS for purchase of power through Competitive Bidding Process (followed by reverse e-auction) from 500 MW grid connected RE Projects with assured peak power supply through Energy Storage System (ESS) (Phase XV)	
Capacity of Project	MW
RfS Reference No.	RfS No. GUVNL / 500 MW / RE with ESS (Phase XV) dtd 14.06.2022
Submitted by	(Enter Full name and address of the Bidder)
Authorized Signatory	(Signature of the Authorized Signatory) (Name of Signatory) (Stamp of Bidder)
Bid Submitted to	General Manager (RE & IPP) Gujarat UrjaVikas Nigam Ltd Sardar Patel Vidyut Bhavan, Race Course, Vadodara-390007

B. DOCUMENTS TO BE SUBMITTED ONLINE

Detailed instructions to be followed by the bidders for online submission of response to RfS are stated as Annexure-D and E. The bidders shall strictly follow the instructions mentioned in the electronic form in respective technical bid and financial bid while filling the form.

If the Bidder has submitted bid online and fails to submit the Bank Guarantee for requisite amount and/or DDs against cost of RfS Document and bid processing fee offline within 2 working days from last date of bid submission, then the same shall be treated as incomplete bid and Cost of RfS, Processing Fee submitted shall be encashed and the EMD(s) shall be returned.

All documents of the response to RfS submitted online must be digitally signed on <https://www.bharat-electronicstender.com> which should contain the following:

1. "Technical Bid (First Envelope)"

The Bidders shall upload single technical bid containing the scanned copy of following documents duly signed and stamped on each page by the authorized signatory as mentioned below.

- i) Formats - 8.1, 8.2 (if applicable), 8.3 A, 8.4, 8.5 (if applicable), 8.6, 8.7, 8.8, 8.9 and 8.10 as elaborated in Clause No. 4.20, Section-4.
- ii) All attachments elaborated in Clause No. 4.20, Section-4, under the sub-clause 12, Attachments with proper file names.
- iii) All supporting documents regarding meeting the eligibility criteria
- iv) Scanned copies of NEFT/RTGS details towards Cost of RfS Document as mentioned in Bid Information Sheet.
- v) Scanned copies of requisite amount of Bank Guarantee towards EMD as mentioned in the Bid Information Sheet.

The bidder will have to fill the Electronic Form provided at the <https://www.bharat-electronicstender.com> as part of Technical Bid.

2. "Financial Bid (Second Envelope)"

Bidders shall submit the single Financial Bid containing the scanned copy of following document(s):

- i) Covering letter as per Format-8.11 of this RfS document;
- ii) Preliminary Estimate of Cost of Project as per Format 8.12

Only a single tariff, i.e. the Peak Tariff bid for all the Projects applied for, shall have to be filled online in the Electronic Form provided at the ISN-ETS portal. The instructions mentioned in the Financial Bid Electronic Form have to be strictly followed without any deviation, else the bid shall be considered as non-responsive.

Important Note:

- i) The Bidders shall not deviate from the naming and the numbering formats mentioned above, in any manner.
- ii) In each of the Envelopes, all the documents enclosed shall be indexed and flagged appropriately, with the index list indicating the name of the document against each flag.
- iii) All the Envelopes shall be properly sealed with the signature of the Authorized Signatory running across the sealing of the envelopes.
- iv) In case the Bidder submits the online documents on ISN-ETS within the bid submission deadlines and fails to submit the offline documents in the office of GUVNL within the bid submission deadlines, the online bid of the Bidder shall not be opened and shall be 'archived' on the ISN-ETS portal. Similarly, bids submitted

offline but without any online submission on ISN-ETS portal shall not be opened and the EMD shall be returned to the respective bidder.

4.24 NOTICE BOARD FOR DISPLAY

The selected HPD will have to put a notice board (at least 180cm x 120cm) at its project site main entrance prominently displaying the following message before declaration of COD.

___ MW Grid Connected REProject with ___ MWhrESS, Owned and operated by _____ (insert name of the HPD) [Under RfS for <i>Setting up of 500 MW Grid Connected REProjects with assured Peak hour supply through ESS</i> by Gujarat UrjaVikas Nigam Limited] Village:....., Tehsil....., District....., State.....

4.25 VALIDITY OF THE RESPONSE TO RfS

The Bidder shall submit the response to RfS which shall remain valid up to 180 (One Hundred Eighty) days from the last date of submission of response to RfS ("Bid Validity"). GUVNL reserves the right to reject any response to RfS which does not meet the aforementioned validity requirement.

4.26 BID PREPARATION COST

The Bidder shall be entirely responsible for all the costs associated with the preparation of the response to RfS and participation in discussions and attending pre-bid meeting(s) etc. GUVNL shall not be responsible in any way for such costs, regardless of the conduct or outcome of the bid process.

4.27 CLARIFICATIONS/ PRE-BID MEETING/ ENQUIRIES/ AMENDMENTS

- 4.27.1 Clarifications/ Doubts, if any, on RfS document shall be emailed to GUVNL and may also be raised through ISN-ETS portal.

4.27.2 GUVNL will make effort to respond to the same in the Pre-Bid Meeting to be held as mentioned in the Bid Information Sheet. A compiled list of such questionnaire and GUVNL's response will be uploaded in the website <https://www.bharat-electronictender.com> and on GUVNL's website <https://www.guvnl.com>. If necessary, amendments, clarifications, elaborations shall be issued by GUVNL which will be notified on GUVNL/ISN-ETS web site. No separate reply/ intimation will be given for the above, elsewhere.

4.27.3 A Pre-Bid Meeting shall be held as mentioned in the Bid Information Sheet.

4.27.4 Enquiries may be sought by the Bidder from

<u>Name of the Authorized Person of GUVNL:</u>	<u>Contact Details:</u>
Sailaja Vachhrajani General Manager (RE & IPP)	Phone (M): +91-9879200656 E-mail: gmipp.guvnl@gebmail.com
Parthik Joshi Deputy Chief Accounts Officer	Phone (M): +91-9979536445 Email: aocom.guvnl@gebmail.com
Amitkumar H. Chavda Deputy Engineer	Phone (M): +91-8238034977 Email: decom.guvnl@gebmail.com

4.28 RIGHT OF GUVNL TO REJECT A BID

GUVNL reserves the right to reject any or all of the responses to RfS or cancel the RfS or annul the bidding process for any project at any stage without assigning any reasons whatsoever and without thereby any liability. In the event of the tender being cancelled at any stage, the processing fee (excluding GST, if amount credited to GUVNL's account), without any interests, and EMD submitted by the Bidders shall be returned to the respective Bidders.

4.29 POST AWARD COMPLIANCES

Timely completion of all the milestones i.e. signing of PPA, meeting Financial Closure Requirements/ Conditions Subsequent (PPA), Commissioning etc. will be the sole responsibility of HPD. GUVNL shall not be liable for issuing any intimations/ reminders to HPDs for timely completion of milestones and/ or submission of compliance documents.

Any checklist shared with HPD by GUVNL for compliance of above mentioned milestones to be considered for the purpose of facilitation only. Any additional documents required as per the conditions of Guidelines, RfS and PPA must be timely submitted by the HPD.

SECTION -5

**QUALIFYING
REQUIREMENTS
FOR BIDDERS
(QR)**

Short listing of Bidders will be based on meeting the following Criteria:

A GENERAL ELIGIBILITY CRITERIA

- A.1 Company as defined.
- A.2 Bidding Consortium with one of the Companies as Lead member. Consortium shortlisted and selected based on this RfS has to necessarily form a Project Company and get it registered under the Companies Act, 2013 prior to signing of PPA, keeping the original shareholding of the Bidding Consortium unchanged. In case application for multiple Projects have been made by a Consortium, separate Project Companies can be formed for each Project at the time of signing of PPA. For the avoidance of doubt, it is hereby clarified that the shareholding pattern of the Project Company shall be the identical to the shareholding pattern of the Consortium as indicated in the Consortium Agreement (Format 8.5).
- A.3 A foreign company can also participate on standalone basis or as a member of consortium at the RfS stage. In case of foreign company participating on standalone basis and its selection as successful Bidder, it has to form a "Special Purpose Vehicle" (SPV), i.e. an Indian Company registered under the Companies Act, 2013 as its subsidiary Company, with atleast 76% shareholding in the SPV, before signing of PPA. In case a Foreign Company is selected as the successful Bidder, it shall comply with all the laws and provisions related to Foreign Direct Investment in India.


In case the foreign company participating as a member of consortium, the clause no. A.7 mentioned below shall be applicable.

- A.4 Not Used
- A.5 Limited Liability Partnership (LLPs) are not eligible for participation.
- A.6 A Bidder which has been selected as Successful Bidder based on this RfS can also execute the Project(s) through a Special Purpose Vehicle(s) (SPV) i.e. a Project Company especially incorporated/acquired as a subsidiary Company of the successful bidder for setting up of the Project, with atleast 76% shareholding in the SPV which has to be registered under the Indian Companies Act, 2013, before signing of PPA. Multiple SPVs may also be utilized for executing more than one Project.
- A.7 Any consortium, if selected as Successful Bidder for the purpose of supply of power to GUVNL, shall incorporate a Project company with equity participation by the Members in line with consortium agreement (to be submitted along with the response to RfS) before signing of PPA with GUVNL, i.e. the Project Company incorporated shall have the same shareholding pattern as that indicated in the Consortium Agreement given at the time of submission of response to RfS. This shall not change till the signing of PPA and the Controlling Shareholding (held by the Lead Member holding not less than 51% of the voting rights and paid up share capital) shall not change from submission deadline of response to RfS up to 1 (one) year after the COD of the Project. Transfer of controlling shareholding within the same group of companies will however be


allowed after COD with the permission of GUVNL, subject to the condition that, the management control remains within the same group of companies.

- A.8 The Bidder or any of its Affiliates should not be a willful defaulter to any lender, and that there is no major litigation pending or threatened against the Bidder or any of its Affiliates which are of a nature that could cast a doubt on the ability or the suitability of the Bidder to undertake the Project. The Bidder shall submit an undertaking to this effect.
- A9 For avoidance of doubt, it is clarified that the fully owned subsidiary Company as mentioned in Clauses A.3 and A.6 above should be an immediate subsidiary of the bidder, without any intermediaries involved. The following illustrations are provided to clarify the same

Scenario 1:



Scenario 2:



As per provisions of the RfS, only Scenario 1 will be permissible under this RfS.

B TECHNICAL ELIGIBILITY CRITERIA

- B.1 Under this RfS, it is proposed to promote only commercially established and operational technologies to minimize the technology risk and to achieve timely commissioning of the Projects. The Bidder may indicate regarding the selection of technology and its details at the time of submission of bids in the prescribed Format 8.9. However, the Successful Bidder has to confirm the selection of technology in line with the above at the time of Financial Closure. The technology proposed at the time of submission of response to RfS can be changed at the time of Financial Closure.

- B.2 The Bidder is required to undertake to furnish evidence of meeting the above criteria in line with provisions of Clause No. 4.15 under the sub title "Financial Closure" in Section-4, Instructions to Bidders (ITB) of RfS. The undertaking shall be submitted as per enclosed Format 8.8.
- B.3 In order to ensure only quality systems are installed, and in order to bring-in advantage of latest development/Models, the type-certified wind turbine models listed in Revised List of Models and Manufactures (RLMM) issued by MNRE as updated until the Scheduled Commercial Operation Date (SCOD) of the projects will be allowed for deployment under the RfS. Detailed technical parameters for Solar PV component to be met by HPDs are at Annexure-A. The HPDs shall strictly comply with the above requirements. Further, the cells and modules used in the Project shall be sourced only from the models and manufacturers in accordance with MNRE's Approved Models and Manufacturers of Solar PV Modules (Requirements for Compulsory Registration) Order, 2019 and List(s) thereunder as amended from time to time. It is hereby clarified that leasing of Project equipment is not allowed under the RfS.
- B.4 The Projects shall also comply with the criteria for power generation detailed in Clause No. 4.10 in Section-4, Instructions to Bidders (ITB) of RfS.

C FINANCIAL ELIGIBILITY CRITERIA

C.1 NET-WORTH

- a. The Net Worth of the Bidder should be equal to or greater than INR 1.5 Crores per MW of the quoted capacity, as on the last date of previous Financial Year, i.e. FY 2020-21 or FY 2021-22 or as on the date at least 7 days prior to the date of bid submission.
- b. The net worth to be considered for the above purpose will be the cumulative networth of the Bidding Company or Consortium together with the Net Worth of those Affiliates of the Bidder(s) that undertake to contribute the required equity funding and performance bank guarantees in case the Bidder(s) fail to do so in accordance with the RfS.
- c. Net Worth to be considered for this clause shall be the total Net Worth as calculated in accordance with the Companies Act, 2013 and any further amendments thereto.

C.2 (not used)

- C.3 The Bidder may seek qualification on the basis of financial capability of its Affiliate(s) for the purpose of meeting the qualification requirements as per C.1 and C.2 above. In case of the Bidder being a Bidding Consortium, any Member may seek qualification on the basis of financial capability of its Affiliate(s). In such cases, the Bidder shall be required to submit Board Resolutions from the respective Affiliate(s), undertaking to contribute the required equity funding and Performance Bank Guarantees in case the Bidder(s) fail to do so in accordance with the RfS. In case of non-availability of the Board Resolution as required

above, a letter from the CEO/ Managing Director of the respective Affiliate(s), undertaking the above, shall be required to be submitted and the requisite Board Resolution from the Affiliate(s) shall be required to be submitted prior to signing of PPA.

- C.4** For the purposes of meeting financial requirements, only latest unconsolidated audited annual accounts shall be used. However, audited consolidated annual accounts of the Bidder may be used for the purpose of financial requirements provided the Bidder has at least twenty six percent (26%) equity in each Company whose accounts are merged in the audited consolidated account.
- C.5** A Company/ Consortium would be required to submit annual audited accounts for the last financial year, i.e. FY 2020-21 or FY 2021-22 or provisional audited accounts in case of the bidder meeting the financial criteria as on the date at least 7 days prior to the date of bid submission, along with net worth certificate from a practicing Chartered Accountant/ Statutory Auditor to demonstrate fulfillment of the criteria. In case of foreign companies, the Bidders shall be required to submit the annual audited accounts for the last respective financial year as per the general norm in the country where the Bidder or its Affiliate(s) is/ are located, or provisional audited accounts in case of the bidder meeting the financial criteria as on the date at least 7 days prior to the date of bid submission.

Note: In case of foreign Bidders, in the event the Bidder is unable to furnish the audited annual accounts for the previous financial year as per the prevalent norm in the respective country, the Bidder shall submit the annual audited accounts of the last financial year for which the audited accounts are available, or the provisional audited accounts for the date at least 7 days prior to the date of bid submission. This, however, would be acceptable, subject to the condition that the last date of response to this RfS falls on or within the deadline for completion of audit of annual accounts of companies, as stipulated by the laws/rules of the respective country, and the Bidder shall submit the corresponding documentary evidence against the same. In case the annual accounts are submitted in a language other than English, a certified English translation from an approved translator shall be required to be submitted by the Bidder.

- C.6** For meeting the above financial eligibility criteria, if the data is provided by the Bidder in a foreign currency, equivalent Indian Rupees of Net Worth and other financial parameters will be calculated by the Bidder using Reserve Bank of India's reference rates prevailing on the date of closing of the accounts for the respective financial year.
- C.7** In case of any currency for which RBI reference rate is not available, Bidders shall convert such currency into USD as per the exchange rates certified by their banker prevailing on the relevant date and used for such conversion. After such conversion, Bidder shall follow the procedure/ submit document as elaborated in Clause C.6 above.

- C.8** In case the response to RfS is submitted by a Consortium, then the financial requirement (Net-Worth) to be met by each Member of the Consortium shall be computed in proportion to the equity commitment made by each of them in the Project Company.

For example, if two companies A and B form a Consortium with equity participation in 70:30 ratio and submit their bid for a capacity of 100MW, then, total Net-Worth to be met by the Consortium is Rs. 1.5 Crores x 100MW = Rs. 150Crores. Minimum requirement of Net-Worth to be met by Lead Member A would be minimum Rs. 105 Crores and to be met by Consortium Member B would be Rs.45 Crores.

- C.9** In accordance with the O.M. issued by the Department of Expenditure, Ministry of Finance, Govt. of India, vide No. 6/18/2019- PPD Dated 23.07.2020 and subsequent amendments and clarifications thereto, the Bidder shall meet the following criteria for its bid to be considered for evaluation under the RfS:
1. Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority (as defined in the OM as referred above).
 2. "Bidder" in this reference, means any person or firm or company, including any member of a consortium, every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in this tender.
 3. "Bidder from a country which shares a land border with India" for the purpose of this clause, means:
 - a. An entity incorporated, established or registered in such a country; or
 - b. A subsidiary of an entity incorporated, established or registered in such a country; or
 - c. An entity substantially controlled through entities incorporated, established or registered in such a country; or
 - d. An entity whose beneficial owner is situated in such a country; or
 - e. An Indian (or other) agent of such an entity; or
 - f. A natural person who is a citizen of such a country; or
 - g. A consortium where any member of the consortium falls under any of the above.
 4. In support of the above, the Bidder shall be required to submit necessary Undertaking, as per Format 8.8 of the RfS. Accordingly, all the provisions of the above referred O.M. dated 23.07.2020 shall also be applicable for this tender.

SECTION - 6

**BID EVALUATION
AND SELECTION OF PROJECTS**

6.1 BID EVALUATION

Bid evaluation will be carried out considering the information furnished by Bidders as per provisions specified in Section-3, Instructions to Bidders (ITB) of this RfS. The detailed evaluation procedure and selection of bidders are described in subsequent clauses in this Section.

6.2 TECHNO-COMMERCIAL EVALUATION OF BIDDERS

A. FIRST ENVELOPE (TECHNICAL BID) EVALUATION (STEP - 1)

- i. The first envelope (Technical Bid submitted online) of only those bidders will be opened by GUVNL whose required documents as mentioned at Clause No. 4.23.A, Section-4, are received at GUVNL's office.
- ii. Documents (as mentioned in the previous clause) received after the bid submission deadline specified in the Bid Information Sheet shall be rejected and returned unopened, if super-scribed properly with address, to the bidder.
- iii. Subject to Clause No. 4.22, Section-4, Instructions to Bidders (ITB) of this RfS, GUVNL will examine all the documents submitted by the Bidders and ascertain meeting of eligibility conditions prescribed in the RfS. During the examination of the bids, GUVNL may seek clarifications/ additional documents to the documents submitted etc. from the Bidders if required to satisfy themselves for meeting the eligibility conditions by the Bidders. Bidders shall be required to respond to any clarifications/ additional documents sought by GUVNL within 02 (two) days from the date of such intimation from GUVNL. All correspondence in this regard shall be made through ISN-ETS portal only. It shall be the responsibility of the Bidder to ensure that the email id of the authorized signatory of the Bidder is functional. The Bidder may provide an additional email id of the authorized signatory in the covering letter. No reminders in this case shall be sent. It shall be the sole responsibility of the Bidders to remove all the discrepancies and furnish additional documents as requested. GUVNL shall not be responsible for rejection of any bid on account of the above.
- iv. The response to RfS submitted by the Bidder shall be scrutinized to establish TechnoCommercial eligibility as per RfS.

B. SECOND ENVELOPE (FINANCIAL BID) EVALUATION (STEP - 2)

In this step evaluations of Techno-Commercially Qualified Bids shall be done based on the "First Round Tariff Bid" quoted by the bidders in the Electronic Form of Financial Bid. It is specified that the bidders shall quote only for the 2nd part tariff, i.e. the "PeakTariff" as elaborated in the RfS document, which shall be exclusive of the 1st part tariff of Rs. 2.57/kWh. After this step, the shortlisted bidders shall be invited for the Reverse Auction.

Note: Reverse Auction shall be conducted only on the Peak Tariff as quoted by the Bidders. In this context, the term "tariff" in this Section shall mean "Peak Tariff".

- i. Second Envelope (containing First Round Tariff) of only those bidders shall be opened whose technical bids are found to be qualified.
- ii. The Bidder including its Parent, Affiliate or Ultimate Parent or any Group Company will have to submit a single bid (single application) quoting a single tariff per kWh for all the Projects applied for. The tariff has to be quoted up to two places of decimal only. If it is quoted with more than two digits after decimal, it shall be ignored after first two decimal places. (For e.g. if the quoted tariff is INR 2.337, then it shall be considered as INR 2.33).
- iii. In this step, evaluation will be carried out for each Project based on tariff quoted by Bidders for the "Peak tariff".
- iv. On completion of Techno-Commercial bid evaluation, if it is found that the total aggregate capacity of the Solar PV Projects short-listed is lower than or equal to 500 MW, then the procedure as elaborated in Clause No. 6.3.2 of this Section-6 shall be followed.
- v. On completion of Techno-Commercial bid evaluation, if it is found that the number of qualified bidders is less than two, even after three attempts of bidding, GUVNL may at its discretion continue with the bidding process after consent of GERC. In case of two or more Bidders are eligible for the next stage, opening of the financial bid of the Bidder(s) will be at the discretion of GUVNL. Thereafter, GUVNL will take appropriate action as deemed fit.
- vi. If the first-round tariff quoted is same for two or more Bidders, then all the Bidders with same tariff shall be considered of equal rank/ standing in the order.
- vii. All Bidders with same tariff shall be eligible for reverse auction round (provided their rank is equal to or less than n^{th} Bidder as mentioned in Clause No. 6.3.2 of this Section 6).
- viii. Ranking of bidders after Financial Bid Evaluation: Following illustrates an example of ranking of bidders after financial bid opening and evaluation

Bidder	Submitted Financial Bid	Ranking
B1	₹ 2.10 (Tariff in ₹/ kWh)	L1
B2	₹ 2.20 (Tariff in ₹/ kWh)	L2
B3	₹ 2.30 (Tariff in ₹/ kWh)	L3
B4	₹ 2.30 (Tariff in ₹/ kWh)	L3
B5	₹ 2.43 (Tariff in ₹/ kWh)	L4
B6	₹ 2.60 (Tariff in ₹/ kWh)	L5
B7	₹ 2.65 (Tariff in ₹/ kWh)	L6
B8	₹ 2.69 (Tariff in ₹/ kWh)	L7

6.3 REVERSE AUCTION (STEP - 3)

- 6.3.1** The reverse auction for each project shall be conducted through <https://www.bharat-electronictender.com> portal on the day as intimated by GUVNL to the eligible bidders.
- 6.3.2** The Total eligible bidders for the Project for reverse auction shall be decided as mentioned below:

Assuming

T = Total Techno-Commercially Qualified Bidders, and

S_T = Capacity of the total number of techno-commercially qualified bidders

S_k = Cumulative capacity till the 'k'th serial number bidder (**not the 'k'th rank bidder**) after ranking is done in ascending order from L1 onwards

S_m = Total capacity of techno-commercially qualified bidders after ranking is done in ascending order from L1 onwards, such that ($S_{m-1} < S_E$ MW and $S_m \geq S_E$)

S_E = (Eligible capacity for award)	(i) In case $S_T \leq 500$ MW, $S_E = 0.8 \times S_T$ (ii) In case $S_T > 500$ MW, $S_E = 0.8 \times S_T$, subject to maximum eligible capacity being 500 MW.	
$n = \{$	T , if $T = m$ or $m+1$	Where m = Total number of techno-commercially qualified bidders (after ranking is done in ascending order from L1 onwards) such that ($S_{m-1} < S_E$ MW and $S_m \geq S_E$) and $1 \leq m \leq T$
	$m + (T-m)/2$, if $S_m \geq S_E$ and $T-m$ is even	
	$m + (T-m+1)/2$, if $S_m \geq S_E$ and $T-m$ is odd	

Total eligible Bidders for e-Reverse Auction = Bidders from Sl. No. 1 to Sl. No. n.

For e.g. (Shortlisting of Bidders for reverse auction):

Total bid capacity of techno-commercially shortlisted bidders = $S_T = 770$ MW

Eligible capacity for award = $S_E = 500$ MW

$S_m = 550$ MW

Therefore, $n = [7 + (11-7)/2] = 9$ as per the above formula.

Sl. No.	Techno commercially qualified Bidder	Rank	Capacity (MW)	T	m	S _E	n	Shortlisted Bidders
1	B3	L1	55	11	7	500 MW	9*	B8
2	B5	L2	45					B5
3	B1	L3	125					B1
4	B4	L3	75					B4
5	B2	L4	80					B2
6	B3	L5	95					B3
7	B7	L6	75					B7
8	B6	L7	60					B6
9	B10	L8	50					B10
10	B9	L9	55					
11	B11	L10	55					

*Thus, $n = 7 + (11-7)/2 = 9$ as per above formula

6.3.3 Before the schedule start time of Reverse Auction, a system generated email for invitation for Reverse Auction will be sent to all those bidders only who have been shortlisted based on the criteria mentioned at Clause No. 6.3.2 above. The reverse auction will be conducted after opening of financial bids on the same day.

6.3.4 Shortlisted bidders for Reverse Auction will be able to login into the ISN-ETS website of reverse auction 15 minutes before the start time of reverse auction.

- i) During the 15 minutes prior to start of reverse auction process, the respective tariff of the bidder shall be displayed on its window.
- ii) The minimum decrement value for tariff shall be INR 0.01 per kWh. The Bidder can mention its revised discounted tariff which has to be at least 01 (One) Paisa less than its current tariff.
- iii) Bidders can only quote any value lower than their previous quoted tariff taking into consideration the minimum decrement value mentioned in the previous clause. However, at any stage, increase in tariff will not be permissible. Bidders can improve their ranking by quoting the tariff lower than their last quoted tariff.
- iv) During reverse auction, the Bidder shall not have the option of changing the total project capacity while quoting tariff during reverse auction.
- v) In the bidder's bidding window, the following information can be viewed by the bidder:
 - a. Its tariff as the initial start price and there after last quoted tariff along with the project capacity for which the Bidder is qualified.

- b. The list of all the Bidders with their following details: Pseudo Identity, last quoted tariff and project capacity
- vi) The initial auction period will be of 30 (thirty) minutes with a provision of auto extension by 05 (five) minutes from the scheduled/ extended closing time. Such auto extension shall be affected if by way of reduction in tariff, a Bidder causes a change in its zonal placement at that instant. The 'zones' are as follows:
 - (a) Green Zone: This zone consists of the Bidders who may be allocated their full quoted Project capacity if the auction is closed at that instance.
 - (b) Yellow Zone: This zone consists of the Bidders who may be allocated a part of their full quoted Project capacity if the auction is closed at that instance.
 - (c) Red Zone: This zone consists of the Bidders who will not be awarded their quoted Project capacity if the auction is closed at that instance.

If no such change as described above is effected during the last 5 minutes of auction period or extended auction period, then the reverse auction process will automatically get closed.

6.4 SELECTION OF SUCCESSFUL BIDDERS

- i. The bidders shall be selected in the ascending order with lowest quoted tariff (being L1) and so on till the total capacity (S_E) is exhausted.
- ii. The lowest quoting Bidder will be allotted its qualified project capacity and then, next higher Bidder will be allotted its qualified project capacity and so on, till the total project capacity (i.e. 500 MW) is exhausted.
- iii. **Note:** The allocation of cumulative project capacity shall be closed at 500 MW. In case of the last selected Bidder, if the balance project capacity is less than the total capacity mentioned by the Bidder but greater than 50 MW, then the substation with highest preference (as mentioned in the Covering Letter) shall be awarded to the Bidder (if applicable), subject to the maximum cumulative capacity not exceeding 500 MW, being awarded under the RfS.

In case the partial capacity offered to the last Bidder after completion of the eRA is lower than 50% of the total quoted capacity by such Bidder, the Bidder shall have an option to refuse such offered partial capacity, and the BG against EMD submitted by such Bidder shall be returned along with those of the unsuccessful Bidders.

In case the partial capacity offered to the last Bidder after completion of the eRA is greater than or equal to 50% of the total quoted capacity by such Bidder, it shall be mandatory for the last Bidder to accept the partial capacity offered against its quoted capacity, subject to the total cumulative capacity awarded after e-RA to the successful Bidders not exceeding 500 MW. In case the last Bidder refuses to accept such partial

capacity offered by GUVNL, the Bank Guarantee against EMD submitted by such Bidder shall be encashed by GUVNL.

- iv. In case of a tie among two or more Bidders (i.e. their last quoted tariff being the same at the end of the e-RA), they will be considered in the chronological order of their last bid with preference to that Bidder who has quoted his last bid earlier than others.

In the above case, if the time of quote also become exactly same among the Bidders at a tie, then the ranking among these Bidders shall be done as follows:

Step 1: Lowest rank will be given to the Bidder who has quoted the lowest in Financial Bid (Electronic Form) and so on. If there is also a tie among any of these bidders, then the following step (Step 2) will be followed.

Step 2: Ranking will be done based on draw of lots

6.5 ISSUANCE OF LoIs:

At the end of selection process, a Letter of Intent (LOI) may be issued to the successful Bidders for each Project. In case of a Consortium being selected as the successful Bidder, the LOI shall be issued to the Lead Member of the Consortium.

In all cases, GUVNL's decision regarding selection of Bidder through Reverse Auction or other-wise based on tariff or annulment of tender process shall be final and binding on all participating bidders.

SECTION -7

OTHER PROVISIONS

7.1 ROLE OF GEDA (as State Nodal Agency)

GEDA has been appointed by State Government Nodal Agency. GEDA will be facilitating and assisting the project developers in following areas.

- Registration of Projects.
- Responding to queries and problems of developers.
- Co-ordinating with State and Central Agencies.
- Certifying the Commissioning of projects after due verification of documents relating to land acquisition as per clause 4.15.2 (Land Arrangements) and connectivity with GETCO / CTU and verification of technical specifications of solar project as per **Annexure A**.

7.2 ROLE OF GETCO / CTU

It is envisaged that the GETCO /CTU will provide transmission system to facilitate the evacuation of power from the Projects which may include the following:

- i) Upon application of Connectivity as per GERC/CERC Regulations, GETCO/CTU shall coordinate with the concerned agencies for grant of connectivity and LTA.
- ii) Support during commissioning of projects

SECTION -8

SAMPLE FORMS & FORMATS FOR BID SUBMISSION

FORMATS FOR BID SUBMISSION

The following formats are required to be submitted as part of the RfS. These formats are designed to demonstrate the Bidder's compliance with the Qualification Requirements set forth in Section –5 and other submission requirements specified in the RfS

- i) Format of Covering Letter (Format 8.1)
- ii) Format for Power of Attorney (Format 8.2)
- iii) Format for Earnest Money Deposit (EMD) (Format 8.3 A)
- iv) Format for Performance Bank Guarantee (PBG) (Format 8.3 B)
- v) Format for Board Resolutions (Format 8.4)
- vi) Format for Consortium Agreement (Format 8.5)
- vii) Format for Financial Requirement (Format 8.6)
- viii) Undertaking regarding no willful default and no major litigation pending (Format 8.7)
- ix) Format for Disclosure (Format 8.8)
- x) Format for Technical Criteria (Format 8.9)
- xi) Format for Proposed Technology Tie-up (Format 8.10)
- xii) Format for submission of Financial Bid (Format 8.11)
- xiii) Format for Preliminary Estimate of Cost of Solar PV Project (Format 8.11)
- xiv) Technical Requirements for Grid Connected Solar PV Projects (Annexure - A)
- xv) Check List for Bank Guarantees (Annexure-B)
- xvi) List of Banks (Annexure-C)
- xvii) Special Instructions to Bidders for e-Tendering and Reverse Auction (Annexure-D)
- xviii) Terms & Conditions of Reverse Auction (Annexure-E)

Format 8.1**COVERING LETTER**

(The Covering Letter should be submitted on the Letter Head of the Bidding Company/LeadMember of Consortium)

Ref.No. _____

Date: _____

From: _____ (Insert name and address of Bidding Company/ Lead Member of Consortium)

Tel.#: _____

Fax#: _____

E-mail address# _____

To

General Manager (RE &IPP)

Gujarat UrjaVikas Nigam Ltd

Sardar Patel VidyutBhavan,

Race Course Vadodara-390007

Tel No. 0265-2334751

Website-www.guvnl.com

Sub: Response to RfS No. _____ for purchase of power through Competitive Bidding Process (followed by reverse e-auction) from 500 MW grid connected RE Projects with assured Peak Power supply along with Energy Storage System (ESS) (Phase __)

Dear Sir/ Madam,

We, the undersigned [insert name of the 'Bidder'] having read, examined and understood in detail the RfS including Qualification Requirements in particular, terms and conditions of the standard PPA for supply of power for 25 years to GUVNL, hereby submit our response to RfS.

We confirm that in response to the aforesaid RfS, neither we nor any of our UltimateParent Company/ Parent Company/ Affiliate/ Group Company has submitted response toRfS other than this response to RfS, directly or indirectly, in response to the aforesaid RfS(as mentioned in Format 8.8 under Disclosure). We also confirm that we including our UltimateParent Company/ Parent Company/ Affiliate/ Group Companies directly or indirectly have notsubmitted response to RfS for more than cumulative capacity of 500 MW, including thisresponse to RfS.

We are submitting RfS for the development of following RE Project(s): -

Project No.	Project configuration (compon	Project Capacity (MW)	Project Location (Village, Tehshil, Dist., State)	Interconnection Point Details	Proposed CUF	Project Preference

	ent rating in MW)					

**The preferences of the Projects shall be considered only for the last successful bidder whose total quoted capacity is more than the balance capacity. In this case, allocation will be done as described in Clause 6.4 (iii)*

1. We give our unconditional acceptance to the RfS, dated [Insert date in dd/mm/yyyy], standard PPA document attached thereto, addendums if any, issued by GUVNL from time to time. In token of our acceptance to the RfS and PPA documents along with the amendments and clarifications issued by GUVNL, the same have been digitally signed by us and enclosed with the response to RfS. We shall ensure that the PPA is executed as per the provisions of the RfS and provisions of PPA and shall be binding on us. Further, we confirm that we shall demonstrate clear possession and right to use of the land identified for the Project within the deadlines as indicated in the RfS. We also confirm that the Project shall be commissioned within the deadline as indicated in the RfS.
2. Earnest Money Deposit (EMD): - (Please read Clause No. 4.11, Section-4, ITB carefully before filling)
We have enclosed EMD of INR (Insert Amount), in the form of Bank Guarantee no..... [Insert bank guarantee number] dated [Insert date of bank guarantee] as per Format 8.3A from [Insert name of bank providing bank guarantee] and valid up to.....in terms of Clause No. 4.11, Section-4, ITB of this RfS. The total capacity of the Solar PV Project offered by us is MW and / or the Wind Power Project offered by us is MW along with ESS capacity [Insert cumulative capacity proposed].
3. We hereby declare that in the event our Project(s) get selected and we are not able to submit Bank Guarantee of the requisite value(s) towards PBG for the selected Projects, within due time as mentioned in Clause Nos. 4.12, Section-4, ITB of this RfS on issue of Lolby GUVNL for the selected Projects and/ or we are not able to sign PPA with GUVNL within 30 Days of issue of Lolby GUVNL for the selected Projects, GUVNL shall have the right to encash the EMD submitted by us and return the balance amount (if any) for the value of EMD pertaining to unsuccessful capacity.
4. We have submitted our response to RfS strictly as per Section -8 (Sample Forms and Formats) of this RfS, without any deviations, conditions and without mentioning any assumptions or notes in the said Formats.
5. We hereby declare that during the selection process, in the event our Project happens to be the last Project and GUVNL offers a capacity and such offered capacity is greater than or equal to 50% of our quoted capacity which is less than our quoted capacity due to overall bid capacity limit, we shall accept such offered capacity.

6. **Acceptance: -**

We hereby unconditionally and irrevocably agree and accept that the decision made by GUVNL in respect of any matter regarding or arising out of the RfS shall be binding on us. We hereby expressly waive and withdraw any deviations and all claims in respect of this process.

We also unconditionally and irrevocably agree and accept that the decision made by GUVNL in respect of award of Projects according to our preference order as above and in line with the provisions of the RfS, shall be binding on us.

7. **Familiarity with Relevant Indian Laws & Regulations: -**

We confirm that we have studied the provisions of the relevant Indian Laws and Regulations as required to enable us to submit this response to RfS and execute the PPA, in the event of our selection as Successful Bidder.

We further confirm that we are aware of the provisions of MNRE's Office Memorandum dated 09.03.2021 regarding imposition of Basic Custom Duty (BCD) on Solar PV Cells & Modules / Panels and noted the trajectory for imposition of BCD by Ministry of Finance, Government of India notified therein. We are also aware that we are required to take into account the above trajectory while quoting tariffs in the present tender and that the imposition of BCD as per above trajectory shall not be considered as "Change-in-Law" under Article 12 of the PPA.

8. **In case of our selection as the Successful bidder under the scheme and the project being executed by a Special Purpose Vehicle (SPV) incorporated by us then we shall ensure that our shareholding in the (special purpose vehicle) SPV / project company executing the PPA shall not fall below 51% (fifty-one per cent) at any time prior to 1 (one) year from the COD, except with the prior approval of GUVNL. We shall infuse necessary equity to the requirements of RfS. Further we will submit a Board Resolution prior to signing of PPA with GUVNL, committing total equity infusion in the SPV as per the provisions of RfS.**

9. **We hereby undertake that in the event of our project is selected, we shall be solely responsible for getting the connectivity on or before SCOD. In the event of delay in commissioning, the provisions of Section 4.12&4.16 of the RfS / relevant Articles of PPA shall be applied. Further, the project shall not be considered as commissioned unless the connectivity with STU / CTU grid is established and GEDA issues certificate of commissioning.**

10. **We are submitting our response to the RfS with formats duly signed as desired by you in the RfS online for your consideration.**

11. **It is confirmed that our response to the RfS is consistent with all the requirements of submission as stated in the RfS, including all clarifications and amendments and subsequent communications from GUVNL.**

12. The information submitted in our response to the RfS is correct to the best of our knowledge and understanding. We would be solely responsible for any errors or omissions in our response to the RfS.
13. We confirm that all the terms and conditions of our Bid are valid up to _____ (Insert date in dd/mm/yyyy) for acceptance [i.e. a period of 180 (One Hundred Eighty) Days from the last date of submission of response to RfS].
14. **Contact Person**
 Details of the representative to be contacted by GUVNL are furnished as under:
- | | | |
|----------------|---|-------|
| Name | : | |
| Designation | : | |
| Company | : | |
| Address | : | |
| Phone Nos. | : | |
| Mobile Nos. | : | |
| Fax Nos. | : | |
| E-mail address | : | |
15. We have neither made any statement nor provided any information in this Bid, which to the best of our knowledge is materially inaccurate or misleading. Further, all the confirmations, declarations and representations made in our Bid are true and accurate. In case this is found to be incorrect after our selection as Successful Bidder, we agree that the same would be treated as a HPD's event of default under PPA and consequent provisions of PPA shall apply.

Dated the _____ day of _____, 20....

Thanking you,

We remain,

Yours faithfully,

Name, Designation, Seal and Signature of Authorized Person in whose name Power of Attorney/ Board Resolution/ Declaration.

Format 8.2**FORMAT FOR POWER OF ATTORNEY****(Applicable Only incase of Consortium)****(To be provided by each of the other members of the Consortium in favor of the LeadMember)***(To be stamped in accordance with Stamp Act, the Non-Judicial Stamp Paper of Appropriate Value)*

KNOW ALL MEN BY THESE PRESENTS THAT M/s..... having its registered office at, and M/s having its registered office at, (Insert names and registered offices of all Members of the Consortium) the Members of Consortium have formed a Bidding Consortium named (insert name of the Consortium if finalized) (hereinafter called the 'Consortium') vide Consortium Agreement dated..... and having agreed to appoint M/s..... as the Lead Member of the said Consortium do hereby constitute, nominate and appoint M/s..... a company incorporated under the laws of and having its Registered/ Head Office at as our duly constituted lawful Attorney (hereinafter called as Lead Member) to exercise all or any of the powers for and on behalf of the Consortium in regard to submission of the response to RfS No.....

We also authorize the said Lead Member to undertake the following acts:

- i) To submit on behalf of Consortium Members response to RfS.
- ii) To do any other act or submit any information and document related to the above response to RfS Bid.

It is expressly understood that in the event of the Consortium being selected as Successful Bidder, this Power of Attorney shall remain valid, binding and irrevocable until the Bidding Consortium achieves execution of PPA.

We as the Member of the Consortium agree and undertake to ratify and confirm all whatsoever the said Attorney/ Lead Member has done on behalf of the Consortium Members pursuant to this Power of Attorney and the same shall bind us and deemed to have been done by us.

IN WITNESS WHEREOF M/s, as the Member of the Consortium have executed these presents on this..... day of under the Common Seal of our company.

For and on behalf of Consortium Member

M/s.....

_____ (Signature of person authorized by the board)

(Name
Designation
Place:
Date:)
Accepted

(Signature, Name, Designation and Address
of the person authorized by the board of the Lead Member)

Attested

(Signature of the executant)

(Signature & stamp of Notary of the place of execution)

Place: _____
Date: _____

Lead Member in the Consortium shall have the controlling shareholding in the Company as defined in Section-2, Definition of Terms of the RfS.

Format 8.3A**FORMAT FOR EARNEST MONEY DEPOSIT (EMD)**

(To be stamped in accordance with Stamp Act, the Non-Judicial Stamp Paper of Appropriate Value)

Reference:

Bank Guarantee No.:

Date:

In consideration of the _____ [Insert name of the Bidder] (hereinafter referred to as 'Bidder') submitting the response to RfS inter alia for **Selection of Project Developers for Setting up of 500 MW Grid-Connected RE Power Projects with assured Peak Power Supply along with Energy Storage System (Phase __)** of the cumulative capacity of MW [Insert cumulative Project capacity proposed] for supply of power there from on long term basis, in response to the RfS No. _____ dated _____ and addendums thereto if any, issued by Gujarat UrjaVikas Nigam Limited (hereinafter referred to as GUVNL) and GUVNL considering such response to the RfS of [insert the name of the Bidder] as per the terms of the RfS, the _____ [insert name & address of bank] hereby agrees unequivocally, irrevocably and unconditionally to pay to GUVNL at Vadodara forthwith without demur on demand in writing from GUVNL or any Officer authorized by it in this behalf, any amount upto and not exceeding Rupees _____ [Insert amount not less than that derived on the basis of Rs. 10 Lakhs per MW of cumulative capacity proposed], only, on behalf of M/s _____ [Insert name of the Bidder].

This guarantee shall be valid and binding on this Bank up to and including _____ [insert date of validity in accordance with Clause No. 4.11, Section-4, ITB of this RfS] and shall not be terminable by notice or any change in the constitution of the Bank or the term of contract or by any other reasons whatsoever and our liability hereunder shall not be impaired or discharged by any extension of time or variations or alternations made, given, or agreed with or without our knowledge or consent, by or between parties to the respective agreement.

Our liability under this Guarantee is restricted to INR _____ (Indian Rupees _____ only). Our Guarantee shall remain in force until _____ [insert date of validity in accordance with Clause No. 4.11, Section-4, ITB of this RfS]. GUVNL shall be entitled to invoke this Guarantee till _____ [insert date of validity in accordance with Clause No. 4.11, Section-4, ITB of this RfS].

The Guarantor Bank hereby agrees and acknowledges that GUVNL shall have a right to invoke this BANK GUARANTEE in part or in full, as it may deem fit.

The Guarantor Bank hereby expressly agrees that it shall not require any proof in addition to the written demand by GUVNL, made in any format, raised at the above mentioned address of the Guarantor Bank or at a branch located in Vadodara in order to make the said payment to GUVNL.

The Guarantor Bank shall make payment hereunder on first demand without restriction or conditions and notwithstanding any objection by _____ [Insert name of the Bidder] and/ or any other person. The Guarantor Bank shall not require GUVNL to justify the invocation of this BANK GUARANTEE, nor shall the Guarantor Bank have any recourse against GUVNL in respect of any payment made hereunder.

This BANK GUARANTEE shall be interpreted in accordance with the laws of India and the courts at Gujarat shall have exclusive jurisdiction.

The Guarantor Bank represents that this BANK GUARANTEE has been established in such form and with such content that it is fully enforceable in accordance with its terms as against the Guarantor Bank in the manner provided herein.

This BANK GUARANTEE shall not be affected in any manner by reason of merger, amalgamation, restructuring or any other change in the constitution of the Guarantor Bank.

This BANK GUARANTEE shall be a primary obligation of the Guarantor Bank and accordingly GUVNL shall not be obliged before enforcing this BANK GUARANTEE to take any action in any court or arbitral proceedings against the Bidder, to make any claim against or any demand on the Bidder or to give any notice to the Bidder or to enforce any security held by GUVNL or to exercise, levy or enforce any distress, diligence or other process against the Bidder.

The Guarantor Bank acknowledges that this BANK GUARANTEE is not personal to GUVNL and may be assigned _____ under _____ intimation _____ to us, in whole or in part, (whether absolutely or by way of security) by GUVNL to any entity to whom GUVNL is entitled to assign its rights and obligations under the PPA.

Notwithstanding anything contained hereinabove, our liability under this Guarantee is restricted to INR _____ (Indian Rupees _____ Only) and it shall remain in force until _____ [Date to be inserted on the basis of Clause No. 11, Section-4, ITB of this RfS].

We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only if GUVNL serves upon us a written claim or demand.

Signature: _____

Name: _____

Power of Attorney No.: _____

For

_____ [Insert Name and Address of the Bank] __ Contact

Details of the Bank:

E-mail ID of the Bank:

Banker's Stamp and Full Address.

Dated this ____ day of ____, 20__

Notes:

1. The Stamp Papers should be in the name of the Executing Bank and of appropriate value.
2. The Bank Guarantee shall be executed by any of the Bank from the List of Banks mentioned in Annexure C of the RfS.
3. The Bank Guarantee shall be strictly as per format and any deviation / addition in the text of Bank Guarantee shall make the bidder's bid liable for rejection.
4. Bank details of GUVNL for SFMS Confirmation regarding issuance of BG :

Name of Bank – State Bank of India

Bank Account No. – 10565103714

IFSC Code - SBIN0001946

Format 8.3B**FORMAT FOR PERFORMANCE BANK GUARANTEE (PBG)****(To be submitted Separately for each Project)***(To be stamped in accordance with Stamp Act, the Non-Judicial Stamp Paper of Appropriate Value)*

Reference:

Bank Guarantee No.:

Date:

In consideration of the _____ [Insert name of the Bidder] (hereinafter referred to as 'selected Hybrid Power Developer') submitting the response to RfS inter alia for selection of the Project to be set up with the capacity of MW, at [Insert name of the place], for purchase of power through Competitive Bidding Process (followed by reverse e-auction) from **500 MW Grid-Connected RE Power Projects with assured Peak Power Supply along with Energy Storage System (Phase ____)**, in response to the RfS no. dated..... issued by Gujarat UrjaVikas Nigam Limited (hereinafter referred to as GUVNL) and GUVNL considering such response to the RfS of [Insert name of the Bidder] (which expression shall unless repugnant to the context or meaning thereof include its executors, administrators, successors and assignees) and selecting the Project of the Hybrid Power Developer and issuing Letter of Award No _____ to _____ (Insert Name of selected Hybrid Power Developer) as per terms of RfS and the same having been accepted by the selected HPD resulting in a Power Purchase Agreement (PPA) to be entered into, for purchase of Power [from selected Hybrid Power Developer or a Project Company, M/s _____ {a Special Purpose Vehicle (SPV) formed for this purpose}, if applicable].

As per the terms of the RfS and / or PPA, the _____ [Insert name & address of Bank] hereby agrees unequivocally, irrevocably and unconditionally to pay to GUVNL at Vadodara forthwith without demur on demand in writing from GUVNL or any Officer authorised by it in this behalf, any amount up to and not exceeding Indian Rupees

_____ [Total Value] only, on behalf of M/s _____ [Insert name of the selected Hybrid Power Developer/ Project Company]

This guarantee shall be valid and binding on this Bank up to and including and shall not be terminable by notice or any change in the constitution of the Bank or the term of contract or by any other reasons whatsoever and our liability hereunder shall not be impaired or discharged by any extension of time or variations or alternations made, given, or agreed with or without our knowledge or consent, by or between parties to the respective agreement.

Our liability under this Guarantee is restricted to INR _____ (Indian Rupees _____ Only).

Our Guarantee shall remain in force until..... (Insert validity date being date up to 6 months from SCOD) and GUVNL shall be entitled to invoke this Guarantee till (Claim period at least upto 7 months from SCOD)

The Guarantor Bank hereby agrees and acknowledges that GUVNL shall have a right to invoke this BANK GUARANTEE in part or in full, as it may deem fit.

The Guarantor Bank hereby expressly agrees that it shall not require any proof in addition to the written demand by GUVNL, made in any format, raised at the above mentioned address of the Guarantor Bank, or at branch located in Vadodara in order to make the said payment to GUVNL.

The Guarantor Bank shall make payment hereunder on first demand without restriction or conditions and notwithstanding any objection by _____ [*Insert name of the selected HybridPower Developer/ Project Company as applicable*] and/ or any other person. The Guarantor Bank shall not require GUVNL to justify the invocation of this BANK GUARANTEE, nor shall the Guarantor Bank have any recourse against GUVNL in respect of any payment made hereunder

This BANK GUARANTEE shall be interpreted in accordance with the laws of India and the courts at Gujarat shall have exclusive jurisdiction.

The Guarantor Bank represents that this BANK GUARANTEE has been established in such form and with such content that it is fully enforceable in accordance with its terms as against the Guarantor Bank in the manner provided herein.

This BANK GUARANTEE shall not be affected in any manner by reason of merger, amalgamation, restructuring or any other change in the constitution of the Guarantor Bank.

This BANK GUARANTEE shall be a primary obligation of the Guarantor Bank and accordingly GUVNL shall not be obliged before enforcing this BANK GUARANTEE to take any action in any court or arbitral proceedings against the selected Hybrid Power Developer/ Project Company, to make any claim against or any demand on the selected Hybrid Power Developer/ Project Company or to give any notice to the selected Hybrid Power Developer/ Project Company or to enforce any security held by GUVNL or to exercise, levy or enforce any distress, diligence or other process against the selected Hybrid Power Developer / Project Company.

The Guarantor Bank acknowledges that this BANK GUARANTEE is not personal to GUVNL and may be assigned under intimation to us, in whole or in part, (whether absolutely or by way of security) by GUVNL to any entity to whom GUVNL is entitled to assign its rights and obligations under the PPA.

Notwithstanding anything contained hereinabove, our liability under this Guarantee is restricted to INR _____ (Indian Rupees _____ only) and it shall remain

in force until with claim period till We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only if GUVNL serves upon us a written claim or demand.

Signature: _____

Name: _____

Power of Attorney No.: _____

For

_____ [Insert Name and Address of the Bank] _____

Contact Details of the Bank:

E-mail ID of the Bank:

Banker's Stamp and Full Address.

Dated this ____ day of ____, 20__

Witness:

.....

Signature

Name and Address

.....

Signature

Name and Address

NOTES:

1. The Stamp Paper should be in the name of the Executing Bank and of appropriate value.
2. The Bank Guarantee shall be executed by any of the Bank from the List of Banks mentioned in Annexure C of the RfS.

3. The Bank Guarantee shall be strictly as per format and any deviation / addition in the text of Bank Guarantee shall make the bidder's bid liable for rejection.

4. Bank details of GUVNL for SFMS Confirmation regarding issuance of BG :

Name of Bank – State Bank of India

Bank Account No. – 10565103714

IFSC Code - SBIN0001946

Format 8.4**FORMAT FOR BOARD RESOLUTIONS**

The Board, after discussion, at the duly convened Meeting on [Insert date], with the consent of all the Directors present and in compliance of the provisions of the Companies Act, 1956 or Companies Act 2013, as applicable, passed the following Resolution:

1. **RESOLVED THAT** Mr/ Ms....., be and is hereby authorized to do on our behalf, all such acts, deeds and things necessary in connection with or incidental to our response to RfS No. _____ dated ____ and addendums thereto, if any, for "Setting up of 500 MW Grid Connected RE Projects with assured Peak supply along with Energy Storage System (ESS) (Phase__)", including signing and submission of all documents and providing information/ response to RfS to Gujarat UrjaVikas Nigam Limited (GUVNL), representing us in all matters before GUVNL, and generally dealing with GUVNL in all matters in connection with our bid for the said Project. **(To be provided by the Bidding Company or the Lead Member of the Consortium)**
2. **FURTHER RESOLVED THAT** pursuant to the provisions of the Companies Act, 1956 or Companies Act, 2013, as applicable and compliance thereof and as permitted under the Memorandum and Articles of Association of the Company, approval of the Board be and is hereby accorded to invest total equity in the Project. **(To be provided by the Bidding Company)**
3. **RESOLVED THAT** the approval of the Board be and is hereby accorded to M/s _____ (bidding company) for using the Networth credentials of M/s _____ (Affiliate) for participating in GUVNL's RfS No.dated _____. Further resolved that M/s _____ (Affiliate) undertakes to contribute required equity funding and performance bank guarantees in case M/s _____ (Bidding Company) fails to do so in accordance with the RFS. **(To be provided by the Affiliate whose net worth is used)**

[Note: In the event the Bidder is a Bidding Consortium, in place of the above resolution at Sl. No. 2, the following resolutions are to be provided]

FURTHER RESOLVED THAT pursuant to the provisions of the Companies Act, 1956 or Companies Act, 2013, as applicable and compliance thereof and as permitted under the Memorandum and Articles of Association of the Company, approval of the Board be and is hereby accorded to invest (—%) equity [Insert the % equity commitment as specified in Consortium Agreement] in the Project. **(To be provided by each Member of the Bidding Consortium including Lead Member such that total equity is 100%)**

FURTHER RESOLVED THAT approval of the Board be and is hereby accorded to participate in consortium with M/s ----- [Insert the name of other Members in the Consortium] and Mr/Ms....., be and is hereby authorized to execute the Consortium Agreement. **(To be provided by each Member of the Bidding Consortium including Lead Member)**

And

FURTHER RESOLVED THAT approval of the Board be and is hereby accorded to contribute such additional amount over and above the percentage limit (specified for the Lead Member in

the Consortium Agreement) to the extent becoming necessary towards the total equity share in the Project Company, obligatory on the part of the Consortium pursuant to the terms and conditions contained in the Consortium Agreement dated executed by the Consortium as per the provisions of the RfS. **[To be passed by the Lead Member of the Bidding Consortium]**

Certified True Copy

_____ (Signature, Name and Stamp of Company Secretary)

Notes:

- 1) This certified true copy should be submitted on the letterhead of the Company, signed by the Company Secretary/ Director.
- 2) The contents of the format may be suitably re-worded indicating the identity of the entity passing the resolution.
- 3) This format may be modified only to the limited extent required to comply with the local regulations and laws applicable to a foreign entity submitting this resolution. For example, reference to Companies Act, 1956 or Companies Act, 2013 as applicable may be suitably modified to refer to the law applicable to the entity submitting the resolution. However, in such case, the foreign entity shall submit an unqualified opinion issued by the legal counsel of such foreign entity, stating that the Board resolutions are in compliance with the applicable laws of the respective jurisdictions of the issuing Company and the authorizations granted therein are true and valid.

Format 8.5**FORMAT FOR CONSORTIUM AGREEMENT****(To be Submitted Separately for each Project)**

(To be stamped in accordance with Stamp Act, the Non-Judicial Stamp Paper of Appropriate Value)

This Consortium Agreement ("Agreement") executed on this ____ Day of _____ Two Thousand ____ between M/s _____ [Insert name of Lead Member] a Company incorporated under the laws of _____ and having its Registered Office at _____ (hereinafter called the "**Member-1**", which expression shall include its successors, executors and permitted assigns) and M/s _____ a Company incorporated under the laws of _____ and having its Registered Office at _____ (hereinafter called the "**Member-2**", which expression shall include its successors, executors and permitted assigns), M/s _____ a Company incorporated under the laws of _____ and having its Registered Office at _____ (hereinafter called the "**Member-n**", which expression shall include its successors, executors and permitted assigns), [The Bidding Consortium should list the details of all the Consortium Members] for the purpose of submitting response to RfS and execution of Power Purchase Agreement (in case of award), against RfS No. _____ dated _____ and addendum thereto if any, issued by Gujarat UrjaVikas Nigam Limited (GUVNL) a Company incorporated under the Companies Act, 1956, and having its Registered Office at Sardar Patel VidyutBhavan, RaceCourse Vadodara – 390 007.

WHEREAS, each Member individually shall be referred to as the "Member" and all of the Members shall be collectively referred to as the "Members" in this Agreement.

WHEREAS GUVNL desires to purchase Power under RfS for Setting up of 500 MW Grid-Connected RE Power projects with assured Peak Power Supply along with Energy Storage System (ESS) (Phase ____)

WHEREAS, GUVNL had invited response to RfS vide its Request for Selection (RfS) dated _____

WHEREAS the RfS stipulates that in case response to RfS is being submitted by a Bidding Consortium, the Members of the Consortium will have to submit a legally enforceable Consortium Agreement in a format specified by GUVNL wherein the Consortium Members have to commit equity investment of a specific percentage for the Project.

NOW THEREFORE, THIS AGREEMENT WITNESSTH AS UNDER:

In consideration of the above premises and agreements all the Members in this Bidding Consortium do hereby mutually agree as follows:

1. We, the Members of the Consortium and Members to the Agreement do hereby unequivocally agree that Member-1 (M/s _____), shall act as the Lead Member as defined in the RfS for self and agent for and on behalf of Member-2, —, Member-n and to submit the response to the RfS.
2. The Lead Member is hereby authorized by the Members of the Consortium and Members to the Agreement to bind the Consortium and receive instructions for and on their behalf.
3. Notwithstanding anything contrary contained in this Agreement, the Lead Member shall always be liable for the equity investment obligations of all the Consortium Members i.e. for both its own liability as well as the liability of other Members.
4. The Lead Member shall be liable and responsible for ensuring the individual and collective commitment of each of the Members of the Consortium in discharging all of their respective equity obligations. Each Member further undertakes to be individually liable for the performance of its part of the obligations without in any way limiting the scope of collective liability envisaged in this Agreement.
5. Subject to the terms of this Agreement, the share of each Member of the Consortium in the issued equity share capital of the Project Company is/shall be in the following proportion:

Name	Percentage
Member 1	—
Member 2	—
Member n	—
Total	100%

We acknowledge that after the execution of PPA, the controlling shareholding (having not less than 51% of the voting rights and paid up share capital) in the Project Company developing the Project shall be maintained for a period of 01 (One) Year after COD.

6. The Lead Member, on behalf of the Consortium, shall inter alia undertake full responsibility for liaising with Lenders or through internal accruals and mobilizing debt resources for the Project, and ensuring that the HPD achieves Financial Closure in terms of the PPA.
7. In case of any breach of any equity investment commitment by any of the Consortium Members, the Lead Member shall be liable for the consequences thereof.
8. Except as specified in the Agreement, it is agreed that sharing of responsibilities as aforesaid and equity investment obligations thereto shall not in any way be a limitation of responsibility of the Lead Member under these presents.

9. It is further specifically agreed that the financial liability for equity contribution of the Lead Member shall not be limited in any way so as to restrict or limit its liabilities. The Lead Member shall be liable irrespective of its scope of work or financial commitments.
10. This Agreement shall be construed and interpreted in accordance with the Laws of India and courts at Gujarat alone shall have the exclusive jurisdiction in all matters relating thereto and arising thereunder.
11. It is hereby further agreed that in case of being selected as the Successful Bidder, the Members do hereby agree that they shall furnish the Performance Guarantee in favour of GUVNL in terms of the RfS.
12. It is further expressly agreed that the Agreement shall be irrevocable and shall form an integral part of the Power Purchase Agreement (PPA) and shall remain valid until the expiration or early termination of the PPA in terms thereof, unless expressly agreed to the contrary by GUVNL.
13. The Lead Member is authorized and shall be fully responsible for the accuracy and veracity of the representations and information submitted by the Members respectively from time to time in the response to RfS.
14. It is hereby expressly understood between the Members that no Member at any given point of time, may assign or delegate its rights, duties or obligations under the PPA except with prior written consent of GUVNL.
15. This Agreement
 - a) has been duly executed and delivered on behalf of each Member hereto and constitutes the legal, valid, binding and enforceable obligation of each such Member;
 - b) sets forth the entire understanding of the Members hereto with respect to the subject matter hereof; and
 - c) may not be amended or modified except in writing signed by each of the Members and with prior written consent of GUVNL.
16. All the terms used in capitals in this Agreement but not defined herein shall have the meaning as per the RfS and PPA.

IN WITNESS WHEREOF, the Members have, through their authorized representatives, executed these present on the Day, Month and Year first mentioned above.

For M/s----- [Member 1]

(Signature, Name & Designation of the person authorized vide Board Resolution Dated _____)

Witnesses:

1) Signature _____
 Name:
 Address:

2) Signature _____
 Name:
 Address:

For M/s _____ [Member 2]

 (Signature, Name & Designation of the person authorized vide Board Resolution Dated _____)

Witnesses:

1) Signature _____
 Name:
 Address:

2) Signature _____
 Name:
 Address:

For M/s _____ [Member n]

 (Signature, Name & Designation of the person authorized vide Board Resolution Dated _____)

Witnesses:

1) Signature _____
 Name:
 Address:

(2) Signature _____
 Name:
 Address:

 Signature and stamp of Notary of the place of execution

Format 8.6**FORMAT FOR FINANCIAL REQUIREMENT**

(This should be submitted on the Letter Head of the Bidding Company/ Lead Member of Consortium)

Ref.No. _____

Date: _____

From: _____ *(Insert name and address of Bidding Company/ Lead Member of Consortium)*

Tel.#: Fax#:

E-mail address#

To,

General Manager (RE &IPP)

Gujarat UrjaVikas Nigam Limited

Sardar Patel VidyutBhavan,

Race Course Vadodara-390007

Sub: Response to RfS No. _____ for Selection of Hybrid Power Developers for Setting up of 500 MW Grid-Connected RE Projects with assured Peak Power Supply along with ESS(Phase_____).

Dear Sir/ Madam,

We certify that the Bidding Company/ Member in a Bidding Consortium has a Net worth of INR Crore (.....in words) as on **the end of Financial Year 2020-21 or Financial Year 2021-22/the date at least 7 days prior to the date of bid submission**(choose one).

This Net Worth has been calculated in accordance with instructions provided in Clause No. C, Section-5, Financial Eligibility Criteria of the RfS as amended.

Exhibit (i): Applicable in case of Bidding Company

For the above calculations, we have considered the Net Worth by Bidding Company and/ or its Affiliate(s) as per following details:

Name of Bidding Company	Name of Affiliate(s) whose net worth is to be considered	Relationship with Bidding Company*	Net Worth (in Rs. Crore)
Company 1			
Total			

*The column for "Relationship with Bidding Company" is to be filled only in case the financial capability of Affiliate has been used for meeting Qualification Requirements. Further, documentary evidence to establish the relationship, duly certified by a practicing company secretary/ chartered accountant is required to be attached with the format.

Exhibit (ii): Applicable in case of Bidding Consortium (To be filled by each Member in a Bidding Consortium separately) Name of Member: [Insert name of the Member]

Net Worth Requirement to be met by Member in Proportion to the Equity Commitment: INR ———
— Crore (Equity Commitment (%) * Rs. [] Crore)

For the above calculations, we have considered Net Worth by Member in Bidding Consortium and/ or its Affiliate(s) per following details:

Name of Consortium Member Company	Name of Affiliate(s) whose net worth is to be considered	Relationship with Bidding Company* (If Any)	Net Worth (in Rs. Crore)	Equity Commitment (in %age) in Bidding Consortium	Committed Net Worth (in Rs. Crore)
Company 1					

Total					

* The column for "Relationship with Bidding Company" is to be filled only in case the financial capability of Affiliate has been used for meeting Qualification Requirements. Further, documentary evidence to establish the relationship, duly certified by a practicing company secretary/chartered accountant is required to be attached with the format

(Signature & Name of the Authorized Signatory)

(Signature and Stamp of CA)

Membership No.

Regn. No. of the CA's Firm:

Date:

Note: (i) Along with the above format, in a separate sheet on the letterhead of the Chartered Accountant's Firm, provide details of computation of Net Worth duly certified by the Chartered Accountant.

(ii) Certified copies of Balance sheet, Profit & Loss Account, Schedules and Cash Flow Statements are to be enclosed in complete form along with all the Notes to Accounts.

FORMAT 8.7**UNDERTAKING***(To be submitted on the letterhead of the Bidder)*

We, hereby provide this undertaking to Gujarat UrjaVikas Nigam Limited, in respect to our response to RfS No. _____ dated _____, that M/s _____ (insert name of the Bidder), or any of its Affiliates is not a willful defaulter to any lender, and that there is no major litigation pending or threatened against M/s _____ (insert name of the Bidder) or any of its Affiliates which are of a nature that could cast a doubt on the ability or the suitability of the Bidder to undertake the Project.

(Name and Signature of the Authorized Signatory)

Format 8.8**FORMAT FOR DISCLOSURE**

(This should be submitted on the Letter Head of the Bidding Company/ Each Member of Consortium)DISCLOSURE

Ref.No. _____

Date: _____

From: _____ (Insert name and address of Bidding Company/ Lead Member of Consortium)

Tel.#: Fax#:

E-mail address#

To,

General Manager (RE &IPP)

Gujarat UrjaVikas Nigam Limited

Sardar Patel VidyutBhavan,

Race Course, Vadodara-390007

Sub: Response to RfS No. _____ dated _____ for Selection of Hybrid Power Developers for Setting up of 500 MW Grid - Connected RE Projects with assured peak power supply along with ESS(Phase __)

Dear Sir/ Madam,

We hereby declare and confirm that only we are participating in the RfS Selection process for the RfS No. _____ dated and Addendums thereto, if any and that our Parent, Affiliate or Ultimate Parent or any Group Company with which we have direct or indirect relationship are not separately participating in this selection process.

We further undertake that we / our Parent or Affiliate or Ultimate Parent or any Group Company with which we have direct or indirect relationship are not willful defaulter to any lender and there is no major litigation pending or threatened against us or any of our Affiliates which are of a nature that could cast a doubt on our ability or sustainability to undertake the Project.

We further declare that we have read the provisions of C.9 of Section 5 of the RfS, and are complying with the requirements as per the referred **Office Memorandum issued by Department of Expenditure, Ministry of Finance, vide No. 6/18/2019-PPD dated 23.07.2020**, including subsequent amendments and clarifications thereto. Accordingly, we are also enclosing necessary certificates (**Annexure to this format**) in support of the above compliance under the RfS. We understand that in case of us being selected under this RfS, any of the above certificates is found false, GUVNL shall take appropriate action as deemed necessary.

We further declare that we are aware of binding provisions of MNRE's Approved Models and Manufacturers of Solar PV Modules (Requirements for Compulsory Registration) Order, 2019 and List(s) thereunder as amended from time to time while quoting the tariff in the present tender.

We further declare that the above statement is true & correct. We are aware that if at any stage it is found to be incorrect, our response to RfS will be rejected and if LoI has been issued or PPA

has been signed, the same will be cancelled and the bank guarantees will be encashed and recoveries will be effected for the payments done.

Dated the _____ day of _____, 20....

Thanking you,

We remain, Yours faithfully,

Name, Designation, Seal and Signature of Authorized Person in whose name Power of Attorney/
Board Resolution/ Declaration.

Annexure to Format 8.8**DECLARATION****RESTRICTION ON PROCUREMENT FROM CERTAIN COUNTRIES:**

Office Memorandum issued by Department of Expenditure, Ministry of Finance, Govt. of India, vide No. 6/18/2019-PPD dated ---.2021

(To be submitted on the Letter Head of the Bidding Company/Each Member of Consortium)

Ref. No.:dated

From: _____ (Insert name and address of Bidding Company/Member of Consortium)

Tel.#: Fax#:

E-mail address#

To,

General Manager (RE &IPP)

Gujarat UrjaVikas Nigam Ltd

Sardar Patel VidyutBhavan,

Race Course Vadodara-390007

Sub: Response to RfS No. _____ dated _____ for Selection of Hybrid Power Developers for Setting up of 500 MW Grid - Connected RE Projects with assured peak power supply along with ESS(Phase __)

Dear Sir/ Madam,

This is with reference to attached office memorandum order no. 6/18/2019-PPD dated 23rd July 2020 issued by Department of Expenditure, Ministry of Finance, Govt. of India.

We are hereby submitting the following declaration:

DECLARATION :**Model Certificate for Tenders**

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I certify that this bidder is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that this bidder fulfils all requirements in this regard and is eligible to be

considered. [Where applicable, evidence of valid registration by the Competent Authority shall be attached]."

We further declare that the above statement is true & correct. We are aware that if at any stage it is found to be incorrect, our response to the tender will be rejected.

Dated the ____ day of ___, 2022

Thanking you,

We remain,

Yours faithfully,

Encl: Office Memorandum issued by Department of Expenditure, Ministry of Finance, Govt. of India, vide No. 6/18/2019-PPD dated 23.07.2020, as referred above

(Name, Designation, Seal and Signature of Authorized Person in whose name Power of Attorney/ Board Resolution/ Declaration)

Format 8.9**FORMAT FOR TECHNICAL CRITERIA**

(This should be submitted on the Letter Head of the Bidding Company/ Lead Member of Consortium)

(To be Submitted Separately for each Project)

Ref.No. _____

Date: _____

From: _____ (Insert name and address of Bidding Company/ Lead Member of Consortium)

Tel.#: Fax#:

E-mail address#

To,
General Manager (RE & IPP)
Gujarat UrjaVikas Nigam Ltd
Sardar Patel VidyutBhavan,
Race Course Vadodara-390007.

SubResponse to RfS No. _____ dated _____ for Selection of Hybrid Power Developers for Setting up of 500 MW Grid - Connected RE Projects with assured peak power supply along with ESS(Phase __)

Dear Sir/ Madam,

We hereby undertake to certify in line with Clause No. 4.15, Section-4, ITB under the title "Financial Closure" that the following details shall be furnished within **7(Seven) / 12 (twelve) months** from Effective Date of the PPA as applicable.

1.0 Evidence of achieving complete-tie-up of the Project Cost through internal accruals or through a Financing Agency.

2.0 DPR & Technology Tie-up for the Project.

Failure or delay on our part in achieving the above conditions shall constitute sufficient grounds for actions as per the provisions of the RfS.

Dated the _____ day of _____, 20....

Thanking you,

We remain,

Yours faithfully,

Name, Designation, Seal and Signature of Authorized Person in whose name Power of Attorney/ Board Resolution/ Declaration.

Format 8.10

**DECLARATION BY THE BIDDER FOR THE
PROPOSED TECHNOLOGY TIE-UP**
(To be Submitted Separately for each Project)

1	Name of Bidding Company/ Lead Member of Bidding Consortium		
2	Project Location		
3	Project Capacity Proposed	 MW	
3A	Capacity Breakup (for the purpose of LTA) i.e. Total Project capacity (AC) MW = Solar Capacity (AC) + Wind Capacity (AC) MW	Wind.....MW(AC) Solar.....MW(AC)	
5	Estimated Annual Generation of Electrical Energy from the Project		kWh
6	Brief about the Proposed Technology		
Solar	Crystalline Silicon Solar Cells and Modules		
	Concentrator PV Modules		
	Thin Film Modules		
Wind	Wind Turbine(s) Models from RLMM (Rating and model)		
ESS	Proposed ESS technology (Rating and type)		

The Bidder shall enclose the Pre-Feasibility Report along with this Format.

Dated the _____ day of _____, 20....

Thanking you,
We remain,
Yours faithfully;

Name, Designation, Seal and Signature of Authorized Person in whose name Power of Attorney/ Board Resolution/ Declaration.

Format 8.11**FORMAT FOR SUBMISSION OF FINANCIAL BID**

(The Covering Letter should be submitted on the Letter Head of the Bidding Company/Lead Member of Consortium)

Ref.No. _____

Date: _____

From: _____ *(Insert name and address of Bidding Company/ Lead Member of Consortium)*

Tel.#: Fax#:

E-mail address#

To,
General Manager (RE &IPP)
Gujarat UrjaVikas Nigam Ltd
Sardar Patel VidyutBhavan,
Race Course Vadodara-390007

Sub: Response to RfS No. _____ dated _____ for Selection of Hybrid Power Developers for Setting up of 500 MW Grid - Connected RE Projects with assured peak power supply along with ESS(Phase __)

Dear Sir/ Madam,

I/ We, _____ *(Insert Name of the Bidder)* enclose herewith the Financial Proposal for selection of my/ our firm for _____ number of Project(s) for a cumulative capacity of _____ MW as Bidder for the above.

We hereby agree that the Tariff as submitted in the Financial Proposal corresponds to the 2nd part tariff of the PPA, i.e. the Peak Tariff as defined in the RfS, and will be exclusive of the 1st part tariff, i.e. the Off-Peak Tariff of Rs. 2.57/kWh, in line with provisions of the RfS. The Applicable Tariff under the PPA shall comprise both the Peak Tariff and Off-Peak Tariff.

I/ We agree that this offer shall remain valid for a period of 180 (One Hundred and Eighty) days from the due date of submission of the response to RfS such further period as may be mutually agreed upon.

Dated the _____ day of _____, 20....

Thanking you,
We remain,
Yours faithfully,

Name, Designation, Seal and Signature of Authorized Person in whose name Power of Attorney/ Board Resolution/ Declaration.

Notes:

1. *There can be only one tariff for all the projects applied for. If the bidder quotes two tariffs or combination thereof for the projects, then the bid shall be considered as nonresponsive.*
2. *If the bidder submits the financial bid in the Electronic Form at ISN-ETS portal not in line with the instructions mentioned therein, then the bid shall be considered as nonresponsive.*
3. *Tariff requirement shall be quoted as a fixed amount in Indian Rupees only. Conditional proposal shall be summarily rejected.*
4. *In the event of any discrepancy between the values entered in figures and in words, the values entered in figures shall be considered at GUVNL's discretion.*
5. *Tariff should be in Indian Rupee up to two places of decimals only.*

Format 8.12**1.1.4..1 PRELIMINARY ESTIMATE OF COST OF RE PROJECT****(To be submitted separately for each Project)**

No standard break-up for the Project Cost, the Bidder shall indicate the break-up in terms of major components in the Project.

Project Capacity:MW

Location:

(Signature)
(Name of Bidder)

Annexure - A**4.7.1 TECHNICAL PARAMETER OF PV MODULE AND VARIOUS OTHER COMPONENTS FOR USE IN GRID CONNECTED SOLAR POWER PLANTS**

The RE Project selected under the RfS shall strictly adhere to the Central Electricity Authority (Technical Standards for Connectivity to the Grid) Regulations, 2007, as amended vide the Central Electricity Authority (Technical Standards for Connectivity to the Grid) (Amendment) Regulations, 2019, and subsequent amendments and clarifications.

All components of the Solar PV plant shall be in accordance with technical specifications given in relevant IS/IEC Standards. The design and commissioning also shall be as per latest IEC/IS standards. The following are some of the technical measures required to ensure quality of the major components used in grid connected solar power Projects, in line with the Standard Bidding Guidelines issued by Ministry of Power and subsequent amendments and clarifications.

1. SPV Modules

1.1 The SPV modules used in the grid solar power Projects must qualify to the latest edition of any of the following IEC PV module qualification test or equivalent BIS standards.

Crystalline Silicon Solar Cell Modules	IEC 61215
Thin Film Modules	IEC 61646
Concentrator PV modules	IEC 62108

1.2 In addition, SPV modules must qualify to IEC 61730 for safety qualification testing at 1000 V DC or higher. The modules to be used in a highly corrosive atmosphere throughout their lifetime must qualify to IEC 61701.

2. Power Conditioners/ Inverters

The Power Conditioners/Inverters of the SPV power plant must conform to the latest edition of IEC/ equivalent Standards as specified below:

Efficiency Measurements	IEC 61683
Environmental Testing	IEC 60068-2/ IEC 62093
Electromagnetic Compatibility (EMC)	IEC 61000-6-2, IEC 61000-6-4 & other relevant parts of IEC 61000
Electrical Safety	IEC 62103/ 62109-1&2
Anti-Islanding Protection	IEEE1547/IEC 62116/ UL1741 or equivalent BIS Standards

3. Other Sub-systems/Components

Other subsystems/components used in the SPV power plants (Cables, Connectors, Junction Boxes, Surge Protection Devices, etc.) must also conform to the relevant international/national Standards for Electrical Safety besides that for Quality required for ensuring Expected Service Life and Weather Resistance. It is recommended that the Cables of 600-1800 Volts DC for

outdoor installations should comply with the BS EN 50618:2014/2pfg 1169/08.2007 for service life expectancy of 25 years.

4. Authorized Test Centers

The PV modules/Power Conditioners deployed in the power plants must have valid test certificates for their qualification as per above specified IEC/ BIS Standards by one of the NABL Accredited Test Centers in India. In case of module types like Thin Film and CPV / equipment for which such Test facilities may not exist in India at present, test certificates from reputed ILAC Member body accredited Labs abroad will be acceptable.

5. Warranty

PV modules used in grid connected solar power plants must be warranted for peak output wattage, which should not be less than 90% at the end of 10 years and 80% at the end of 25 years.

- PV modules used in grid connected solar power plants must be warranted for peak output wattage, which should not be less than 90% at the end of 10 years and 80% at the end of 25 years.
- The modules shall be warranted for at least 10 years for failures due to material defects and workmanship.
- The mechanical structures, electrical works and overall workmanship of the grid solar power plants must be warranted for a minimum of 5 years.
- The Inverters/ PCUs installed in the solar power plant must have a warranty for 5 years.

6. Identification and Traceability

Each PV module used in any solar power Project must use a RF identification tag. The following information must be mentioned in the RFID used on each module (This can be inside or outside the laminate, but must be able to withstand harsh environmental conditions):

- i. Name of the manufacturer of PV Module
- ii. Name of the Manufacturer of Solar cells
- iii. Month and year of the manufacture (separately for solar cells and module)
- iv. Country of origin (separately for solar cells and module)
- v. I-V curve for the module at Standard Test Condition (1000 W/m², AM 1.5, 25°C)
- vi. Wattage, I_m , V_m and FF for the module
- vii. Unique Serial No. and Model No. of the module
- viii. Date and year of obtaining IEC PV module qualification certificate
- ix. Name of the test lab issuing IEC certificate
- x. Other relevant information on traceability of solar cells and module as per ISO 9000.

Site owners would be required to maintain accessibility to the list of Module IDs along with the above parametric data for each module.

7. Performance Monitoring

All grid solar PV power projects must install necessary equipment to continuously measure solar radiation, ambient temperature, wind speed and other weather parameters and simultaneously measure the generation of DC power as well as AC power generated from the plant. They will be required to submit this data to Procurer and MNRE or any other designated agency on line and/or through a report on regular basis every month for the entire duration of PPA. In this regard they

shall mandatorily also grant access to Procurer and MNRE or any other designated agency to the remote monitoring portal of the power plants on a 24X7 basis.

All Hybrid Power Projects shall install necessary equipment to continuously measure wind and solar resource data and other weather parameters and electrical parameters. They are required to submit the data through online portal to GEDA, National Institute of Wind Energy (NIWE) and / or other designated agency for monitoring the performance for the entire life of the project.

In addition to the above, the Successful Bidder shall also submit information quarterly basis to GUVNL, for regular monitoring of status of the entire project.

8. Safe Disposal of Solar PV Modules and unit Batteries from the ESS

The developers will ensure that all Solar PV modules from their plant after their 'end of life' (when they become defective/ non-operational/ non-repairable) are disposed of in accordance with the "e-waste (Management and Handling) Rules, 2011" notified by the Government and as revised and amended from time to time.

9. Capacity Of Solar PV Projects

- i) The rated capacity to be installed shall be considered as minimum DC Arrays Capacity and maximum AC Capacity at the delivery point as described below:

Sr. No.	Solar PV Project Capacity Bid	Minimum DC Arrays Capacity to be installed	Minimum Rated Inverter Capacity	Maximum AC Capacity Limit at Delivery point	Minimum installed energy rating of the ESS
1	50 MW	50 MW	50 MW	50 MW	25 MWhr

- ii) Higher DC capacity arrays so as to achieve AC capacity limit as mentioned above for scheduling at the delivery point in compliance to Article 4.4 "Right to Contracted Capacity & Energy" of the PPA is allowed.
- iii) (not used).
- iv) Provisions of Article 5.6 of the PPA with HPD shall apply for the capacity not commissioned by the scheduled commissioning date.
- v) If generation at any time exceeds the maximum permissible AC capacity at delivery point, the excess generation during that period shall not be considered under PPA.

Annexure – A-1**SAFETY STANDARDS TO BE FOLLOWED FOR BATTERY ENERGY STORAGE SYSTEMS (AS APPLICABLE)****Battery Energy Storage Systems (BESS)**

Standard/ Code (or equivalent Indian Standards)	Description
IEC 61427-2 / IEC 62619:2017	Secondary cells and batteries for renewable energy storage for On-grid applications
IEC 62485-2 / UL 1642	Safety requirements for secondary batteries and battery installations - to meet requirements on safety aspects associated with the erection, use, inspection, maintenance and disposal: Non-chemistry Specific (applicable to all secondary battery types)
IEC 61508 / UL 9540	Functional Safety of Electrical/Electronic/Programmable Electronic Safety-related Systems: Applicable for all Battery Energy Storage Systems
IEC 62133-1:2017	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications - Part 1: Nickel systems
IEC 62133-2 :2017	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications - Part 2: Lithium systems
IEC 62281/UN 38.3	Safety of primary and secondary lithium cells and batteries during transport: Applicable for storage systems using Lithium Ion chemistries
IEC 61850/ DNP3	Communications networks and management systems. (Plant SCADA and the BESS control system communication)
IEC TS 62933-5-1:2017	Electrical energy storage (EES) systems - Part 5-1: Safety considerations for grid-integrated EES systems - General specification

For other technologies being used in ESS, the Developer shall adhere to the relevant environmental and safety standards issued by Government of India from time to time.

Appendix - A1**COMMISSIONING PROCEDURE**

1. Commissioning Procedure for the Projects selected shall be as determined by Gujarat Energy Development Authority.
2. HPD shall submit the copy of this RFS as well as PPA signed by GUVNL to GEDA and give advanced intimation to GEDA regarding commissioning of the project.
3. HPD shall submit the land ownership related documents as per this RFS to GEDA and GEDA being a State Nodal Agency shall certify commissioning of the project or part thereof only after verification of the land documents.
4. HPD shall also submit the documents relating to the approvals listed at Schedule 2 of the PPA to GEDA and GEDA shall certify commissioning of the project or part thereof only after verification of such documents.
5. GEDA shall take into consideration the provisions of part commissioning provided in the PPA and certify part commissioning of the project only in line with the PPA provisions.
6. GEDA may provisionally certify commissioning of the project on the date of commissioning after witnessing that the rated capacity of the project is in operation and energy is flowing in to the grid subject to final certification after verification of other documents.
7. The commissioning of the project shall be witnessed by Committee Constituted by GEDA which shall comprise of official of DISCOM / GETCO.

Annexure - B**CHECK LIST FOR BANK GUARANTEES**

Sl. no.	Details of Checks	Yes/ No
1.	Is the BG on non-judicial Stamp paper of appropriate value, as per applicable Stamp Act of the place of execution	
2.	Whether date, purpose of purchase of stamp paper and name of the purchaser are indicated on the back of Stamp Paper under the Signature of Stamp vendor? (The date of purchase of stamp paper should be not later than the date of execution of BG and the stamp paper should be purchased either in the name of the executing Bank or the party on whose behalf the BG has been issued.	
3.	Is the place of raising of claim in the Bank Guarantee in line with the Format prescribed by GUVNL?	
4.	Has the executing Officer of BG indicated his name, designation and Power of Attorney No./ Signing Power no. on the BG?	
5.	Is each page of BG duly signed/ initialed by executant and whether stamp of Bank is affixed thereon? Whether the last page is signed with full particulars including two witnesses under seal of Bank as required in the prescribed proforma?	
6.	Do the Bank Guarantees compare verbatim with the Proforma prescribed in the Bid Documents?	
7.	Are the factual details such as Bid Document No./ Specification No./ LOI No. (if applicable)/ Amount of BG and Validity of BG correctly mentioned in the BG	
8.	Whether overwriting/ cutting, if any, on the BG have been properly authenticated under signature & seal of executant?	
9.	Whether the BG has been issued by a Bank in line with the provisions of Bidding documents?	
10.	Has the SFMS confirmation for issuance BG been forwarded to GUVNL on the email ID mentioned in Bid Information Sheet?	

Annexure – C**List of Banks**

The list of Banks shall be as per Finance Dept. GR No. EMD/4/2022/0002/DMDated20.05.2022 as amended or replaced from time to time. The presently applicable list is as under

(A) Guarantees issued by following Banks will be accepted as EMD / PBG on permanent basis.

1. All nationalized banks.

(B) Guarantees issued by following Banks will be accepted as EMD / PBG for the period upto 31.03.2023. The validity cut off date is with respect to the date of issue of Bank Guarantee irrespective of date termination of Bank Guarantee.

1. A U Small Finance Bank
2. Ahmedabad Mercantile Co-Operative Bank Limited
3. Axis Bank
4. City Union Bank
5. DBS Bank India Limited
6. DCB Bank
7. Equitas Small Finance Bank
8. Federal Bank
9. HDFCBank
10. ICICI Bank
11. Indusind Bank
12. Kalupur Commercial Co-Operative Bank Limited
13. Kotak Mahindra Bank
14. NutanNagrikSahakari Bank Limited
15. Rajkot NagarikSahakari Bank Limited
16. RBLBank
17. Saraswat Co-operative Bank
18. Saurashtra Gramin Bank
19. Standard Chartered Bank
20. Tamilnadu Mercantile Bank
21. The Gujarat State Co-Operative Bank
22. The Mehsana Urban Co-operative bank Limited
23. The Surat District Co-operative Bank
24. The Surat Peoples Co-Operative Bank
25. Ujjivan Small Finance Bank

Annexure - D**SPECIAL INSTRUCTIONS TO BIDDERS FOR
e-TENDERING AND REVERSE AUCTION****GENERAL**

The Special Instructions (for e-Tendering) supplement 'Instructions to Bidders', as given in these RfS Documents. Submission of Online Bids is mandatory for this RfS.

e-Tendering is a new methodology for conducting Public Procurement in a transparent and secured manner. Now, the Government of India has made e-Tendering mandatory. Suppliers/ Vendors will be the biggest beneficiaries of this new system of procurement. For conducting electronic tendering, Gujarat UrjaVikas Nigam Limited (GUVNL) has adopted a secured and user friendly e-tender system enabling bidders to Search, View, Download tender document(s) directly from the e-tendering portal of M/s Electronic Tender.com (India) Pvt. Limited <https://www.bharat-electronictender.com> through ISN-ETS. This Portal is also being used by Central Government Bidding Agencies such as SECI and NTPC. A portal built using ElectronicTender's software is also referred to as ElectronicTender System® (ETS).

Benefits to Suppliers are outlined on the Home-page of the portal.

INSTRUCTIONS**Tender Bidding Methodology:****Sealed Bid System**

Single Stage Two Envelope

Auction

The sealed bid system would be followed by an 'e-Reverse Auction'

Broad Outline of Activities from Bidder's Perspective:

1. Procure a Class III Digital Signing Certificate (DSC).
2. Register on ElectronicTender System® (ETS)
3. Create Marketing Authorities (MAs), Users and assign roles on ETS. It is mandatory to create at least one MA
4. View Notice Inviting Tender (NIT) on ETS
5. For this tender – Assign Tender Search Code (TSC) to a MA
6. Download Official Copy of Tender Documents from ETS. Note: Official copy of Tender Documents is distinct from downloading 'Free Copy of Tender Documents'. To participate in a tender, it is mandatory to procure official copy of Tender Documents for that tender.
7. Clarification to Tender Documents on ETS
 - a) Query to GUVNL(Optional)
 - b) View response to queries posted by GUVNL

8. Bid-Submission on ETS
9. Respond to GUVNL Post-TOE queries
10. Participate in e-Reverse Auction if invited

For participating in this tender online, the following instructions are to be read carefully. These instructions are supplemented with more detailed guidelines on the relevant screens of the ETS.

Digital Certificates

For integrity of data and authenticity/ non-repudiation of electronic records, and to be compliant with IT Act 2000, it is necessary for each user to have a Digital Certificate (DC), also referred to as Digital Signature Certificate (DSC), of Class III, issued by a Certifying Authority (CA) licensed by Controller of Certifying Authorities (CCA) [refer <http://www.cca.gov.in>].

Registration

To use the ElectronicTender® portal <https://www.bharat-electronictender.com>, vendors need to register on the portal. Registration of each organization is to be done by one of its senior persons who will be the main person coordinating for the e-tendering activities. In ETS terminology, this person will be referred to as the Super User (SU) of that organization. For further details, please visit the website/ portal, and click on the 'Supplier Organization' link under 'Registration' (on the Home Page), and follow further instructions as given on the site. Pay Annual Registration Fee as applicable.

After successful submission of Registration details and payment of Annual Registration Fee, please contact ISN-ETS Helpdesk (as given below), to get your registration accepted/ activated.

Important Note:

1. Interested bidders have to download official copy of the RfS& other documents after login into the e-tendering Portal of ISN-ETS <https://www.bharat-electronictender.com>. If the official copy of the documents is not downloaded from e-tendering Portal of ISN-ETS within the specified period of downloading of RfS and other documents, bidder will not be able to participate in the tender.
2. To minimize teething problems during the use of ETS (including the Registration process), it is recommended that the user should peruse the instructions given under 'ETS User-Guidance Centre' located on ETS Home Page, including instructions for timely registration on ETS. The instructions relating to 'Essential Computer Security Settings for Use of ETS' and 'Important Functionality Checks' should be especially taken into cognizance.

Please note that even after acceptance of your registration by the Service Provider, to respond to a tender you will also require time to complete activities related to your organization, such as creation of users, assigning roles to them, etc.

ISN-ETS/ Helpdesk	
Telephone/ Mobile	Customer Support: +91-124-4229071, 4229072 (From 1000 HRS to 1800 HRS on all Working Days i.e. Monday to Friday except Government Holidays)
Email-ID	support@isn-ets.com [Please mark CC: support@electronictender.com]

Some Bidding Related Information for this Tender (Sealed Bid)

The entire bid-submission would be online on ETS (unless specified for Offline Submissions). Broad outline of submissions are as follows:

- Submission of Bid-Parts
 - Envelope I (Technical-Bid)
 - Envelope II (Financial-Bid)
- Submission of digitally signed copy of Tender Documents/ Addendum

In addition to the above, the bidders are required to submit certain documents physically offline also as per Clause No. 23, Section-4, ITB of RfS Documents, failing which the technical bids will not be opened.

Note: The Bidder should also upload the scanned copies of all the above mentioned original documents as Bid-Annexures during Online Bid-Submission.

Internet Connectivity

If bidders are unable to access ISN-ETS's e-tender portal or Bid Documents, the bidders may please check whether they are using proxy to connect to internet or their PC is behind any firewall and may contact their system administrator to enable connectivity. Please note that Port SSL/ 443 should be enabled on proxy/firewall for HTTPS connectivity. Dial-up/ Broad and internet connectivity without Proxy settings is another option

SPECIAL NOTE ON SECURITY AND TRANSPARENCY OF BIDS

Security related functionality has been rigorously implemented in ETS in a multidimensional manner. Starting with 'Acceptance of Registration by the Service Provider', provision for security has been made at various stages in Electronic Tender's software. Specifically, for Bid Submission, some security related aspects are outlined below:

As part of the Electronic Encrypted® functionality, the contents of both the 'ElectronicForms®' and the 'Main-Bid' are securely encrypted using a Pass-Phrase created by the Bidder himself. Unlike a 'password', a Pass-Phrase can be a multi-word sentence with spaces between words (e.g. I love this World). A Pass-Phrase is easier to remember, and more difficult to break. It is mandatory that a separate Pass-Phrase be created for each Bid-Part. This method of bid-encryption does not have the security and data-integrity related vulnerabilities which are inherent in e-tendering systems which use Public-Key of the specified officer of a Buyer organization for bid-encryption. Bid-encryption in ETS is such that the Bids cannot be decrypted before the Public Online Tender Opening Event (TOE), even if there is connivance between the concerned tender-opening officers of the Buyer organization and the personnel of e-tendering service provider.

CAUTION: All bidders must fill ElectronicForms® for each bid-part sincerely and carefully, and avoid any discrepancy between information given in the ElectronicForms® and the corresponding Main-Bid. For transparency, the information submitted by a bidder in the ElectronicForms® is made available to other bidders during the Online Public TOE. If it is found during the Online Public TOE that a bidder has not filled in the complete information in the ElectronicForms®, the TOE officer may make available for downloading the corresponding Main-Bid of that bidder at the risk of the bidder. **If variation is**

noted between the information contained in the ElectronicForms® and the 'Main-Bid', the contents of the ElectronicForms® shall prevail.

In case of any discrepancy between the values mentioned in figures and in words, the value mentioned in words will prevail.

The bidder shall make sure that the Pass-Phrase to decrypt the relevant Bid-Part is submitted to GUVNL as per Section 4.23 (A).

Additionally, the bidder shall make sure that the Pass-Phrase to decrypt the relevant Bid-Part is submitted to GUVNL in a sealed envelope as per Section 4.23 (A) of the RFS.

There is an additional protection with SSL Encryption during transit from the client-end computer of a Supplier organization to the e-Tendering Server/ Portal.

OTHER INSTRUCTIONS

For further instructions, the vendor should visit the home-page of the portal <https://www.bharat-electronictender.com>, and go to the **User-Guidance Center**

The help information provided through 'ETS User-Guidance Center' is available in three categories – Users intending to Register/ First-Time Users, Logged-in users of Buyer organizations, and Logged-in users of Supplier organizations. Various links (including links for User Manuals) are provided under each of the three categories.

Important Note: It is strongly recommended that all authorized users of Supplier organizations should thoroughly peruse the information provided under the relevant links, and take appropriate action. This will prevent hiccups, and minimize teething problems during the use of ETS.

SEVEN CRITICAL DO'S AND DON'TS FOR BIDDERS

Specifically, for Supplier organizations, the following '**SEVEN KEY INSTRUCTIONS for BIDDERS**' must be assiduously adhered to:

1. Obtain individual Digital Signing Certificate (DSC or DC) of Class III well in advance of your tender submission deadline on ETS.
2. Register your organization on ETS well in advance of the important deadlines for your first tender on ETS viz 'Date and Time of Closure of Procurement of Tender Documents' and 'Last Date and Time of Receipt of Bids'. Please note that even after acceptance of your registration by the Service Provider, to respond to a tender you will also require time to complete activities related to your organization, such as creation of –Marketing Authority (MA) [ie a department within the Supplier/ Bidder Organization responsible for responding to tenders], users for one or more such MAs, assigning roles to them, etc. It is mandatory to create at least one MA. This unique feature of creating an MA enhances security and accountability within the Supplier/ Bidder Organization

3. Get your organization's concerned executives trained on ETS well in advance of your first tender submission deadline on ETS.
4. For responding to any particular tender, the tender (ie its Tender Search Code or TSC) has to be assigned to an MA. Further, an 'Official Copy of Tender Documents' should be procured/ downloaded before the expiry of Date and Time of Closure of Procurement of Tender Documents. Note: Official copy of Tender Documents is distinct from downloading 'Free Copy of Tender Documents'. Official copy of Tender Documents is the equivalent of procuring physical copy of Tender Documents with official receipt in the paper-based manual tendering system.
5. Submit your bids well in advance of tender submission deadline on ETS (There could be last minute problems due to internet timeout, breakdown, etc.)
6. It is the responsibility of each bidder to remember and securely store the Pass-Phrase for each Bid-Part submitted by that bidder. The bidders are required to submit correct, valid and operative Pass-Phrase to decrypt either Technical Bid Part or Financial Bid Part in a separate sealed envelope before due date and time of submission of bid. In the event, the bids are not opened with the pass-phrase submitted by bidder, GUVNL may ask for re-submission/ clarification for correct pass-phrase. If bidder fails to submit correct pass-phrase immediately as requested by GUVNL, the Tender Processing Fee and Tender Document Fee, if applicable, shall be forfeited and bid shall not be opened, and EMD shall be refunded. No request on this account shall be entertained by GUVNLI.
7. ETS will make your bid available for opening during the Online Public Tender Opening Event (TOE) 'ONLY IF' the status pertaining Overall Bid-Submission is 'COMPLETE'. For the purpose of record, the bidder can generate and save a copy of 'Final Submission Receipt'. This receipt can be generated from 'Bid-Submission Overview Page' only if the status pertaining overall Bid-Submission is 'COMPLETE'

NOTE:

While the first three instructions mentioned above are especially relevant to first-time users of ETS, the fourth, fifth, sixth and seventh instructions are relevant at all times.

ADDITIONAL DOs AND DON'Ts FOR BIDDERS PARTICIPATING IN e-REVERSE AUCTION

1. Get your organization's concerned executives trained for e-ReverseAuction related processes on ETS well in advance of the start of e-ReverseAuction.
2. For responding to any particular e-ReverseAuction, the e-ReverseAuction (i.e. its Reverse Auction Search Code or RASC) has to be assigned to an MA.
3. It is important for each bidder to thoroughly read the 'rules and related criterion' for the e-ReverseAuction as defined by the Buyer organization.
4. It is important to digitally-sign your "Final bid" after the end of e-ReverseAuction bidding event.

Pre-requisite for participation in bidding process

- Bidder must possess a PC/ Laptop with Windows 7 professional operating system and Internet Explorer 8 or 9 for hassle free bidding. Bidder is essentially required to effect the security settings as defined in the portal.
- The Bidder must have a high-speed internet connectivity (preferably Broadband) with internet explorer to access ISN-ETS's e-Tender Portal for downloading the Tender document and uploading/ submitting the Bids.
- A valid e-mail ID of the Organization/ Firm

Annexure - E**TERMS & CONDITIONS OF REVERSE AUCTION**

After opening of Financial bids and short-listing of bidders based on the tariff and total capacity of project of qualified Project(s), GUVNL shall resort to "REVERSE AUCTION PROCEDURE". Reverse Auction shall be conducted as per methodology specified in Section-6 and other provisions of Reverse Auction in RfS Documents and their subsequent Addenda/ Amendments/ Clarifications. Bidders in their own interest, are advised to go through the documents in entirety. The Terms & Conditions and Business Rules mentioned hereunder are in brief and may not give complete explanations. Further these are supplementary in nature.

1. Bidders shall ensure online submission of their 'Bid Price' within the auction period.
2. Bidders shall ensure to take all necessary training and assistance before commencement of reverse auction to the interested bidders on chargeable basis to be paid directly to ISN-ETS.
3. Business rules for Reverse Auction like event date, time, bid decrement, extension etc. shall be as per the business rules, enumerated in the RfS document or intimated later on, for compliance.
4. Reverse auction will be conducted on scheduled date time, as mentioned in the RfS document.
5. Bidders should acquaint themselves of the 'Business Rules of Reverse Auction', which is enclosed separately in the RfS document.
6. If the Bidder or any of his representatives are found to be involved in Price manipulation/ cartel formation of any kind, directly or indirectly by communicating with other bidders, action as per extant GUVNL guidelines shall be initiated by GUVNL.
7. The Bidder shall not divulge either his Bids or any other exclusive details of GUVNL to any other party.
8. Period of validity of Prices received through Reverse Auction shall be same as that of the period of validity of bids offered.
9. Bidders should also note that:
 - a) Although extension time is '5' minutes, there is a time lag between the actual placing the bid on the local computer of the bidder and the refreshing of the data on to the server for the visibility to the Owner. Considering the processing time for data exchange and the possible network congestion, bidders must avoid the last minute hosting of the Financial Bid during reverse auction.
 - b) Participating bidder will agree to non-disclosure of trade information regarding the purchase, identity of GUVNL, bid process, bid technology, bid documentation and bid details.
 - c) It is brought to the attention of the bidders that the bid event will lead to the final price of bidders only.

- d) Technical and other non-commercial queries (not impacting price) can only be routed to GUVNL contact personnel indicated in the RfS document.
- e) Order finalization and post order activities such issue of LOI, signing of PPA etc. would be transacted directly between successful bidder(s) and GUVNL.
- f) LOI shall be placed outside the ETS e-portal & further processing of the LOI shall also be outside the system.
- g) In case of any problem faced by the bidder during Reverse Auction and for all Bidding process related queries, bidders are advised to contact the persons indicated in Annexure - D of the RfS document.
- h) Bidders are advised to visit the auction page and login into the system well in advance to identify/ rectify the problems to avoid last minute hitches.
- i) GUVNL will not be responsible for any PC configuration/ Java related issues, software/ hardware related issues, telephone line glitches and breakdown/ slow speed in internet connection of PC at Bidder's end.
- j) Bidders may note that it may not be possible to extend any help, during Reverse Auction, over phone or in person in relation to rectification of PC/ Internet/ Java related issues and Bidder may lose the chance of participation in the auction.

10. For access to the Reverse Auction site, the following URL is to be used: <https://www.bharat-electronictender.com>

11. No queries shall be entertained while Reverse Auction is in progress.

BUSINESS RULES OF REVERSE AUCTION

Reverse Auction shall be conducted as per methodology specified in Section - 6 and other provisions of Reverse Auction in RfS documents and their subsequent Amendments/ Clarifications/ Addenda. Bidders, in their own interest, are advised to go through the documents in entirety.

The following would be parameters for e-Reverse Auction:

Sl. No.	Parameter	Value
1.	Date and Time of Reverse-Auction Bidding Event	To be intimated Later to Eligible Bidders
2.	Duration of Reverse-Auction Bidding Event	30 minutes
3.	Automatic extension of the 'Reverse-Auction closing Time', if last bid received is within a 'Predefined Time-Duration' before the 'Reverse-Auction Closing Time'	Yes
3.1	Pre-defined Time-Duration	05 Minutes
3.2	Automatic extension Time-Duration	05 Minutes
3.3	Maximum number of Auto-Extension	Unlimited Extension
4.	Entity-Start-Price	Tariff quoted by the bidders in Financial Bid (Second Envelope)

Online Reverse Auction shall be conducted by GUVNL on pre-specified date and time, while the bidders shall be quoting from their own offices/ place of their choice. Internet connectivity shall have to be ensured by bidders themselves.

During the Reverse Auction, any requests for extension of time will not be considered by GUVNL. Bidders are therefore requested to make all the necessary arrangements/ alternatives whatever required so that they are able to participate in the Reverse Auction successfully. Failure of power or loss of connectivity at the premises of bidders during the Reverse Auction cannot be the cause for not participating in the Reverse Auction. GUVNL shall not be responsible for such eventualities. Bidders are advised to get fully trained and clear all their doubts such as refreshing of Screen, capacity/ no. of projects being auctioned, auction rules etc.

GUVNL reserves the right to cancel/ reschedule/ extend the Reverse Auction process/ tender at any time, before ordering, without assigning any reason.

GUVNL shall not have any liability to bidders for any interruption or delay in access to the auction website irrespective of the cause. In such cases, the decision of GUVNL shall be binding on the bidders.

Other terms and conditions shall be as per bidder's techno-commercial offers and as per the RfS document and other correspondences, if any, till date.

Annexure II (b)

GUJARAT URJA VIKAS NIGAM LTD.

Power Purchase Agreement (PPA)

**FOR PURCHASE OF POWER THROUGH COMPETITIVE BIDDING PROCESS
FOLLOWED BY REVERSE E-AUCTION] FROM 500 MW GRID CONNECTED
RE PROJECTS WITH ASSURED PEAK POWER SUPPLY ALONG WITH
ENERGY STORAGE SYSTEM (ESS) LOCATED ANYWHERE IN INDIA**

**RfS No. GUVNL / 500 MW / RE with ESS (Phase XV) dated 14.06.2022
(Tender Search Code @: GUVNL-2022-TN000010)**

ISSUED BY

Gujarat Urja Vikas Nigam Ltd

Sardar Patel Vidyut Bhavan, Race Course Vadodara-390007

Tel No. 0265-2340289, 0265-2310582 / 83 /84 / 85/ 86

Website: www.guvnl.com

Contents

ARTICLE 1: DEFINITIONS & INTERPRETATION.....	5
ARTICLE 2: LICENSES, PERMITS	16
ARTICLE 3: TERM OF AGREEMENT	17
ARTICLE 4: CONDITIONS SUBSEQUENT	19
ARTICLE 5: CONSTRUCTION & DEVELOPMENT OF THE PROJECT	22
Article 6: Synchronization, Commissioning and Commercial Operation	39
Article 7: Dispatch and Scheduling	41
Article 8: Rates and Charges	43
Article 9: Billing and Payment	45
Article 10: Metering and Communication	49
Article 11: Force Majeure	51
Article 12: Change in Law	54
Article 13: Term, Termination and Default	55
Article 14: Dispute Resolution	60
Article 15: Liability and Indemnification	61
Article 16: Miscellaneous Provisions	63
SCHEDULE 1: Parameters and Technical Limits of Supply	67
SCHEDULE 2: Approvals	69
SCHEDULE 3: Project Location Details	70
SCHEDULE 4: Important Terms & Conditions.....	71

This Power Purchase Agreement is made and entered into at Vadodara on this ___ day of _____ 2022 between **[Insert name of the Hybrid Power Developer]**, a Company incorporated under the Companies Act, 1956 or Companies Act 2013, having its CIN No. _____ and registered office at **[Insert address of the registered office of Hybrid Power Developer]** (hereinafter referred to as "Power Producer" or "Hybrid Power Developer" or "HPD", as the case may be which expression shall, unless repugnant to the context or meaning thereof, be deemed to include its successors and assignees) as a Party of the **First Part**;

And

Gujarat Urja Vikas Nigam Limited, a company incorporated under the Companies Act 1956 (1 of 1956) having its registered office at Sardar Patel Vidyut Bhavan, Race Course Vadodara – 390 007, (hereinafter referred to individually, as "GUVNL" or "Power Procurer", which expression shall, unless repugnant to the context or meaning thereof, include its successors and assignees) as a Party of the **Second Part**;

The HPD and GUVNL are individually referred to as 'Party' and collectively referred to as 'Parties'.

WHEREAS Govt. of Gujarat vide Resolution G.R. No. SLR/11/2020/77/B1 dated 29.12.2020 has notified the Gujarat Solar Power Policy 2021 which shall remain operational for the period upto 31.12.2025.

AND, WHEREAS Govt. of Gujarat vide Resolution G.R. No. SLR-11-2021-486-B1 dated 02.08.2021 read with G.R. dated 13.04.2022 has notified the extension of the operative period of the Gujarat Wind Power Policy 2016 which shall remain operational for the period upto 30.06.2022.

WHEREAS Government of Gujarat vide GR. No SLR/11/2017/141/B1 dated 20.06.2018 has notified Gujarat Wind – Solar Hybrid Power Policy 2018 which shall remain operational for the period of 5 years from the date of its issuance.

AND, WHEREAS the Gujarat Solar Power Policy 2021, Gujarat Wind Power Policy 2016 and Gujarat Wind – Solar Hybrid Power Policy 2018 stipulates that the obligated entities shall purchase solar / wind / wind-solar hybrid power to fulfil their Renewable Purchase Obligation (RPO) at the tariff determined through competitive bidding.

AND, WHEREAS the Ministry of Power vide Resolution no. 23/27/2017-R&R dated 03.08.2017 has notified the Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from grid connected Solar PV Power Projects AND vide Resolution No. 23/54/2017-R&R dated 08.12.2017, has notified "Guidelines for Tariff Based Competitive Bidding Process for

Procurement of Power from Grid Connected Wind Power Projects", including subsequent amendments and clarifications. Further, the Ministry of New & Renewable Energy, Government of India has issued "Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Wind Solar Hybrid Projects" vide O.M. dated 14.10.2020, including subsequent amendments and clarifications thereof.

AND, WHEREAS GUVNL vide RFS No. GUVNL / 500 MW / RE with ESS (Phase XV) dated 14.06.2022 has floated tender for purchase of power through competitive bidding process (followed by reverse e-auction) from 500 MW Grid Connected RE Projects with Assured Peak Power Supply along with Energy Storage System (ESS) (Phase XV), and the Power Producer has been selected as Successful Bidder pursuant to Letter of Intent (LoI) dated ____ in the Competitive Bidding process for development, generation and supply of electricity from the ____ MW Hybrid Power Project to be established by HPD to the extent of the contracted capacity complying with the sustained peak power supply to GUVNL.

AND, WHEREAS, GUVNL shall be filing a Petition under Section 63 of the Electricity Act, 2003 before the honourable Gujarat Electricity Regulatory Commission ('GERC' as defined herein) for adoption of tariff discovered through the competitive bidding process (followed by reverse auction) conducted by GUVNL through RFS no. GUVNL / 500 MW / RE with ESS (Phase XV) dated 14.06.2022 & addendums thereto, if any.

AND, WHEREAS, this Power Purchase Agreement shall be subject to the adoption of tariff by GERC and in terms of the Guidelines of Central Government issued and amended from time to time, GUVNL shall approach GERC for adoption of tariffs under Section 63 of the Act. Any delay in adoption of tariff by GERC, beyond 60 (sixty) days from date of filing of petition by GUVNL, shall entail a corresponding extension in due date for Financial Closure and Scheduled Commissioning date, for equal number of days for which the GERC order has been delayed beyond such 60 days period.

AND, WHEREAS, in terms of the RfS and the bidding documents, the HPD has furnished the Performance Bank Guarantee in the sum of Rs. in favour of guvnl as per the format provided as a part of the bidding documents.

AND, WHEREAS the HPD desires to set-up such Hybrid Power Plant of MW capacity at the location details specified as per Schedule 3 using new Solar Photovoltaic grid interactive power plants and / or new Wind Electric Generators along with MW / Mwh Energy Storage System (ESS)

AND, WHEREAS, the HPD has taken responsibility to set up requisite power injection system into Gujarat Energy Transmission Corporation Ltd (GETCO) Grid.

AND, WHEREAS, GUVNL agrees to purchase such power to the extent of contracted capacity with Discom wise share to be decided from time to time by GUVNL for fulfilment of their RPO.

AND, WHEREAS, the parties hereby agree to execute this Power Purchase Agreement setting out the terms & conditions for sale of power by power producer to guvnl.

NOW THEREFORE IN VIEW OF THE FOREGOING PREMISES AND IN CONSIDERATION OF THE MUTUAL COVENANTS AND CONDITIONS HEREINAFTER SET FORTH, GUVNL AND THE HPD, EACH TOGETHER WITH THEIR RESPECTIVE SUCCESSORS AND PERMITTED ASSIGNS, A PARTY AND COLLECTIVELY THE PARTIES, HEREBY AGREE AS FOLLOWS:

ARTICLE 1: DEFINITIONS AND INTERPRETATION

1.1 Definitions

For purposes of this Agreement, unless the context otherwise admits, the following words and expressions shall have the respective meanings set forth below:

"ACT" or "ELECTRICITY ACT, 2003" shall mean the Electricity Act, 2003 and include any modifications, amendments and substitution from time to time;

"Adjusted Equity" shall have the meaning as defined and dealt in Clause 13.4.2 of this Agreement.

"Agreement or "Power Purchase Agreement" or "PPA " shall mean this Power Purchase Agreement executed hereof, including the schedules hereto, amendments, modifications and supplements made in writing by the Parties from time to time.

"Appropriate Commission" shall mean Gujarat Electricity Regulatory Commission or Central Electricity Regulatory Commission, as the case may be, having jurisdiction under the Electricity Act 2003;

"Approvals" means the permits, clearances, licenses and consents as are listed in Schedule 2 hereto and any other statutory approvals.

"Billing Period" means (subject to Article 9 of the Agreement) the calendar month ending with the Metering Date. The first Billing Period shall commence from the Commercial Operation Date and end with the Metering Date corresponding to the month in which the Commercial Operation Date occurs.

"Billing Date" shall be the first Business Day after the Metering Date of each Billing Period.

"Bid Deadline" shall mean the last date of submission of bid under RfS No. GUVNL / 500 MW / RE with ESS (Phase XV) dated 14.06.2022 & Addendums thereto, if any.

"Business Day" shall mean a Day other than Sunday or a statutory holiday on which banks remain open for business in Vadodara.

"Base rate of Late Payment Surcharge" means the marginal cost of funds based lending rate for one year of the State Bank of India, as applicable on the 1st April of the financial year in which the period lies, plus five percent and in the absence of marginal cost of funds based lending rate, any other arrangement that substitutes it, which the Central Government may, by notification, in the Official Gazette, specify. Provided that if the period of default lies in two or more financial years, the base rate of Late Payment Surcharge shall be calculated separately for the periods falling in different years.

"Change in Law" shall have the meaning ascribed thereto in Article 12 of this Agreement.

"Commissioning" with respect to the project or part thereof as certified by GEDA shall mean when all equipment as per rated capacity has been installed and energy has flown into the grid in line with the Commissioning procedure defined in the RFS.

"Commercial Operation Date (COD)" shall be the date certified by GEDA upon successful commissioning of the full capacity of the Project or the last part capacity of the Project as the case may be.

"CERC" means Central Electricity Regulatory Commission constituted under sub-section (1) of Section 76 of the Electricity Act, 2003, or its successors.

"Competent Court" means the Supreme Court of India or any High Court, or any tribunal or any similar judicial or quasi-judicial body that has jurisdiction in relation to issues relating to the Project.

"Consents, Clearances and Permits" shall mean all authorizations, licenses, approvals, registrations, permits, waivers, privileges, acknowledgements, agreements, or concessions required to be obtained from or provided by any concerned authority for the purpose of setting up of the generation facilities and/ or supply of power;

"Contracted Capacity" shall mean [Insert capacity] MW contracted with GUVNL for supply by the HPD to GUVNL at the Delivery Point from the Hybrid Power Project. It is to clarify that in any 15-minute time block during the entire term of the PPA, the injected power shall not exceed the Contracted AC Capacity.

"Capacity Utilization Factor" or "CUF" shall have the same meaning as provided in CERC (Terms and Conditions for Tariff determination from Renewable Energy Sources) Regulations, 2009 as amended from time to time; However for avoidance of any doubt, it is clarified that the CUF shall be calculated on the Contracted Capacity;

In any Contract Year, if 'X' MWh of energy has been metered out at the Delivery Point for 'Y' MW Project capacity, $CUF = (X \text{ MWh} / (Y \text{ MW} * 8760)) * 100\%$;

"Contracted CUF" shall mean *the % capacity utilization factor of the project mentioned in Schedule 3 which shall be allowed to be modified as per Schedule 4.*

"CONTRACT YEAR" shall mean the period beginning from the Effective Date and ending on the immediately succeeding 31st March and thereafter each period of 12 months beginning on 1st April and ending on 31st March provided that:

- (a) in the financial year in which the Scheduled Commissioning Date would occur, the Contract Year shall end on the date immediately before the Scheduled Commissioning Date and a new Contract Year shall commence once again from the Scheduled Commissioning Date and end on the immediately succeeding 31st March, and thereafter each period of 12 (Twelve) Months commencing on 1st April and ending on 31st March, and
- (b) provided further that the last Contract Year of this Agreement shall end on the last day of the Term of this Agreement or on Termination of this Agreement whichever is earlier;

"CTU or Central Transmission Utility" shall mean the Government Company notified by the Central Government under Sub-Section (1) of Section 38 of the Electricity Act, 2003.

"Day" shall mean a day, if not a Business Day, the immediately succeeding Business Day.

"Debt Due" shall be as defined at Article 13.4.2

"Delivery Point / Interconnection Point" shall be the point or points of connection at which Electricity is delivered into the Grid System of the GETCO. All expenses, including transmission & wheeling charges and losses between the Project and the Delivery Point including on account of any change in law event, shall be paid by the Power Producer without any reimbursement by GUVNL. Expenses including wheeling charges and losses in relation to the transmission and distribution after the Delivery Point shall be borne by GUVNL as per the mechanism stipulated under Schedule 4. It is clarified further, that pursuant to effective date of GNA regulations and amended Sharing regulations of CERC in future, if the transmission charges are directly billed to GUVNL in respect of the RE projects connected with CTU, the same shall be recovered from the developers by making necessary adjustments while making payment of monthly invoices.

"DELIVERED ENERGY" in case of projects connected with STU grid shall mean energy actually fed and measured by the energy meters at the Delivery Point as certified by Gujarat SLDC in State Energy Account as per provisions of PPA and in case of projects connected with CTU grid shall mean the energy scheduled at the Delivery Point as certified by Gujarat SLDC in State Energy Account in accordance with provisions of PPA, based on energy certified by Regional Power Committee under Regional Energy Account.

In case of import of energy from the grid, the successful bidder shall be required to make payment to GUVNL at the rate of HT Temporary Tariff as determined by GERC from time to time. In case of export of energy, the Successful Bidder shall be eligible for receiving agreed tariff from GUVNL for such delivered energy provided the energy is supplied in peak and off-peak period in the manner defined in the PPA. Following points shall also form part of this definition.

(i) In case, the project is installed in existing Wind Farm and connected to the grid through its Pooling Station as per Section 1.3.3, the delivered energy shall be arrived at by deducting the below mentioned normative transmission losses between Pooling Station and GETCO's receiving sub-station from the energy recorded at Pooling Station. The normative losses for lines of different voltages to be considered for the purpose of deriving delivered energy for the Projects connected to GETCO / STU shall be as under:-

66 KV Level: 0.90 %
132 KV Level: 0.75 %
220 KV Level: 0.60 %

(ii) In case, the project is connected through CTU Network, then all transmission charges and losses upto Delivery Point shall be to the account of the Successful Bidder. Additionally, the mechanism of sharing of transmission charges and losses stipulated under Schedule 4 shall also be applicable. No change in charges / losses of CTU shall be covered under Change in Law;

"Discom(s)" means one or more of the following distribution companies:

a) Madhya Gujarat Vij Company Limited

- b) Dakshin Gujarat Vij Company Limited
- c) Uttar Gujarat Vij Company Limited and
- d) Paschim Gujarat Vij Company Limited

"Due Date of Payment" in respect of a Tariff Invoice means the date, which is 30 (thirty) days from the date of receipt of such invoices by the designated official of GUVNL.

"Electricity" shall mean the electrical energy in kWh (kilowatt-hours).

"Effective Date" shall mean the date of signing of this Power Purchase Agreement

"Electricity Laws" shall mean the Electricity Act, 2003 and the relevant Rules, Notifications, and amendments issued there under and all other Laws in effect from time to time and applicable to the development, financing, construction, ownership, operation or maintenance or regulation of electric generating companies and Utilities in India, the rules, regulations and amendments issued by the GERC / CERC from time to time.

"Energy Accounts" shall mean the state energy accounts (SEA) as specified in the Grid Code issued by SLDC for each Month (as per their prescribed methodology), including the revisions and amendments thereof. It is to clarify that in case of projects whose energy accounting is done at regional level and energy is certified in the Regional Energy Accounts issued by Regional Load Dispatch Centers, the SEA issued by SLDC shall reflect the energy scheduled at delivery point based on energy certified by the respective RPC under Regional Energy Account.

"ENERGY STORAGE SYSTEMS" or "ESS" shall mean the system(s) installed in addition to the solar PV capacity and / or wind turbine capacity as part of the Project, that can capture energy produced at one time for use at a later time;

"Emergency" means a condition or situation of physical damage to GETCO's / DISCOM's electrical system including the Grid System, which threatens the safe and reliable operation of such system or which is likely to result in disruption of safe, adequate and continuous electric supply by GETCO or DISCOM Grid System or could endanger life or property.

"Event of Default" shall mean the events as defined in Article 13 of this Agreement;

"Expiry Date" shall mean the date occurring after the term of twenty five (25) years as per Schedule 4.

"Financial Closure" shall mean arrangement of necessary funds by the Power Producer or HPD either by way of commitment of funds by the Company from its internal resources and / or tie up of funds through a bank / financial institution by way of sanction of a loan or letter agreeing to finance.

"Financing Documents" mean the agreements and documents entered/to be entered into between the Power Producer/ HPD and the Financing Parties relating to the financing of the Project

"Financing Parties" shall mean the parties financing the Project, pursuant to the Financing Documents.

"Force Majeure Event" shall have the meaning set forth in Article 11.

"GEDA" shall mean the Gujarat Energy Development Agency, the Nodal Agency constituted by the Government of Gujarat for energy development of Renewable Energy in the State;

"GERC" means the Gujarat Electricity Regulatory Commission.

"GoI" shall mean the Government of the Republic of India and any agency, legislative body, department, political subdivision, authority or instrumentality thereof.

"GoG" shall mean the Government of the State of Gujarat and any agency, legislative body, department, political subdivision, authority or instrumentality thereof.

"Government Instrumentality" shall mean the GoI, the GoG and their ministries, inspectorate, departments, agencies, bodies, authorities, legislative bodies.

"Grid System" shall mean CTU / STU / Discom's power transmission system / distribution system through which the electrical output from the project is evacuated and distributed.

"Grid Code" / "IEGC" or "State Grid Code" shall mean the Grid Code specified by the CERC under Clause (h) of Sub-section (1) of Section 79 of the Electricity Act, as amended from time to time, and/or the State Grid Code as specified by the concerned State Commission, referred under Clause (h) of Sub-section (1) of Section 86 of the Electricity Act 2003, as applicable;

"HYBRID POWER PLANT or HYBRID POWER PROJECT (HPP)" shall mean the development of system of generation of power with one of the following combinations. **Combination A** - Wind Power Project with co-located energy storage system or **Combination B** - Solar PV Project with co-located Energy Storage System or **Combination C** - Wind-Solar Hybrid Power Project with co-located energy storage system or **Combination D** - Generation and blending of power from separate Wind and/or Solar and/or Wind-Solar Hybrids along with ESS, connected with the Grid at more than one interconnection points wherein installation of Energy Storage System is mandatory. The developer of "Hybrid Power Plant / Project" shall establish a dedicated line at its own cost for evacuation of power up to receiving end sub-station of grid where the Project Developer desires to inject power in the grid where connectivity is granted.

"Interconnection Facilities" in respect of the Power Producer shall mean all the facilities installed by the Power Producer to enable GUVNL to receive the electrical output from the project at the Delivery Point, including transformers, and associated equipment, relay and switching equipment, protective devices and safety equipment and transmission lines from the project to GETCO's nearest sub-station.

"Installed Capacity" shall mean the rated capacity of the Project at the generating terminal(s) which may be higher than the contracted capacity, provided that necessary control systems shall be installed in the project to ensure that the injection of power does not exceed the contracted capacity in any 15 min time block during the entire term of the PPA.

"KV" shall mean Kilovolts.

"kWh" shall mean Kilowatt-hour.

"Law" shall mean any valid legislation, statute, rule, regulation, notification, directive or order, issued or promulgated by any Governmental Instrumentality.

"Letter of Intent (LoI)" shall mean the letter dated issued by GUVNL to the Power Producer for award of the Project.

"Late Payment Surcharge" shall have the meaning ascribed thereto in Article 9.3 of this Agreement;

"Letter of Credit" or "L/C" shall have the meaning ascribed thereto in Article 9.5 of this Agreement;

"Metering Date" for a Billing Period, means the midnight of the last Day of the calendar month.

"Metering Point" shall mean the point at which energy shall be measured for supply to GUVNL and shall be the inter connecting bus bar of the GETCO / CTU substation. In case of Solar Projects to be set up in an existing Wind Farm and proposed to be interconnected to the grid through a common pooling sub-station, the power generated from Wind and Solar Projects shall be injected and measured separately at the pooling station and the successful bidder shall have to install separate ABT compliant meters at pooling station for this purpose.

"Month" shall mean a period of thirty (30) days from (and excluding) the date of the event, where applicable, else a calendar month;

"MW" means Megawatts.

"Must Run Status" shall mean that RE Project shall not be directed by GUVNL to shut down or back down due to variations in the generation/consumption patterns or any commercial parameters, merit order dispatches or existence/apprehension of any other charges or levies related to dispatch or incidental thereto except Force Majeure Events and emergency.

"Normative CUF" shall be the %CUF as provided in Article 5.10.

"Off-Peak Hours" shall mean the energy scheduling hours between (& including) 09:00 hrs up to 18:00 hrs and the hours between (& including) 00:00 hrs. up to 05:00 hrs of the subsequent day;

"Off-Peak Power" shall mean the power supplied during Off-Peak Hours;

"Off-Peak Tariff" shall mean the tariff payable to the HPD for energy supplied during the Off-Peak Hours;

"O & M Default" shall mean any default on the part of the Power Producer for a continuous period of ninety (90) days to (i) operate and/or (ii) maintain (in accordance with Prudent Utility Practices), the Project at all times.

"Part Commissioning" shall mean the capacity of the project in (AC MW) to be commissioned as per provisions of the Part Commissioning read with Schedule 4 of this Agreement.

"Performance Bank Guarantee" shall mean the irrevocable unconditional bank guarantee submitted by the Power Producer as per the RfS No. GUVNL / 500 MW / RE with ESS (Phase XV) dated 14.06.2022.

"Peak Hours" shall mean the energy scheduling hours between (& including) 05:00 hrs up to 09:00 hrs, and between (& including) 18:00 hrs to 24:00 hrs of the same day. For the purpose of scheduling, a 'day' shall commence from 00:00 hrs and end at 24:00 hrs;

"Peak Power" shall mean the power supplied from the Project during Peak Hours;

"Peak Tariff" shall mean the tariff payable to the HPD for energy supplied during the Peak Hours as per the dispatch schedule confirmed by the Discom, applicable to supply of energy limited to 300 MWh (along with permissible additional limit of 20% as per this Agreement) within a time period of 24 hours, for each 100 MW Contracted Capacity;

PLANT" or "PROJECT" shall mean the new renewable energy based power generation facility, including ESS, having single or multiple point(s) of injection into the grid at Interconnection/ Delivery/ Metering Point, having separate control systems and metering. The Project may include Solar PV and/or Wind power generation units, including auxiliaries and associated facilities, bay(s) for transmission system in the Project switchyard, dedicated transmission line up to the Delivery Point and all the other assets, buildings/structures, equipment, plant and machinery, facilities and related assets required for the efficient and economic operation of the power generation facility, whether completed or at any stage of development and construction or intended to be developed and constructed for the purpose of supply of power to GUVNL. It may be noted that the ESS, may be co-located with RE generation plants as per Combination A, B & C, or may be set up at a different location as per Combination D, to be considered as a part of the Project. In case the Project comprises both wind and solar power generation components, interconnected with grid through single interconnection point, it shall be denoted as a "Wind-Solar Hybrid Power Project" as per its definition;

It is further clarified that an ESS charged using a source other than RE power would not qualify as RE power. Further, the ESS capacity offered with a Project under this tender shall only be charged through the RE power capacity set up under this tender. It must be noted that in case the ESS is charged from non-RE power, such ESS will be construed to be the non-RE component. ESS capacity other than aforementioned capacity could be charged with RE / Non-RE power subject to provisions of this Agreement and other applicable laws and regulations. The ESS capacity charged with RE power of this tender cannot be utilized for supply to any third party without the consent of GUVNL. The HPD shall be allowed to supply power from ESS in excess of the ESS capacity Contracted under this tender, to any third party or power exchange without requiring GUVNL's consent.

"POOLING SUBSTATION" shall mean a point where more than one Project may connect to a common Transmission System. Multiple Projects can be connected to a pooling substation from where common transmission system shall be constructed and maintained by the HPD(s) to get connected to the GETCO substation. Interconnection voltages and metering shall be governed as per the applicable Regulations of Appropriate Commission. Accordingly, if interconnection is at 66 KV voltage level, the metering will be allowed by GETCO at 66 KV voltage level subject to applicable regulations. In case of Solar Projects to be set up in an

existing Wind Farm and proposed to be interconnected to the grid through a common pooling sub-station, the power generated from Wind and Solar Projects shall be injected separately through independent dedicated lines and measured separately as per the extant rules and regulations and the successful bidder shall have to install separate ABT compliant meters (Main + Check) at pooling station for this purpose over and above the Main meters (Main + Check) installed at GETCO end;

"PROJECT DEVELOPER" OR "DEVELOPER" OR "HYBRID POWER DEVELOPER (HPD)" OR "POWER PRODUCER" shall also mean the Bidding Company or a Bidding Consortium participating in this bid and having been selected and allocated a contracted capacity by GUVNL through a competitive bidding process, including the SPV formed by the selected bidder/ consortium for the purpose of setting up of project and signing of PPA with GUVNL;

"Project Site" means any and all parcels of real property, rights of way, easements and access roads located at the location details specified as per Schedule 3, upon which the Project and its related infrastructure will be located as described in Schedule 1 hereto.

"Project Capacity" shall mean the maximum AC capacity of the Project at the point(s) of injection on which the Power Purchase Agreement has been signed.

"Prudent Utility Practices" shall mean those practices, methods, techniques and standards, that are generally accepted for use in electric utility industries taking into account conditions in India, and commonly used in prudent electric utility engineering and operations to design, engineer, construct, test, operate and maintain equipment lawfully, safely, efficiently and economically as applicable to power stations of the size, service and type of the Project, and that generally conform to the manufacturers' operation and maintenance guidelines.

"RE Project" shall mean Solar PV Project or Wind Power Project or Wind-Solar Hybrid Power Project or system of combined generation / blending of Wind and Solar Projects in a single PPA"

"Rebate" shall have the same meaning as ascribed thereto in Article 9.4 of this Agreement;

"Reference Exchange rate" shall mean, in respect of any one currency that is to be converted into another currency in accordance with the provisions of this agreement, the buying rate of such currency as of 12:00 noon on the relevant date notified by the State Bank of India, and in absence of such rate, the average of similar rates notified by Bank of India and Bank of Baroda.

"SBI 1 Year MCLR Rate" means 1 year Marginal Cost of Funds Based Lending Rate (MCLR) fixed by State Bank of India (SBI) / any replacement thereof by SBI for the time being in effect applicable for 1 year period, as on 1st April of the respective financial year in accordance with regulations and guidelines of Reserve Bank of India. In absence of such rate, any other arrangement that substitutes such rate as mutually agreed to by the Parties.

"Scheduled COD" or "Scheduled Commercial Operation Date" or "SCD" shall mean the date (This date shall not exceed **24 (twenty four) months** in case of Wind-Solar Hybrid Project with ESS (Combination C) as well as for blending of Wind and Solar Generation (Combination D) and **18 (eighteen) months** in case of Wind (Combination A) or Solar (Combination B) Project with ESS from the date of execution of the PPA).

"SEA" means the State Energy Account issued by State Load Dispatch Centre, Gujarat and amendment thereto.

"SELECTED BIDDER" or "SUCCESSFUL BIDDER" shall mean the Bidder selected pursuant to RfS dated ____ to set up the Project and reverse e-auction, if any, conducted thereunder for supply electrical output as per the terms of PPA;

"SLDC" means the State Load Dispatch Center as notified by the State Government of Gujarat.

"SLDC Charges" shall mean the charges levied by the SLDC of the state wherein the Hybrid Power Project is located;

"SOLAR PV PROJECT" shall mean the Solar Photo Voltaic Power Project that uses sunlight for direct conversion into electricity through Photo Voltaic Technology;

"SUB-POOLING SUBSTATION" shall mean the intermediate pooling point where power from the Solar and/or Wind Project components, along with the Energy Storage System (ESS) in a Wind-Solar Hybrid Project is injected into and from where the power is evacuated through a single transmission line and injected into the grid / Interconnection Point. It should be noted that this point shall be prior to the Metering Point of the Project;

"STU or State Transmission Utility" shall mean the Gujarat Energy Transmission Company Limited (GETCO).

"Tariff" shall have the meaning set forth in Article 8.

"Tariff Invoices" shall have the meaning set forth in Article 9.

"Termination Notice" shall mean the notice given by either Parties for termination of this Agreement in accordance with Article 13 of this Agreement;

"Technical Limits" means the limits and constraints described in Schedule 1, relating to the operations, maintenance and dispatch of the Project.

"Term" means the term of the Agreement as defined in Article 3.

"Voltage of Delivery" means the voltage at which the Electricity generated by the Project is required to be delivered to GUVNL which shall be 66 kV or above.

"Wind Power Project" shall mean the wind power project that uses wind energy for conversion into electricity through wind turbine generator;

"Wind-Solar Hybrid Power Project" shall mean the wind-solar hybrid power project where the rated power capacity of one resource is atleast 33% of the rated power capacity of the other resource;

1.2 Interpretation:

- a) This PPA shall be subject to approval/ adoption of tariff by GERC.
- b) Unless otherwise stated, all references made in this Agreement to "Articles" and "Schedules" shall refer, respectively, to Articles of, and Schedules to, this Agreement. The Schedules to this Agreement form part of this Agreement and will be in full force and effect as though they were expressly set out in the body of this Agreement.
- c) In this Agreement, unless the context otherwise requires (i) the singular shall include plural and vice versa; (ii) the words "include" and "including" are to be construed without limitation and (iii) a reference to any Party includes that Party's successors and permitted assigns.
- d) "Agreement" shall be construed as including a reference to its Schedules and/or Appendices and/or Annexures;
- e) An "Article", a "Recital", a "Schedule" and a "paragraph / clause" shall be construed as a reference to an Article, a Recital, a Schedule and a paragraph/clause respectively of this Agreement;
- f) A "crore" means a reference to ten million (10,000,000) and a "lakh" means a reference to one tenth of a million (1,00,000);
- g) An "encumbrance" shall be construed as a reference to a mortgage, charge, pledge, lien or other encumbrance securing any obligation of any person or any other type of preferential arrangement (including, without limitation, title transfer and retention arrangements) having a similar effect;
- h) A "person" shall be construed as a reference to any person, firm, company, corporation, society, trust, government, state or agency of a state or any association or partnership (whether or not having separate legal personality) of two or more of the above and a person shall be construed as including a reference to its successors, permitted transferees and permitted assigns in accordance with their respective interests;
- i) "Rupee", "Rupees", "Rs" or new rupee symbol "₹" shall denote Indian Rupees, the lawful currency of India;
- j) A Law shall be construed as a reference to such Law including its amendments or re-enactments from time to time;
- k) A time of day shall, save as otherwise provided in any agreement or document be construed as a reference to Indian Standard Time;
- l) All interest, if applicable and payable under this Agreement, shall accrue from day to day and be calculated on the basis of a year of three hundred and sixty five (365) days;
- m) The words "hereof" or "herein", if and when used in this Agreement shall mean a reference to this Agreement;

- n) The terms "including" or "including without limitation" shall mean that any list of examples following such term shall in no way restrict or limit the generality of the word or provision in respect of which such examples are provided;
- o) This Agreement and other documents such as Request for Selection Documents, Guidelines including subsequent clarifications, amendments and further clarifications in regard to the tender shall be read in conjunction with each other and interpreted in harmonious manner. However, in case of any mismatch/contradiction between provisions of different documents, following shall be the order of precedence:
 - 1. Power Purchase Agreement
 - 2. RfS Documents

ARTICLE 2: Licenses, Permits

The Power Producer, at its sole cost and expense, shall acquire and maintain in effect all clearances, consents, permits, licenses and approvals required from time to time by all regulatory / statutory competent authority(ies) in order to enable it to perform its obligations under the Agreement. GUVNL may render on best endeavor basis reasonable assistance to the Power Producer to enable the latter to obtain such clearances without any legal obligation on part of GUVNL.

Provided, however, non-rendering or partial rendering of assistance shall not in any way absolve the Power Producer of its obligations to obtain such clearances. Nor shall it mean to confer any right or indicate any intention to waive the need to obtain such clearances.

ARTICLE 3: TERM OF AGREEMENT

3.1 Effective Date

- 3.1.1 This Agreement shall come into effect from the date of signing of the PPA.
- 3.1.2 The Parties agree that decisions pertaining to adoption of the Tariff and approval of the same, for procurement of contracted capacity, shall be binding on all Parties concerned, as contained in the Electricity Act, 2003 and any amendments thereof.
- 3.1.3 Notwithstanding the Effective Date, the condition precedent for the enforcement of the obligations of either party against the other under this Agreement shall be that, within 60 days from the date of submission of petition by GUVNL to the Appropriate Commission, all requisite approvals including approval of PPA (including adoption of tariff) is granted by GERC, on the terms and conditions contained in this Agreement. The Parties agree that in the event, the order of adoption of tariff and the approval of PPA, as mentioned above is not issued by the GERC within the time specified above, the provisions of Article 3.1.4 shall apply.
- 3.1.4 If parties have mutually extended the time period as stipulated under Article 3.1.3 and the order from the GERC is within 60 days of submissions before Appropriate Commission, no extension for Financial Closure or Scheduled Commercial Operation Date (SCOD) shall be given. However, if GERC order is obtained after 60 days of submission of the petition, this shall entail a corresponding extension in Scheduled Financial Closure and the Scheduled Commercial Operation Date (SCOD) for equal number of days for which the GERC order has been delayed beyond such 60 days period.

3.2 Term of Agreement

- 3.2.1 Subject to Article 3.3 and 3.4 of this Agreement, this Agreement shall be valid for a term as provided in Schedule 4.
- 3.2.2 The HPD is free to operate their plants beyond the Expiry Date if other conditions like land lease / Right to Use of Land (as applicable), permits, approvals and clearances etc. allow. In such case GUVNL shall have the first right to purchase and the option to extend the agreement for further period on the same terms & conditions if the power producer decides to continue the generation of power. Unless otherwise agreed by GUVNL, GUVNL shall not be obligated to procure power beyond the Expiry Date.

3.3 Early Termination

- 3.3.1 This Agreement shall terminate before the Expiry Date if either GUVNL or HPD terminates the Agreement, pursuant to Article 13 of this Agreement.

3.4 Survival

3.4.1 The expiry or termination of this Agreement shall not affect any accrued rights, obligations and liabilities of the Parties under this Agreement, including the right to receive penalty as per the terms of this Agreement, nor shall it affect the survival of any continuing obligations for which this Agreement provides, either expressly or by necessary implication, which are to survive after the Expiry Date or termination including those under Article 11 (Force Majeure), Article 13 (Term, Termination & Default), Article 15 (Liability and Indemnification), Article 14 (Dispute Resolution), Article 16 (Miscellaneous Provisions), and other Articles and Schedules of this Agreement which expressly or by their nature survive the Term or termination of this Agreement shall continue and survive any expiry or termination of this Agreement.

ARTICLE 4: CONDITIONS SUBSEQUENT

4.1 Satisfaction of conditions subsequent by the HPD

The HPD agrees and undertakes to duly perform and complete all of the following activities including Financial Closure at the HPD's own cost and risk within the period stipulated in Schedule 4, unless such completion is affected by any Force Majeure event, or for activities are specifically waived in writing by GUVNL:

- a) The HPD shall make Project financing arrangements and achieve Financial Closure for its Projects(s) and shall provide necessary certificates to GUVNL in this regard;
- b) At this stage, the HPD shall also submit the Detailed Project Report (DPR) for the Project, indicating HPD's plans to meet the quoted CUF and power delivery obligations. The HPD shall also demonstrate the technology tie-ups for major equipment, such as solar PV modules, Inverters, wind turbines, ESS component, as per the DPR for the Project.

The HPD shall submit to GUVNL the relevant documents as stated above, complying with the Conditions Subsequent.

4.2 Consequences of non-fulfilment of conditions subsequent and financial closure

- 4.2.1 In case of a failure to submit the documents as above, GUVNL at its discretion may encash the Performance Bank Guarantee submitted by the HPD, terminate this Agreement by giving a notice to the HPD in writing of at least thirty(30) days, unless the delay (subject to the conditions that HPD has made / is making all possible efforts) is caused due to a Force Majeure. Unless extended as per provisions of Article 4.2.1 (i) of this Agreement in writing, the termination of the Agreement shall take effect upon the expiry of the 30th day of the above notice.
- 4.2.1 (i) An extension, without any impact on the Scheduled Commercial Operation Date, can however be considered by GUVNL, on the sole request of HPD, on payment of Rs. 1000/- per day per MW to GUVNL. Such extension charges are required to be paid to GUVNL in advance, for the period of extension required. In case of any delay in depositing this extension charge, HPD shall pay an interest on this extension charge for the days lapsed beyond due date of Financial Closure @ SBI-MCLR (1Year). In case such delay in making payment of the extension charges to GUVNL is more than 7 days, GUVNL at its discretion may terminate the Agreement by giving notice of 30 days. In case of the HPD meeting the requirements of conditions subsequent and financial closure before the last date of such proposed delay period, the excess amount deposited by the HPD shall be returned by GUVNL without interest. This extension will not have any impact on the Scheduled Commissioning Date. Any extension charges paid so by the

HPD, shall be returned to the HPD without any interest on achievement of successful commissioning within the Scheduled Commissioning Date, on pro-rata basis, based on the project capacity commissioned as on Scheduled Commissioned Date. However, in case the HPD fails to commission the Contract Capacity by Scheduled Commissioning Date, the extension charges deposited by the HPD shall not be refunded by GUVNL. This shall be without prejudice to the further right of GUVNL to claim liquidated damages for the delay in achieving the Commissioning of the project.

- 4.2.2 For the avoidance of doubt, it is clarified that this Article shall survive the termination of this Agreement.
- 4.2.3 In case of inability of the HPD to fulfil the conditions specified in Article 4.1 due to any Force Majeure event, the time period for fulfilment of the Conditions Subsequent and Financial Closure as mentioned in Article 4.1 read with Schedule 4, shall be extended for the period of such Force Majeure event.
- 4.2.4 Provided that increase in the time period for completion of conditions subsequent and financial closure mentioned under Article 4.1 read with Schedule 4, may also be eligible for an equal extension in the Scheduled Commissioning Date if the same qualifies under Article 11.

4.3 Performance Bank Guarantee

- 4.3.1 The Performance Bank Guarantee (PBG) having validity period at least upto a period of 6 months from Scheduled Commercial Operation Date with claim period at least upto 7 months from SCOD and of Rs. 25 Lakh/MW shall have been furnished prior to signing of this Agreement and the same shall be for guaranteeing the commencement of the supply of power up to the Contracted Capacity within the time specified in this Agreement.
- 4.3.2 The failure on the part of the HPD to furnish and maintain the Performance Bank Guarantee shall be a material breach of the term of this Agreement on the part of the HPD.
- 4.3.3 If the HPD fails to commence supply of power from the Scheduled Commissioning Date specified in this Agreement or any further extension thereof granted by GUVNL, subject to conditions mentioned in Article 5.6, GUVNL shall have the right to encash the Performance Bank Guarantee without prejudice to the other rights of GUVNL under this Agreement.
- 4.3.4 HPD acknowledges and accepts that the amount of the Performance Bank Guarantee and the methodology specified herein above for calculation of the compensation payable for nonfulfilment of conditions subsequent within the stipulated time is a genuine and accurate pre-estimation of the actual loss that will be suffered by GUVNL. HPD further acknowledges and accepts that a breach of any of the obligations contained herein result in injuries and that the amount of

the liquidated damages or the method of calculating the liquidated damages specified in this document is a genuine and reasonable pre estimate of the damages that may be suffered by GUVNL in each case specified under this Agreement.

4.4 Return of Performance Bank Guarantee

- 4.4.1 Subject to Article 4.3, GUVNL shall return / release the Performance Bank Guarantee after the successful Commissioning of the Project after adjusting the claim of any liquidated damages / penalties due to delays in commissioning as per provisions stipulated in this Agreement.
- 4.4.2 The return / release of the Performance Bank Guarantee shall be without prejudice to other rights of GUVNL under this Agreement.

ARTICLE 5: CONSTRUCTION & DEVELOPMENT OF THE PROJECT

5.1 HPD's Obligations

- The HPD undertakes to be responsible, at HPD's own cost and risk, for the following:
 - i. The HPD shall be solely responsible and make arrangements for Land & associated infrastructure for development of the Project and for Connectivity with the GETCO / CTU System for confirming the evacuation of power by the Scheduled Commercial Operation Date (SCOD) and all clearances related thereto; HPD acknowledges that commissioning / part commissioning of the project will not be declared until the HPD demonstrates possession of land, in addition to the other conditions as established by GEDA. For part commissioning, portion of land on which the part of the project is commissioned should be with the HPD.
 - ii. The HPD shall obtain all statutory approvals, clearances and permits necessary for the Project at its cost in addition to those Approvals as listed in Schedule 2. GUVNL shall have no obligation to recommend to any department/agency or the Govt. for the grant/permission for the project. The HPD shall, on his own, obtain permissions/ sanctions from Government authorities, if any required for establishing the project.
 - iii. The HPD shall obtain financial closure within the period mentioned in Schedule 4.
 - iv. The HPD will have to submit the required documents to GUVNL at least 14 days prior to the scheduled Financial Closure date. In case of delay in submission of documents mentioned above, GUVNL shall not be liable for delay in verification of documents and subsequent delay in Financial Closure.

An extension for the attainment of the financial closure can however be considered by GUVNL, on the sole request of the HPD, on advance payment of extension charges of Rs.1000/- per day per MW plus GST @ 18%.

In case of any delay in depositing this extension charge, the HPD has to pay an interest on this extension charge for the days lapsed beyond due date of Financial Closure @ SBIMCLR (1Year).

This extension will not have any impact on the SCOD. Any extension charges paid so, shall be returned to the HPD without any interest on achievement of successful commissioning within the SCOD on pro-rata basis, based on the Project Capacity commissioned on SCOD. However, in case of any delay in commissioning of the project beyond the Scheduled Commercial Operation Date, the amount as deposited above by the HPD shall not be refunded by GUVNL.

- v. The HPD shall construct, operate and maintain the Project during the term of PPA at his cost and risk including the required Interconnection Facilities and in close co-ordination with GETCO/ CTU's feasibility.
- vi. Connecting the Power Project switchyard with the Interconnection Facilities at the Delivery Point; The HPD shall make adequate arrangements to connect the Power Project switchyard with the Interconnection Facilities at Interconnection / Metering / Delivery Point.
- vii. Owning the Power Project throughout the Term of Agreement free and clear of encumbrances, except those expressly permitted under the PPA;
- viii. The HPD shall be liable to sell on first priority the power to the extent of the contracted capacity under this agreement to GUVNL for all available capacity from identified Solar Photovoltaic Grid-Interactive Power Plants and / or Wind Turbine Generator Projects & ESS and there shall be no commitment entered into by the HPD for sale or otherwise sell to any third party or otherwise use the electricity generated affecting the said rights of GUVNL.

- a. **Criteria for Generation:** The HPD shall maintain generation so as to achieve annual CUF as per Schedule 4 for the PPA duration of 25 years. The HPD will declare the annual CUF of the Projects at the time of submission of response to RfS, and the HPD will be allowed to revise the same once within first three years after COD. Thereafter, the CUF for the Project shall remain unchanged for the entire term of the PPA. In case of Wind-Solar Hybrid Power Project, GUVNL shall use the power for fulfillment of solar and non-solar RPO in the proportion of rated capacity of solar and wind power in the hybrid project respectively.

Note: Out of the generated energy, the HPD shall supply energy corresponding to a minimum amount of 3000 kWh per MW of the Contracted Capacity, on daily basis during Peak Hours, as per the schedule provided by the SLDC for the power supply to GUVNL/DISCOMs. The requirement of electricity supply during Peak Hours is to be mandatorily met on a day-to-day basis, and shall be monitored on a monthly basis.

- b. **Shortfall in Generation:** If for any Contract Year, it is found that the HPD has not been able to generate minimum energy corresponding to the value of annual CUF within the permissible lower limit of CUF declared by the HPD, on account of reasons primarily attributable to the HPD, such shortfall in performance shall make the HPD liable to pay the compensation provided in Schedule 4 of the PPA to GUVNL. This compensation shall be applied to the amount of shortfall in generation during the Contract Year.

However, this compensation shall not be applicable in events of Force Majeure identified under PPA with GUVNL affecting supply of power by HPD.

The compensation for shortfall is payable and it shall not be construed that the compensation is payable by HPD only if GUVNL is required to pay compensation for not meeting of RPO or GUVNL shall be required to prove or establish such payment of compensation for not meeting the RPO.

- c. **Shortfall in supply of Peak Power:** In case of any shortfall in supply of Power during the Peak Hours as notified by SLDC, from the mandated supply of energy (i.e. 300 MWh for 100 MW capacity), the HPD shall pay a compensation corresponding to the energy shortfall, calculated at the Peak Tariff. Such shortfall shall be permissible upto 20% below the energy commitment during the Peak Hours, on a monthly basis without any compensation. For the purpose of calculation of shortfall in energy supplied during Peak Hours, a 'month' shall be the billing month as defined in the PPA. For e.g. in case of a 100 MW Project Capacity, the above monthly minimum limit of energy supply during Peak Hours will be (240 MWh x no. of days in the billing month).

HPD acknowledges and accepts that the methodology specified herein above under Clause 5.1 (viii) for calculation of liquidated damages payable by the HPD for shortfall in generation is a genuine and accurate pre-estimation of the actual loss that will be suffered by GUVNL. HPD further acknowledges and accepts that a breach of any of the obligations contained herein result in injuries and that the amount of the liquidated damages or the method of calculating the liquidated damages specified in this document is a genuine and reasonable pre estimate of the damages that may be suffered by GUVNL in each case specified under this Agreement.

While calculating shortfall in energy with respect to the energy declared under Clause 5.1 (viii) (a) above, the shortfall in supply of Peak Power as elaborated at clause (c) above, will be adjusted against the annual energy reconciliation for the Project. For e.g. considering a Project with minimum annual energy to be supplied by the HPD as per Clause 5.1 (xi) (a) being 10,00,000 MUs, and the annual energy supplied during the Contract year being 8,00,000 MUs. Further, based on monthly reconciliation, the annual shortfall in supply of Peak Power amounts to 1,00,000 MUs, in line with clause (c) above. Thus, the net compensation payable by the HPD on account of shortfall in supply of energy on an annual basis will be Rs. $[(10,00,000 - (8,00,000 + 1,00,000)) \times (\text{rate as per schedule 4 applicable for Off-peak tariff})]$. This compensation shall be in addition to the compensation for shortfall in supply of peak power mentioned above.

- d. However, this compensation shall not be applicable in events of Force Majeure identified under the PPA with GUVNL, affecting supply of power by the Power Producer.
- e. **Excess Generation:** Any excess generation may be purchased by GUVNL at its discretion {without any obligation to do so} as per Schedule 4 and for this purpose GUVNL shall have the first right of refusal. The HPD shall inform at least 30 days in advance of such excess generation to GUVNL, to enable GUVNL take necessary actions for sale / consumption of this excess generated energy. GUVNL shall be required to intimate its approval/refusal to the HPD, for buying such excess generation not later than 15 days of receiving the above offer from the HPD. In the event the offer of the HPD is not accepted by GUVNL within the said period of 15 days, such right shall cease to exist and the HPD, at its sole discretion, may sell such excess power to any third party.

While the HPD would be free to install DC solar field and wind turbines as per his design of required output, including his requirement of auxiliary consumption, HPD will not be allowed to sell any excess power to any other entity other than GUVNL (unless refused by GUVNL).

f. **Supply of excess energy during Peak Hours:**

The HPD shall be allowed to supply to GUVNL during peak hours excess energy over and above the mandated energy requirement upto a limit of 20% in excess of the mandated energy requirement, on a monthly basis. For e.g.: in case of a 100 MW Project Capacity, the HPD shall be allowed to supply energy upto a maximum limit of (360 MWh x no. of days in the billing month), at the Peak Tariff, on a monthly basis. Any excess energy supplied over and above the above limit shall be procured by GUVNL @ Off-Peak Tariff, i.e. Rs 2.57/kWh, to be reconciled on a monthly basis.

Illustration: An example to illustrate the computation of excess and shortfall in energy supplied during Peak Hours as per this Clause and Clause 5.1 (viii) above is provided below:

Considering a single day's Peak Power supply data as follows (Peak Tariff = Rs. 4.50/kWh):

NOTIFIED PEAK HOUR-BLOCK (DAY 1)	ENERGY SUPPLIED (MWh)	NOTIFIED PEAK HOUR-BLOCK (DAY 2)	ENERGY SUPPLIED (MWh)
HOUR 1	50	HOUR 1	50
HOUR 2	57.5	HOUR 2	57.5
HOUR 3	60	HOUR 3	60

HOURL 4	30	HOURL 4	80
HOURL 5	40	HOURL 5	50
HOURL 6	10	HOURL 6	50

Total energy supplied in the notified Peak Hours (Day 1): 247.5 MWh.

Total energy supplied in the notified Peak Hours (Day 2): 347.5 MWh.

Calculation of compensation due to shortfall in supply of Peak Power

In case of shortfall in supply of Peak Power, the hourly supply will be measured against the reference value, i.e. 50 MWh. Only negative deviations will be considered for calculation of shortfall in this regard.

Thus, for Day 1, the deviation from reference of 50 MWh is as follow:

NOTIFIED PEAK HOUR-BLOCK (DAY 1)	ENERGY SUPPLIED (MWh)	DEVIATION FROM 50 MWh
HOURL 1	50	0
HOURL 2	57.5	0
HOURL 3	60	0
HOURL 4	30	-20
HOURL 5	40	-10
HOURL 6	10	-40
TOTAL DEVIATION		-70

The total deviation from reference is (-) 70 MWh, for Day 1.

The similar methodology will be followed for all the days in the concerned billing month, with total deviation calculated for 180 hours in a month (consisting of 30 days), being matched against the reference value of 50 MWh x 30 * 6 Hours, i.e 9000 MWh. It is reiterated that only negative deviations from 9000 MWh will be considered for reconciliation on the monthly basis.

It is clarified that for the purpose of payment of Peak Tariff, the total supply of Peak Power within the upper limit of (360 MWh x no. of days in the billing month) and lower limit of (240 MWh x no. of days in the billing month), will be considered, on a monthly basis.

In line with the principle applicable for treatment of annual shortfall in energy supply with respect to limits as per Clause 5.1 (viii) (b) above, the excess energy supplied during the Peak Hours will be adjusted against the excess energy supplied over and above the annual limit as per Clause 5.1 (viii) (a), for payment at the Off-Peak Tariff.

In case at any point of time, the peak of capacity reached is higher than the rated capacity and causes disturbance in the system at the point where power is injected, the HPD will have to forego the excess generation and reduce the output to the rated capacity to ensure compliance with grid requirement.

- g. The Project Developer shall not sell the power from Contracted Capacity to any other third party including Power Exchanges without prior consent of GUVNL. In case the Project Developer fails to offer the contracted power as per the agreement to GUVNL and sells this power without GUVNL's consent to any other third party, the procurer shall be entitled to claim damages from seller for an amount equal to higher of : (a) twice the Tariff as per the PPA for the corresponding contracted power; and (b) the entire sale revenue accrued from Third parties on account of sale of the contracted power. These damages shall be in addition to other penalties / liquidated damages specified in the PPA. For the avoidance of doubt, no Tariff or any amount in lieu thereof shall be due or payable by GUVNL to the Seller for and in respect of any electricity sold hereunder.
- ix. The HPD shall seek approval of STU / CTU in respect of Interconnection Facilities. Obtaining Long Term Access (LTA) in case of CTU connectivity and executing transmission service agreement with CTU, for evacuation of the Contracted Capacity and maintaining it throughout the term of the Agreement.
- x. The HPD shall undertake at its own cost construction/ upgradation of (a) the Interconnection Facilities, (b) the Transmission Lines and as per the specifications and requirements of STU / CTU, including but not limited to those mentioned at schedule 1(5).
- xi. The HPD shall undertake at its own cost maintenance of the Interconnection Facilities, excluding the transmission line beyond the Sending Station as per the specifications and requirements of STU / CTU, as notified to the Power Producer, in accordance with Prudent Utility Practices.
- xii. Designing, constructing, erecting, commissioning, completing and testing the Power Project in accordance with the applicable Law, the Grid Code, the terms and conditions of this Agreement and the HPD shall operate and maintain the Project in accordance with Prudent Utility Practices.

- xiii. The HPD shall be responsible for all payments on account of any taxes, cesses, duties or levies imposed by the GoG or its competent statutory authority on the land, equipment, material or works of the Project or on the Electricity generated or consumed by the Project or by itself or on the income or assets owned by it. All expenses including wheeling / transmission charges and losses, UI / DSM Charges applicable as per GERC / CERC Regulations, upto Delivery Point shall be borne by the Power Producer. It is clarified further, that pursuant to effective date of GNA regulations and amended Sharing regulations of CERC in future, if the transmission charges are directly billed to GUVNL in respect of the RE projects connected with CTU, the same shall be recovered from the developers by making necessary adjustments while making payment of monthly invoices. The transmission charges and losses after the delivery point shall be shared between the parties as per relevant provision mentioned at Schedule 4.
- xiv. For evacuation facility and maintenance of the transmission, the HPD shall enter into separate agreement with STU / CTU, if applicable.
- xv. To procure start up power required for the plant from respective Discom.
- xvi. The shareholding of promoters/consortium members of HPD shall not fall below 51% until 1 year from COD, without prior consent of GUVNL. In case Successful Bidder shall be itself executing the PPA, then it shall ensure that its promoters shall not cede Control till (1) one year from COD except with prior approval of GUVNL. After expiry of 1 year from COD, any change can be undertaken under intimation to GUVNL. Transfer of controlling shareholding within the same group of companies will however be allowed after COD, with the permission of GUVNL, subject to the condition that, the management control remains within the same group of companies.
- xvii. The HPD shall fulfil the technical requirements according to criteria mentioned under Annexure – A of RfS which is based on Technical requirement for Grid Connected Solar PV Power Stations under Guidelines for Tariff Based Competitive Bidding Process for Procurement of Power from Grid Connected Solar Power Projects, issued by Ministry of Power, vide resolution no.23/27/2017-R&R dated 03.08.2017. The type-certified wind turbine models listed in Revised List of Models and Manufacturers (RLMM) issued by MNRE as updated from time to time whichever is applicable will be allowed for deployment under the RfS. Further, the cells and modules used in the Project shall be sourced only from the models and manufacturers included in the "Approved List of Models and Manufacturers" as published by MNRE and updated from time to time whichever is applicable.
- xviii. Further, the Project being implemented under this Agreement shall fulfil the criteria as per Central Electricity Authority (Technical Standards for Connectivity to the Grid) Regulations, 2007, and subsequent amendments and clarifications thereof,

- xix. Fulfilling all other obligations undertaken by the HPD under this Agreement.

5.2 Obligations of GUVNL:

- i. GUVNL shall grant Must Run Status to the Project. However, subject to the considerations as stated under clauses 5.10, 5.11 and 5.12 of the PPA.
- ii. GUVNL shall allow the HPD to re-power their plants from time to time during the PPA duration. However, GUVNL will be obliged to buy power only within the range of CUF, specified in the PPA.

5.3 Information regarding Interconnection Facilities

- i. The HPD shall be required to obtain all information from the STU/CTU/concerned authority with regard to the Interconnection Facilities as is reasonably necessary to enable it to design, install and operate all interconnection plant and apparatus on the HPD's side of the Delivery Point to enable delivery of electricity at the Delivery Point. The transmission of power up to the point of interconnection where the metering is done for energy accounting shall be the responsibility of the HPD at his own cost.
- ii. Penalties, fines and charges imposed by the CTU/ STU under any statute or regulation in relation to delay in commissioning of Project shall be payable by the HPD to the extent the delay is attributable to the scope of work of the HPD.
- iii. The responsibility of getting connectivity with the transmission system up to the Interconnection Point will lie with the HPD. The transmission of power up to the point of interconnection where the metering is done for energy accounting shall be the responsibility of the HPD and to be undertaken at its own cost. The maintenance of Transmission system up to the designated point as per the applicable terms and conditions shall be the responsibility of the HPD. All costs and charges including but not limited to the wheeling charges and losses up to and including at the Interconnection Point associated with this arrangement will also be borne by the HPD.
- iv. In case of Pooling substation, losses in the transmission line shall be apportioned among the HPDs who share such a Pooling arrangement and duly signed by all HPDs, based on their monthly generation.
- v. The arrangement of connectivity shall be made by the HPD through a dedicated transmission line. The entire cost of transmission including cost of construction of line, any other charges, losses etc. from the Project up to the Interconnection Point will be borne by the HPD. In case of non-availability of Grid and Transmission System during Term of this Agreement, for reasons not attributable to the HPD, provisions of Article 5.10 & 5.11 shall be applicable.
- vi. GUVNL shall bear no liability with respect to ISTS transmission charges and losses, if any. All transmission charges & losses upto delivery point shall be

borne by the HPD and the changes in transmission charges & losses from time to time made by relevant authority shall not be considered as Change in Law Events for the purpose of this agreement.

5.4 Right to Contracted Capacity & Energy

- i. The HPD will declare the CUF of the Project and will be allowed to revise the same once within first three years after COD of the full project capacity. Subsequent to commissioning/part commissioning of the Project, GUVNL, in any Contract Year except for the first year of operation, shall not be obliged to purchase any additional energy from the HPD beyond the range of CUF mentioned in Schedule 4. Subsequent to commissioning of the Project, if for any Contract Year, it is found that the HPD's has not been able to generate minimum energy as per Schedule 4, on account of reasons attributable to the HPD, the noncompliance by HPD shall make the HPD liable to pay the compensation to GUVNL. For the first year of operation, the limits set out in Article 4 shall be considered on as per Schedule 4. In case of part commissioning of the Project, the above limits shall be considered on pro-rata basis till the commissioning of full capacity of the Project. The lower limit will, however be relaxable by GUVNL to the extent of grid non-availability for evacuation which is beyond the delivery point which is beyond the control of the HPD (as certified by the SLDC). This compensation shall be applied to the amount of shortfall in generation during the Contract Year. The amount of such compensation will be calculated as per Schedule 4 of the PPA. However, this compensation shall not be applicable in events of Force Majeure identified under PPA with GUVNL affecting supply of power by HPD.

While calculating shortfall in energy with respect to the energy declared under this Article, the shortfall in supply of Peak Power as elaborated below, will be adjusted against the annual energy reconciliation for the Project. For e.g. Considering a Project with minimum annual energy to be supplied by the HPD as per this Article being 10,00,000 MUs, and the annual energy supplied during the Contract year being 8,00,000 MUs. Further, based on monthly reconciliation, the annual shortfall in supply of Peak Power amounts to 1,00,000 MUs, in line with the elaboration below. Thus, the net compensation payable by the HPD on account of shortfall in supply of energy on an annual basis will be Rs. $[(10,00,000 - (8,00,000 + 1,00,000)) \times (\text{rate as per schedule 4 applicable for Off-peak tariff})]$

Shortfall in supply of Peak Power: In case of any shortfall in supply of Power during the Peak Hours as notified by GUVNL, from the mandated supply of energy (i.e. 300 MWh for 100 MW capacity), the HPD shall pay a compensation corresponding to the energy shortfall, calculated at the Peak Tariff. Such

shortfall shall be permissible up to 20% below the energy commitment during the Peak Hours, on a monthly basis without any compensation. For the purpose of calculation of shortfall in energy supplied during Peak Hours, a 'month' shall be the billing month as per Article 9. For e.g. in case of a 100 MW Project Capacity, the above monthly minimum limit of energy supply during Peak Hours will be (240 MWh x no. of days in the billing month).

- ii. Any excess generation over and above as per Article 5.4 (i), may be purchased by GUVNL as per Schedule 4 of the PPA, provided GUVNL consents to purchase such power. While the HPD would be free to install the DC solar field and wind turbines as per its design of required output, including its requirement of auxiliary consumption and to reconfigure and repower the Project from time to time during the term of the PPA, it will not be allowed to sell any excess power to any other entity other than GUVNL (unless refused by GUVNL). Further, any addition to the installed capacity (including but not limited to solar panels and/or wind turbines and/or inverters and/or ESS) subsequent to COD of the Project shall not be eligible for any future claims made by the HPD, seeking compensation on account of any changes in the applicable provisions covered under Change in Law as defined in this Agreement.

The HPD shall be allowed to supply excess energy over and above the mandated energy requirement up to a limit of 20% in excess of the mandated energy requirement, on a monthly basis. For e.g.: in case of a 100 MW Project Capacity, the HPD shall be allowed to supply energy up to a maximum limit of (360 MWh x no. of days in the billing month), at the Peak Tariff, on a monthly basis. Any excess energy supplied over and above the above limit shall be procured by GUVNL @ Off-Peak Tariff subject to the provisions of Article 7.2(iii), to be reconciled on a monthly basis.

Illustration: An example to illustrate the computation of excess and shortfall in energy supplied during Peak Hours as per Articles 5.4 (i) & 5.4 (ii) is provided below:

Considering a single day's Peak Power supply data as follows (Peak Tariff = Rs. 4.50/kWh):

NOTIFIED HOUR-BLOCK (DAY 1)	PEAK	ENERGY SUPPLIED (MWh)	NOTIFIED HOUR-BLOCK (DAY 2)	PEAK	ENERGY SUPPLIED (MWh)

HOUR 1	50	HOUR 1	50
HOUR 2	57.5	HOUR 2	57.5
HOUR 3	60	HOUR 3	60
HOUR 4	30	HOUR 4	80
HOUR 5	40	HOUR 5	50
HOUR 6	10	HOUR 6	50

Total energy supplied in the notified Peak Hours (Day 1): 247.5 MWh.

Total energy supplied in the notified Peak Hours (Day 2): 347.5 MWh

Calculation of compensation due to shortfall in supply of Peak Power

In case of shortfall in supply of Peak Power, the hourly supply will be measured against the reference value, i.e. 50 MWh. Only negative deviations will be considered for calculation of shortfall in this regard.

Thus, for Day 1, the deviation from reference of 50 MWh is as follows:

NOTIFIED PEAK HOUR-BLOCK (DAY 1)	ENERGY SUPPLIED (MWh)	DEVIATION FROM 50 MWh
HOUR 1	50	0
HOUR 2	57.5	0
HOUR 3	60	0
HOUR 4	30	-20
HOUR 5	40	-10
HOUR 6	10	-40
TOTAL DEVIATION		-70

The total deviation from reference is (-) 70 MWh, for Day 1.

The similar methodology will be followed for all the days in the concerned billing month, with total deviation calculated for 180 hours in a month (consisting of 30 days), being matched against the reference value of 50 MWh x 30 * 6 Hours, i.e

9000MWh. It is reiterated that only negative deviations from 9000MWh will be considered for reconciliation on the monthly basis.

It is clarified that for the purpose of payment of Peak Tariff, the total supply of Peak Power within the upper limit of (360 MWh x no. of days in the billing month) and lower limit of (240 MWh x no. of days in the billing month), will be considered, on a monthly basis.

The HPD shall be required to intimate GUVNL about the proposed excess quantum of energy likely to be generated from the Project within any Contract Year, at least 30days prior to the proposed date of commencement of excess generation. GUVNL shall be required to intimate its approval/refusal to the HPD, for buying such excess generation not later than 15days of receiving the above offer from the HPD. In the event the offer of the HPD is not accepted by GUVNL within the said period of 15days, such right shall cease to exist and the HPD shall, at its sole discretion, may sell such excess power to any third party.

However, in case at any point of time, the peak of capacity reached is higher than the contracted capacity and causes disturbance in the system at the point where power is injected, the HPD will have to forego the excess generation and reduce the output to the rated capacity and shall also have to pay the penalty/charges (if applicable) as per applicable regulations / requirements / guidelines of CERC / SERC / SLDC / WRLDC or any other competent agency.

5.5 Extensions of Time

- i. In the event that the HPD is prevented from performing its obligations under Article 5.1 by the Scheduled Commercial Operation Date due to:
 - a) any GUVNL Event of Default; or
 - b) Force Majeure Events affecting GUVNL or
 - c) Force Majeure Events affecting the HPD, the Scheduled Commercial Operation Date and the Expiry Date shall be deferred, subject to Article 5.5 (vi), for a reasonable period but not less than 'day for day' basis, to permit the HPD or GUVNL through the use of due diligence, to overcome the effects of the Force Majeure Events affecting the HPD or GUVNL, or till such time such Event of Default is rectified by GUVNL.
- ii. The delay in grant of connectivity/LTA, if applicable, by the CTU / STU and/or delay in readiness of the ISTS / InSTS substation at the Delivery Point, including readiness of the power evacuation and transmission infrastructure of the ISTS / InSTS network, will be considered as a factor attributable to the CTU / STU / transmission licensee and beyond the control of the HPD subject to the following;

- (i) The ISTS / InSTS sub-station at the Delivery Point and the power evacuation and transmission infrastructure of the ISTS / InSTS network, with which the HPD applies for connectivity, shall be scheduled for completion on or before the SCOD of the concerned Project so as to match the two timelines.
- (ii) Subject to adherence to above, subsequent to grant of connectivity, in case there is a delay in grant / operationalization of connectivity / LTA by CTU / STU and/or there is a delay in readiness of the ISTS / InSTS sub-station at the delivery point, including readiness of the power evacuation & transmission infrastructure of the ISTS / InSTS network until SCOD of the project and it is established that;
- (iii) The HPD has complied with the complete application formalities as per the connectivity procedure(s) and the ISTS / InSTS sub-station at the delivery point at the power evacuation and transmission infrastructure of the ISTS / InSTS Network with which the HPD had applied for connectivity, was scheduled for completion on or before the SCOD of the project and;
- (iv) The HPD has adhered to the applicable procedure in this regard as notified by the CERC / GERC / CTU / STU and;
- (v) The delay in grant of connectivity / LTA by CTU / STU and / or delay in readiness of the ISTS / InSTS sub-station at the delivery point, including readiness of the power evacuation and transmission infrastructure of the ISTS / InSTS Network, is a factor solely attributable to CTU / STU / transmission licensee and is beyond the control of the HPD;

The above shall be treated as delays beyond the control of the HPD under Article 11.1 (a) of the PPA and such projects shall be eligible for suitable time extension in their SCOD.

- iii. (not used)
- iv. (not used)
- v. As a result of such extension on account of Article 5.5 (i), the newly determined Scheduled Commercial Operation Date and newly determined Expiry Date shall be deemed to be the Scheduled Commercial Operation Date and the Expiry Date for the purposes of this Agreement.
- vi. Notwithstanding anything to the contrary contained in this Agreement, any extension of the Scheduled Commercial Operation Date arising due to any reason envisaged in this Agreement, except Force Majeure, shall not be allowed beyond the date pursuant to Article 5.6.
- vii. Delay in commissioning of the project beyond the scheduled commissioning date for reasons other than those specified in Article 5.5 (i) shall be an event of default on part of the HPD and shall be subject to the consequences specified in the Article 5.6.

5.6 Liquidated Damages not amounting to penalty for Delay in Commissioning of the Project Beyond Scheduled Commercial Operation Date.

The Project Capacity shall be commissioned within Scheduled Commercial Operation Date. The Power Producer shall have to submit Commissioning Certificate as verified, inspected and certified by GEDA. In case of failure to achieve this milestone except due to Force Majeure Event, GUVNL shall encash Performance Bank Guarantee (PBG) in the following manner:

- a) Delay upto six (6) months from SCOD – GUVNL will encash total Performance Bank Guarantee on per day basis and proportionate to the balance capacity not commissioned.
- b) In case the commissioning of the project is delayed beyond Six (6) months from SCOD, the Power Producer's Event of Default as per Article 13.3.1 shall be considered to have occurred and the contracted capacity shall stand reduced to the project capacity commissioned upto SCOD + 6 months. The PPA for balance capacity not commissioned shall be terminated.

The HPD acknowledges that the amount of the liquidated damages fixed is genuine and reasonable pre-estimate of the damages that may be suffered by GUVNL as specified under this Agreement. HPD acknowledges and accepts that the methodology specified for calculation of liquidated damages payable by the HPD for shortfall in generation is a genuine and accurate pre-estimation of the actual loss that will be suffered by GUVNL. HPD further acknowledge and accept that a breach of any of the obligations contained herein result in injuries and that the amount of the liquidated damages or the method of calculating the liquidated damages specified in this document is a genuine and reasonable pre estimate of the damages that may be suffered by GUVNL in each case specified under this Agreement. It may be noted that commissioning / part commissioning of the project will not be declared until the Generator demonstrates possession of land, in addition to the other conditions as established by GEDA. For part commissioning, portion of land on which the part of the project is commissioned should be with Generator.

5.7 Acceptance/Performance Test

- i. Prior to synchronization of the Power Project, the HPD shall be required to get the Project certified for the requisite acceptance/performance test as may be laid down by Central Electricity Authority or Chief Electrical Inspector or an agency identified by the central / state government to carry out testing and certification for the power projects.

5.8 Third Party Verification

- i. The HPD shall be further required to provide entry to the site of the Power Project free of all encumbrances at all times during the Term of the Agreement to GUVNL and a third Party nominated by any Indian Governmental Instrumentality for inspection and verification of the works being carried out by the HPD at the site of the Power Project.
- ii. The third party may verify the construction works/operation of the Power Project being carried out by the HPD and if it is found that the construction works/operation of the Power Project is not as per the Prudent Utility Practices, it may seek clarifications from HPD or require the works to be stopped or to comply with the instructions of such third party.

5.9 Breach of Obligations

- i. The Parties herein agree that during the subsistence of this Agreement the HPD would have no right to negotiate or enter into any dialogue with any third party for the sale of Contracted Capacity of power which is the subject matter of this Agreement including in case of any dispute between the parties pending the orders of the adjudication authority under the Dispute Resolution Provisions. It is the specific understanding between the Parties that such bar will apply throughout the entire term of this Agreement.

5.10 Generation Compensation in Off-take Constraint Due to Transmission Infrastructure Not Complete/ Ready Beyond Delivery Point (Transmission Constraint)

After the scheduled commissioning date, if the plant is ready but the necessary power evacuation/ transmission infrastructure beyond Delivery Point is not ready, for reasons not attributable to the Hybrid Power Developer, leading to off-take constraint, the provision for generation compensation is as follows:

Transmission Constraint beyond Delivery Point	Provision for Generation Compensation
If the plant is ready but the necessary power evacuation/ transmission infrastructure beyond Delivery Point is not ready, leading to off-take constraint	a) The normative CUF of 19% or committed CUF, whichever is lower, for the period of grid unavailability beyond Delivery Point, shall be taken for the purpose of calculation of generation loss. Corresponding to this generation loss, the excess generation by the Successful Bidder in the succeeding 3 (three) Contract Years, shall be procured by GUVNL.

	at the PPA tariff so as to offset this loss. b) If the transmission delay is directly attributable to the organization building the transmission network and some penalty is imposed on him, then a part of that penalty may be utilized by GUVNL for compensating the generation loss.
--	---

However, it is clarified that if the plant is ready before SCOD, but the offtake is constrained because of inadequate/ incomplete power evacuation infrastructure beyond Delivery Point, no compensation shall be permissible.

5.11 Generation Compensation in Off-take Constraints Due to Grid Unavailability Beyond Delivery Point

During the operation of the plant, there can be some periods where the plant can generate power but due to temporary transmission unavailability beyond Delivery Point the power is not evacuated, for reasons not attributable to the Hybrid Power Developer. In such cases, subject to the submission of documentary evidences from the competent authority, the generation compensation shall be as per Schedule 4.

5.12 Off-take Constraints Due to Backdown

The Hybrid Power Developer and GUVNL shall follow the forecasting and scheduling process as per the regulations in this regard by the Appropriate Commission. The Government of India, as per Clause 5.2(u) of the Indian Electricity Grid Code (IEGC), encourages a status of "must-run" to RE power projects. Accordingly, no RE power plant, duly commissioned, should be directed to back down by a Discom/ Load Dispatch Centre (LDC). In case such eventuality of Backdown arises, including non-dispatch of power due to non-compliance with "Order No. 23/22/2019-R&R dated 28.06.2019 of Ministry of Power regarding Opening and maintaining of adequate Letter of Credit (LC) as Payment Security Mechanism under Power Purchase Agreements by Distribution Licensees" and any clarifications or amendment thereto, except for the cases where the Backdown is on account of events like consideration of grid security or safety of any equipment or personnel or other such conditions, the Power Producer shall be eligible for a Minimum Generation Compensation, from GUVNL, in the manner detailed in Schedule 4.

The HPD shall not be eligible for any compensation in case the Backdown is on account of events like consideration of grid security or safety of any equipment or personnel or other such conditions.

The generation compensation will be limited to the extent of shortfall in annual generation corresponding to the CUF permitted as per Article 5.4 (i) read with

Schedule 4. The Generation Compensation is to be paid as part of the energy bill for the successive month after receipt of State Energy Account (SEA).

It is hereby clarified that for the purpose of Article 5.10, "generation" shall mean scheduled energy based on Energy Accounts.

5.13 Notwithstanding anything contained in Clauses 5.10 and 5.11 herein above GUVNL shall not be liable to account for or pay any Generation Compensation due to Grid Unavailability or off take constrains up to the Delivery Point.

Article 6: Synchronization, Commissioning and Commercial Operation

6.1 Synchronization, Commissioning and Commercial Operation

- i. The HPD shall give at least thirty (30) days written notice to the SLDC and GUVNL, of the date on which it intends to synchronize the Power Project to the Grid System.
- ii. Subject to Article 6.1 (i), the Power Project may be synchronized by the HPD to the Grid System when it meets all the connection conditions prescribed in the Grid Code and otherwise meets all other Indian legal requirements for synchronization to the Grid System.
- iii. The synchronization equipment and all necessary arrangements / equipment including Remote Terminal Unit (RTU) for scheduling of power generated from the Project and transmission of data to the concerned authority as per applicable regulation shall be installed by the HPD at its generation facility of the Power Project at its own cost. The HPD shall synchronize its system with the Grid System only after the approval of CEI / CTU /STU / SLDC / GEDA.
- iv. The HPD shall immediately after each synchronization / tripping of generator, inform the sub-station of the Grid System to which the Power Project is electrically connected in accordance with applicable Grid Code. In addition, the HPD may inject in-firm power to grid from time to time to carry out operational/ functional test prior to commercial operation. For avoidance of doubt, it is clarified that Synchronization / Connectivity of the Project with the grid shall not to be considered as Commissioning of the Project.
- v. The HPD shall commission the Project within SCOD. Further, the HPD shall submit necessary documents / Lease Agreement duly registered, to establish possession / right to use 100% of the required land in the name of HPD for a period not less than the complete term of PPA on or before SCOD to GEDA along with arrangement with GETCO for Connectivity of project. A sworn affidavit from the authorized person listing the details of the land and certifying total land required for the project under clear possession of the successful bidder shall also be submitted to GEDA.
- vi. The HPD shall be required to obtain Developer and/ or Transfer Permission, Key Plan drawing etc. from GEDA if required prior to mounting of panels. Further, at this stage, the technology adopted as per Annexure A of RfS and in accordance with MNRE's Approved Models and Manufacturers of Solar PV Modules (Requirements for Compulsory Registration) Order, 2019 or Revised List of Models and Manufacturers (RLMM) of Wind Turbines prepared by MNRE as amended from time to time, whichever is applicable shall also be substantiated

by submitting the copy of EPC Contract specifying this requirement or other documents.

- vii. **Part Commissioning:** Part commissioning of the Project shall be accepted by GUVNL subject to the condition that the Minimum Capacity for acceptance of first and subsequent part(s) commissioning shall be as per Schedule 4, without prejudice to the imposition of penalty, in terms of the PPA on the part which is not commissioned. However, the SCOD (Schedule Commercial Operation Date) will not get altered due to part-commissioning. Irrespective of dates of part commissioning or full commissioning, the PPA will remain in force for a period of 25 (twenty-five) years from the SCOD.
- viii. **Early Commissioning:** The Power Producer shall be permitted for full commissioning as well as part commissioning of the Project even prior to the SCOD (Schedule Commercial Operation Date). In cases of early part-commissioning, till SCOD, GUVNL shall reserve the right to purchase the generation till SCOD, as per Schedule 4. However, in case the entire capacity is commissioned prior to SCOD, GUVNL may purchase the energy supplied during the Peak Hours and Off-Peak Hours respectively as specified under Schedule 4.
- ix. **Penalty for Delay in Commissioning:** The Project shall be commissioned by the Scheduled Commercial Operation Date. In case of failure to achieve this milestone, GUVNL shall have right to encash the Performance Bank Guarantee (PBG) in the following manner.
 - a) Delay up to six (6) months from SCOD – GUVNL will have the right to encash total Performance Bank Guarantee on per day basis and proportionate to the balance Capacity not commissioned
 - b) In case the commissioning of the project is delayed beyond Six (6) months from SCOD, the Power Producer's Event of Default as per Article 13.3.1 shall be considered to have occurred and the contracted capacity shall stand reduced to the project capacity commissioned upto SCOD + 6 months. The PPA for balance capacity not commissioned shall be terminated.

Article 7: Dispatch and Scheduling

7.1 Dispatch and Scheduling

- i. The HPD shall be required to schedule its power as per the applicable Regulations / Requirements / Guidelines of CERC / GERC / SLDC / WRLDC and maintain compliance to the Grid Code requirements and directions, as specified by SLDC / WRLDC from time to time. Any deviation from the schedule will attract the provisions of applicable Regulation / Guidelines / Directions and any financial implication on account of this shall be to the account of the HPD.
- ii. The HPD shall be responsible for directly coordinating and dealing with GUVNL, State Load Dispatch Centre's, Regional Power Committees, and other authorities in all respects in regard to declaration of availability, scheduling and dispatch of power and due compliance with deviation and settlement mechanism and the applicable Grid code Regulations.
- iii. The HPD shall be responsible for any deviation from scheduling and for any resultant liabilities on account of charges for deviation as per applicable regulations. UI charges on this account shall be directly paid by the HPD.
- iv. Grid charging of the ESS is not allowed as per this Agreement.

7.2 Scheduling and Offtake of Energy during Peak Hours

- i. The generated energy shall be dispatched through scheduling of power in both Peak and Off-Peak hours. It is mandated to deliver the 3000 kWh of energy per MW rated Project capacity of the project in AC terms, during Peak Hours as per the schedule given by GUVNL (i.e 100 MW of project capacity shall supply 300,000 kWh of energy during Peak Hours), on a daily basis. Reconciliation of the same shall be carried out on a monthly basis. Modifications in the metering arrangement account of the same, if any, shall be under the scope of the HPD, at its own risk and cost.
- ii. The HPD may supply the required energy during Peak Hours either from the stored energy in the ESS or from any of the identified RE generation available during the Peak Hours.
- iii. The discharge of mandated supply of energy during Peak Hours shall be governed by the demand pattern, as per the SLDC's day-ahead schedule. It is clarified that power supply from the Project will be off-taken by GUVNL / SLDC on a "must-run" basis, for the 24-hour period of the day. However, for each 100 MW of Contracted Capacity, as per the PPA, GUVNL shall off-take 50 MW power for each 1-hr block during the Peak Hours, limited to six nos. of 1-hour blocks, at the Peak Tariff. The off-take of power at Peak Tariff shall be limited to

50 MW for each 1-hr block during the Peak Hours, subject to the flexibility in the upper limit as per Article 5.4 (ii). However, energy exceeding the above limits supplied during the Peak Hours will be off-taken by GUVNL at Off-Peak Tariff.

The discharge cycle corresponding to offtake of stored energy may vary as per requirements of GUVNL, only as per the following breakup:

DISCHARGE HOURS DURING MORNING PEAK HOURS, BETWEEN (& INCLUDING) 05:00 HRS UP TO 09:00 HRS	DISCHARGE HOURS DURING EVENING PEAK HOURS, BETWEEN (& INCLUDING) 18:00 HRS UP TO 24:00 HRS	TOTAL DISCHARGE HOURS
2	4	6

In other words, GUVNL shall mandatorily off-take Peak Power by choosing 4 hours from the evening Peak Hours and 2 hours from the morning Peak Hours. GUVNL / SLDC and RE developers can modify the peak hours with mutual agreement during the term of the PPA provided that the quantum for assured power offtake remains unchanged.

During the 6 nos. of 1-hr blocks as selected by GUVNL, in case of power being supplied in excess of 50 MW in any of the 1-hr blocks (for each Contracted Capacity of 100 MW), such power will be off-taken @ Off-Peak Tariff.

Further, for every 100 MW Contracted Capacity, supply of power below 50 MW, during any 1-hr block in the 6 nos. of 1-hr block as identified by GUVNL, will be counted as shortfall in supply of Peak Power.

- iv. GUVNL shall be required to intimate its choice of Peak Hours to HPD on a day ahead basis, which will be deemed to be have been accepted by the HPD for supply of Peak Power. GUVNL shall mandatorily offtake such power as scheduled by the HPD.

In case GUVNL fails to intimate its choice of Peak Hours for a particular day or chooses less than 6 hours for Peak Power supply, the HPD shall be free to choose such Peak Hours in line with Clause 4.10.2v of the RfS, as per its own discretion, and shall intimate such choice to GUVNL / SLDC on day-ahead basis. Energy accounting will be done on the scheduling done by the HPD, at the respective Peak and Off-Peak PPA tariffs.

- v. GUVNL will mandatorily off-take the specified 300MWh for each 100MW capacity during Peak Hours at the Peak Tariff quoted by the HPD.

Article 8: Rates and Charges

- 8.1 GUVNL shall pay for the Delivered Energy as certified in the SEA by Gujarat SLDC, for the Term of this Agreement from the SCOD, to the Power Producer every month. The Tariff payable by GUVNL for energy purchased shall be as below.
- 8.2 The Applicable Tariff under this Agreement shall be paid in two parts, comprising **Peak Tariff and Off-Peak Tariff**. The HPD shall be entitled to receive the Off-Peak Tariff of **Rs. 2.57/kWh** fixed for the entire Term of this Agreement, for the energy supplied during the Off-Peak Hours. The HPD shall also be entitled to receive the Peak Tariff of **Rs. / kWh** [Insert the Peak Tariff discovered through the bidding process conducted by GUVNL], fixed for the entire term of this Agreement, for the energy supplied during the Peak Hours. The above mentioned Peak and Off-Peak Tariffs shall be applicable with effect from the SCOD, for the power sold by the HPD to GUVNL for the scheduled energy as reflected in the Energy Accounts. In case of early part-commissioning of the Project, subject to the consent for such purchase, GUVNL may purchase the generation as per Schedule 4. In both the cases of early part or full commissioning of the Project, the Applicable Tariff for the commissioned Project shall constitute Off-Peak Tariff @ Rs. 2.57/kWh and Peak Tariff @ Rs. _____ [Insert Tariff]/kWh from and including the SCOD, in accordance with Schedule 4.
- 8.3 Any excess generation over and above energy specified in Article 5.4 (i), will be purchased by GUVNL as per Schedule 4, provided GUVNL consents for purchase of such excess generation. Any energy produced and flowing into the grid before SCOD shall not be at the cost of GUVNL. However, the HPD will not be allowed to sell energy generated prior to SCOD or excess energy during any Contract Year to any other entity other than GUVNL unless refused by GUVNL.
- 8.4 Further, In case of energy supply during Peak Hours over and above the mandated energy requirement including the excess generation allowed as per Article 5.4 (ii), the HPD will be paid energy charges @ Off-Peak Tariff.
- 8.5 For each KVARH drawn from the grid, the HPD shall pay at the rate determined by GERC to GETCO from time to time in case of STU connectivity. In case of CTU connectivity, the drawl of reactive energy shall be governed as per applicable regulations.
- 8.6 In case of delay in commissioning of the Project or part thereof beyond SCOD, the provisions as per Article 6.1 (ix) shall be applicable.
- 8.7 In the event of Change in Shareholding/ Substitution of Promoters triggered by the Financial Institutions leading to signing of fresh PPA with a New Entity, an amount of Rs. 10 Lakh per Project per Transaction Plus GST @18% as Facilitation Fee (non-refundable) shall be deposited by the HPD to GUVNL.

8.8 The Intra-State ABT is already implemented in the State, energy certified by SLDC in the SEA shall be considered for monthly energy bill. The other provisions of Intra-State ABT and Open Access and Other Regulations of GERC / CERC and amendments thereto from time to time shall be applicable.

Article 9: Billing and Payment

9.1 Billing Provision

The Billing will be on monthly basis. GUVNL will be billed by the HPD based on units as certified by SEA of Gujarat SLDC following the end of each month for the energy supplied and payment will be due on the thirtieth (30th) day following the delivery of the billing invoice.

As per applicable regulation(s), all charges pertaining to obtaining open access and scheduling of power, if any, shall be borne by the HPD in case of CTU connectivity.

9.2 Payment

GUVNL shall make payment of the amounts due in Indian Rupees within thirty (30) days from the date of receipt of the Tariff Invoice by the designated office of GUVNL.

9.3 Late Payment Surcharge

- (1) Late Payment Surcharge shall be payable on the payment outstanding after the due date at the base rate of Late Payment Surcharge applicable for the period for the first month of default.
- (2) The rate of Late Payment Surcharge for the successive months of default shall increase by 0.5 percent for every month of delay provided that the Late Payment Surcharge shall not be more than 3 percent higher than the base rate at any time.
- (3) Provided further that all Payments shall be first adjusted towards Late Payment Surcharge and thereafter, towards monthly charges, starting from the longest overdue bill.
- (4) The Late Payment Surcharge shall be claimed by HPD through the supplementary bill.

9.4 Rebate

For payment of Monthly Bill by GUVNL, if paid before Due Date of Payment, a Rebate shall be deducted by GUVNL at the rate of seven (7) percent in excess of the applicable SBI 1 year Marginal Cost of Funds Based Lending Rate (MCLR) per annum / any replacement thereof by SBI, on the amount paid before due date, calculated on a week or part thereof basis viz.

$$= \frac{(\text{SBI MCLR rate} + 7\%)}{52} \text{ per week or part thereof.}$$

52

9.5 Payment Security

GUVNL shall provide an Irrevocable and unconditional revolving Letter of Credit in favour of, and for the sole benefit of the HPD for the contracted capacity. All the cost

for opening, maintenance and other cost related to establishment of Letter of Credit shall be borne by the HPD.

- (1) The Letter of Credit shall be established in favour of, and issued to, the HPD on the date hereof and made operational thirty (30) days prior to due date of first invoice and shall be maintained consistent herewith by GUVNL and all times during the Term of the Agreement.
- (2) Such Letter of Credit shall be in form and substance acceptable to both the Parties and shall be issued by any Scheduled Bank and be provided on the basis that:
 - (i) In the event a Tariff Invoice or any other amount due and undisputed amount payable by GUVNL pursuant to the terms of this Agreement is not paid in full by GUVNL as and when due, the Letter of Credit may be called by the Power Producer for payment of undisputed amount.
 - (ii) The amount of the Letter of Credit shall be equal to an amount not less than one month's average billing of the Project.
 - (iii) GUVNL shall replenish the Letter of Credit to bring it to the original amount within 30 days in case of any valid drawdown.
- (3) The Letter of Credit shall be renewed and/or replaced by GUVNL not less than 30 days prior to its expiration.
- (4) Payment under the Letter of Credit : The drawl under the Letter of Credit in respect of a Tariff Invoice (excluding supplementary bills) shall require:
 - (i) a copy of the metering statement jointly signed by the official representatives of both the Parties, supporting the payments attributable to the Delivered Energy in respect of such Tariff Invoice.
 - (ii) a certificate from the Power Producer stating that the amount payable by GUVNL in respect of such Tariff Invoice has not been paid and disputed by GUVNL till the Due Date of Payment of the Tariff Invoice.

9.6 Disputes:

In the event of a dispute as to the amount of any Tariff Invoice, GUVNL shall notify the HPD of the amount in dispute and GUVNL shall pay the HPD 100% of the undisputed amount plus 85% of the disputed amount within the due date provided. either party shall have the right to approach the Appropriate Commission to effect a higher or lesser payment on the disputed amount. The Parties shall discuss within a week from the date on which GUVNL notifies the Power Producer of the amount in dispute and try and settle the dispute amicably. Where any dispute arising out of or in connection with this agreement is not resolved mutually then such dispute shall be submitted to adjudication by the Appropriate Commission under Section 79 or 86 of Electricity Act 2003 and the Appropriate Commission may refer the matter to Arbitration as provided in the said provision read with Section 158 of Electricity Act 2003. If the dispute is not

settled during such discussions then the payment made by GUVNL shall be considered as a payment under protest. Upon resolution of the dispute, in case the HPD is subsequently found to have overcharged, then it shall return the overcharged amount with Late Payment Surcharge in accordance with the Article 6.3 for the period it retained the additional amount. GUVNL / HPD shall not have the right to challenge any Tariff Invoice, or to bring any court or administrative action of any kind questioning/modifying a Tariff Invoice after a period of three years from the date of the Tariff Invoice is due and payable.

9.7 Quarterly and Annual Reconciliation

- I. The Parties acknowledge that all payments made against Monthly Bills and Supplementary Bills shall be subject to quarterly reconciliation within 30 days of the end of the quarter at the beginning of the following quarter of each Contract Year and annual reconciliation at the end of each Contract Year within 30 days to take into account the Energy Accounts, Tariff adjustment payments, Tariff Rebate, Late Payment Surcharge, or any other reasonable circumstance provided under this Agreement.
- II. The Parties agree that as soon as all such data in respect of any quarter of a Contract Year or a full Contract Year as the case may be has been finally verified and adjusted, the HPD and GUVNL shall jointly prepare such reconciliation statement. Within fifteen (15) days of reconciliation statement, the HPD shall make appropriate adjustments in the next Monthly Bill. Any Dispute with regard to the above reconciliation shall be dealt with in accordance with the provisions of Article 16.

9.8 Payment of Supplementary Bill

- I. HPD may raise a ("Supplementary Bill") for payments such as:
 - a) Adjustments required by the Energy Accounts (if applicable); or
 - b) Change in Law as provided in Article 12, or
 - c) Payment under Article 5.10, 5.11, & 5.12
 And such Supplementary Bill shall be paid by the other Party.
- II. GUVNL shall remit all amounts due under a Supplementary Bill raised by the HPD to the HPD's Designated Account by the Due Date, except open access charges, SLDC/RLDC or scheduling charges and transmission charges (if applicable). For Supplementary Bill on account of adjustment required by energy account and payments under Article 5.10, 5.11 & 5.12 Rebate as applicable to Monthly Bills pursuant to Article 9.4 shall equally apply. Payment will be made after realization of the same from GUVNL. No surcharge will be applicable other than that on the monthly energy payment and associated debit and credit note.

- III. In the event of delay in payment of a Supplementary Bill by either Party beyond its Due Date, a Late Payment Surcharge shall be payable on the same terms applicable to the Monthly Bill in Article 9.3.

Article 10: Metering and Communication

10.1 Reading and Correction of Meters

- (i) The metering point will be at the receiving end of GETCO/ CTU substation. For the purpose of energy accounting the HPD shall install ABT compliant meter at the metering point. In case of project getting connected to the grid through internal pooling sub-station of an existing wind farm, the HPD shall install ABT meters at the Pooling Substation. Further, there shall be separate arrangement for metering of Wind and Solar Project.
- (ii) Interface metering shall conform to the Central Electricity Authority (Installation and Operation of Meters) Regulations, 2006, the Grid Code, as amended and revised from time to time. STU /CTU shall stipulate specifications in this regard.
- (iii) In the event that the Main Metering System is not in service as a result of maintenance, repairs or testing, then the Backup Metering System shall be used during the period the Main Metering System is not in service and the provisions above shall apply to the reading of the Backup Metering System. The HPD shall also install an ABT meter at interconnection point of the ESS.
- (iv) The HPD shall bear all costs pertaining to installation, testing, calibration, maintenance, renewal and repair of meters at HPD's side of Delivery Point.
- (v) In case of pooling of multiple Projects, power from multiple Projects can be pooled at a Pooling Substation prior to the Delivery point and the combined power can be fed at Delivery point through a common transmission line from the Pooling Substation. In such cases, ABT compliant sub-meters (two meters, each with separate CT, PT) are also to be set up at pooling substation for individual projects in addition to the meters at Delivery Point as described in clause 10.1 (iii).

10.2 Sealing, Reporting and Maintenance of Meters

- (i) The grid connected power plants will install necessary equipment for regular monitoring of solar irradiance (including GHI, DHI and solar radiation in the module plane), ambient air temperature, wind speed and other weather parameters and simultaneously for monitoring of the electric power (both DC and AC) generated from the Project.
- (ii) Online arrangement would have to be made by the HPD for submission of above data regularly for the entire period of this Power Purchase Agreement to the SLDC, GUVNL and the concerned Ministry or concerned agency as per applicable regulation / directions.
- (iii) The Main Metering System and the Backup Metering System shall be sealed in the presence of representatives of Power Producer and GETCO /CTU.

- (iv) When the Main Metering System and / or Backup Metering System and / or any component thereof is found to be outside the acceptable limits of accuracy or otherwise not functioning properly, it shall be repaired, re-calibrated or replaced by the Power Producer and / or GUVNL / GETCO / CTU at Power Producer's cost, as soon as possible.
- (v) Any meter seal(s) shall be broken only by GETCO/ CTU's representative in the presence of Power Producer representative whenever the Main Metering System or the Backup Metering System is to be inspected, tested, adjusted, repaired or replaced.
- (vi) All the Main and Check Meters shall be calibrated at least once in a period of three years.
- (vii) In case, both the Main Meter and Check Meter are found to be beyond permissible limit of error, both the meters shall be calibrated immediately and the correction applicable to main meter shall be applied to the energy registered by the Main Meter at the correct energy for the purpose of energy accounting / billing for the actual period during which inaccurate measurements were made, if such period can be determined or, if not readily determinable, shall be the shorter of:
 - A. the period since immediately preceding test of the relevant Main meter, or
 - B. one hundred and eighty (180) days immediately preceding the test at which the relevant Main Meter was determined to be defective or inaccurate.

10.3 Records

Each Party shall keep complete and accurate records and all other data required by each of them for the purposes of proper administration of this agreement and the operation of the Power Plant. Among such other records and data, the Power Producer shall maintain an accurate and up-to-date operating log at the Power Plant with records of:-

- a) Fifteen (15) minutes logs of real and reactive power generation, frequency, transformer tap position, bus voltage(s), Main Meter and Back up Meter Readings and any other data mutually agreed;
- b) any unusual conditions found during operation / inspections;
- c) chart and printout of event loggers, if any, for system disturbances/ outages;
- d) All the records will be preserved for a period of 36 months.

Article 11: Force Majeure

11.1 Force Majeure Events

- a) Neither Party shall be responsible or liable for or deemed in breach hereof because of any delay or failure in the performance of its obligations hereunder (except for obligations to pay money due prior to occurrence of Force Majeure events under this Agreement) or failure to meet milestone dates due to any event or circumstance ("a Force Majeure Event") beyond the reasonable control of the Party experiencing such delay or failure, including the occurrence of any of the following:
- i) acts of God;
 - ii) typhoons, floods, lightning, cyclone, hurricane, drought, famine, epidemic, plague or other natural calamities;
 - iii) acts of war (whether declared or undeclared), invasion or civil unrest;
 - iv) any requirement, action or omission to act pursuant to any judgment or order of any court or judicial authority in India (provided such requirement, action or omission to act is not due to the breach by the Power Producer or GUVNL of any Law or any of their respective obligations under this Agreement);
 - v) inability despite complying with all legal requirements to obtain, renew or maintain required licenses or Legal Approvals;
 - vi) earthquakes, explosions, accidents, landslides; fire;
 - vii) expropriation and/or compulsory acquisition of the Project in whole or in part by Government Instrumentality;
 - viii) chemical or radioactive contamination or ionizing radiation; or
 - ix) damage to or breakdown of transmission facilities of GETCO/ DISCOMs;
 - x) Exceptionally adverse weather condition which are in excess of the statistical measure of the last hundred (100) years.
 - xi) The delay in grant of connectivity/LTA, if applicable, by the CTU / STU and/or delay in readiness of the ISTS / InSTS substation at the Delivery Point, including readiness of the power evacuation and transmission infrastructure of the ISTS / InSTS network, will be considered as a factor attributable to the CTU / STU / transmission licensee and beyond the control of the Parties subject to the following:
 - (a) The ISTS / InSTS sub-station at the Delivery Point and the power evacuation and transmission infrastructure of the ISTS / InSTS network, with which the Project Developer applies for connectivity, shall be scheduled for completion on or before the SCOD of the concerned Project so as to match the two timelines.

- (b) Subject to adherence to above, subsequent to grant of connectivity, in case there is a delay in grant / operationalization of connectivity / LTA by CTU / STU and/or there is a delay in readiness of the ISTS / InSTS sub-station at the delivery point, including readiness of the power evacuation & transmission infrastructure of the ISTS / InSTS network until SCOD of the project and it is established that;
 - (c) The Power Producer has complied with the complete application formalities as per the connectivity procedure(s) and the ISTS / InSTS sub-station at the delivery point at the power evacuation and transmission infrastructure of the ISTS / InSTS Network with which the Power Producer had applied for connectivity, was scheduled for completion on or before the SCOD of the project and;
 - (d) The Power Producer has adhered to the applicable procedure in this regard as notified by the CERC / GERC / CTU / STU and;
 - (e) The delay in grant of connectivity / LTA by CTU / STU and / or delay in readiness of the ISTS / InSTS sub-station at the delivery point, including readiness of the power evacuation and transmission infrastructure of the ISTS / InSTS Network, is a factor solely attributable to CTU / STU / transmission licensee and is beyond the control of the Parties;
- b) **Force Majeure Exclusions:** Force Majeure shall not include the following conditions, except to the extent that they are consequences of an event of Force Majeure:
1. Unavailability, Late Delivery or Change in cost of plants and machineries, equipment, materials, spares parts or consumables for the project;
 2. Delay in performance of any contractor / sub contractor or their agents;
 3. Non-performance resulting from normal wear and tear experience in power generation materials and equipments;
 4. Strike or Labour Disturbances at the facilities of affected parties;
 5. Insufficiency of finances or funds or the agreement becoming onerous to perform, and
 6. Non performance caused by, or concerned with, the affected party's
 - I. Negligent and intentional acts, errors or omissions;
 - II. Failure to comply with Indian law or Indian Directive; or
 - III. Breach of, or default under this agreement or any Project agreement or Government agreement.
- c) The affected Party shall give notice to other party of any event of Force Majeure as soon as reasonably practicable, but not later than 7 days after the date on which such Party knew or should reasonably have known of the commencement of the event of

Force Majeure. If any event of Force Majeure results in a breakdown of communication rendering it not reasonable to give notice within the applicable time limit specified herein, then the party claiming Force Majeure shall give notice as soon as reasonably practicable after reinstatement of communication, but not later than one day after such reinstatement. Such notice shall include full particulars of the event of Force Majeure, its effects on the Party claiming relief and the remedial measures proposed, and the Affected Party shall give the other Party regular (and not less than monthly) reports on the progress of those remedial measures and such other information as the other party may reasonably request about the situation. Such notice of Force Majeure shall be a precondition for recognition of an for claiming any relief for Force Majeure under this Agreement.

- d) The affected Party shall also give notice to the other Party of (1) cessation of relevant event of Force Majeure; and (2) cessation of the effects of such event of Force Majeure on the performance of its rights or obligations under this agreement, as soon as practicable after becoming aware of each of these cessations.
- e) To the extent not prevented by a Force Majeure event, the affected party shall continue to perform its obligations pursuant to this agreement. The affected party shall use its reasonable efforts to mitigate the effect of any event of Force Majeure as soon as practicable.

11.2 Available Relief for a Force Majeure Event:

No Party shall be in breach of its obligations pursuant to this agreement to the extent that the performance of its obligations was prevented, hindered or delayed due to a Force Majeure event. However, adjustment in tariff shall not be allowed on account of Force Majeure event.

For avoidance of doubt, neither Party's obligation to make payments of money due and payable prior to occurrence of Force Majeure events under this Agreement shall be suspended or excused due to the occurrence of a Force Majeure Event in respect of such Party.

The event specified at Article 8.1(a)(xi) above and consequent delay shall be treated as delay beyond the control of the parties and both parties shall be eligible for suitable time extension in the SCOD.

Article 12: Change in Law

12.1 Definition

12.1.1 "Change in Law" shall refer to the occurrence of any of the following events notified after the Bid Deadline.

- a) the enactment, bringing into effect, adoption, promulgation, amendment, modification or repeal, of any statute, decree, ordinance or other law, regulations, notice, circular, code, rule or direction by Governmental Instrumentality or a change in its interpretation by a Competent Court of law, tribunal, government or statutory authority or any of the above regulations, taxes, duties charges, levies etc. that results in any change with respect to any tax or surcharge or cess levied or similar charges by the Competent Government on the generation of electricity (leviable on the final output in the form of energy) or sale of electricity.
- b) Introduction / modification / changes in rates of safeguard duty and/or anti-dumping duty and/or custom duty and or Goods and Services Tax including surcharge thereon which have direct effect on the Project cost.

12.2 Relief for Change in Law

12.2.1 In case Change in Law on account of 9.1.1 (a) above results in the HPD's costs directly attributable to the Project being decreased or increased by one percent (1%), of the estimated revenue from the Electricity for the Contract Year for which such adjustment becomes applicable or more, during Operation Period, the Tariff Payment to the HPD shall be appropriately increased or decreased with due approval of GERC.

12.2.2 In case of Change in Law on account of 9.1.1 (b) above, the HPD shall be allowed an increase / decrease in tariff of 1 paise / unit for every increase / decrease of Rs. 2 Lakh per MW in the Project Cost incurred upto the Scheduled Commercial Operation Date upon submission of proof of payment made by the HPD towards safeguard duty and/or anti-dumping duty and/or custom duty and or Goods and Services Tax to the concerned Authority and with due approval of GERC. The increase / decrease in tariff due to change in cost of solar PV modules shall be limited to actual DC capacity or 150% (One hundred & fifty percent) of contracted AC capacity, whichever is lower. It is to clarify that while calculating the relief under the formula stipulated at clause 12.2.2 the "per MW" cost shall be considered based on aggregate rated capacity of wind and solar components and not based on contracted capacity.

12.2.3 The HPD / GUVNL or the HPD, as the case may be, shall provide the other Party with a certificate stating that the adjustment in the Tariff Payment is directly as a result of the Change in Law and shall provide supporting documents to substantiate the same and such certificate shall correctly reflect the increase or decrease in costs.

12.2.4 The revised tariff shall be effective from the date of such Change in Law as approved by GERC.

Article 13: Term, Termination and Default

13.1 Term of the Agreement: This Agreement shall become effective upon the execution and delivery thereof by the Parties hereto and unless terminated pursuant to other provisions of the Agreement, shall continue to be in force for the term as provided in Schedule 4.

13.2 Survival: The expiry or termination of this Agreement shall not affect any accrued rights, obligations and liabilities of the Parties under this Agreement, including the right to receive penalty as per the terms of this Agreement, nor shall it affect the survival of any continuing obligations for which this Agreement provides, either expressly or by necessary implication, which are to survive after the Expiry Date or termination including those under Article 11 (Force Majeure), Article 13 (Term, Termination and Default), Article 14 (Dispute Resolution), Article 15 (Liability and Indemnification), Article 16 (Miscellaneous Provisions), and other Articles and Schedules of this Agreement which expressly or by their nature survive the Term or termination of this Agreement shall continue and survive any expiry or termination of this Agreement.

13.3 Events of Default:

13.3.1 HPD's Default: The occurrence of any of the following events at any time during the Term of this Agreement shall constitute an Event of Default by HPD:

- a. Failure to commission the project by scheduled commercial operation date beyond the period mentioned in Article 5.6
- b. Failure to supply power in terms of the PPA
- c. O & M Default on part of Power Producer
- d. Failure or refusal by HPD to perform any of its material obligations under this Agreement including but not limited to financial closure.
- e. Failure to pay penalty in advance to GUVNL and consequent non-extension of financial closure deadline.
- f. HPD fails to make any payment required to be made to GUVNL under this agreement within three (3) months after the due date of a valid invoice raised by GUVNL on the HPD.
- g. If the HPD(i) assigns or purports to assign its assets or rights in violation of this agreement; or (ii) transfers or novates any of its rights and / or obligations under this agreement, in violation of this agreement.
- h. If the HPD becomes voluntarily or involuntarily the subject of proceeding under any bankruptcy or insolvency laws or goes into liquidation or dissolution or has a receiver appointed over it or liquidator is appointed, pursuant to Law, except where such dissolution of the HPD is for the purpose of a merger, consolidation or reorganization and where the resulting entity has the financial standing to perform its obligations under this Agreement and creditworthiness similar to the

HPD and expressly assumes all obligations under this agreement and is in a position to perform them; or

- i. The HPD repudiates this agreement.
- j. Failure to maintain the shareholding in line with Article 5.1 (xvi) of this agreement.
- k. Occurrence of any other event which is specified in this Agreement to be a material breach / default of the HPD or commits any other acts or omissions as laid down in the PPA.

13.3.2 GUVNL's Default: The occurrence of any of the following at any time during the Term of this Agreement shall constitute an Event of Default by GUVNL:

- a. Failure or refusal by GUVNL to pay any portion of undisputed monthly bill for a period of 90 days after due date.
- b. GUVNL repudiates this Agreement.
- c. If GUVNL becomes voluntarily or involuntarily the subject of proceeding under any bankruptcy or insolvency laws or goes into liquidation or dissolution or has a receiver appointed over it or liquidator is appointed, pursuant to Law, except where such dissolution of GUVNL is for the purpose of a merger, consolidation or reorganization and where the resulting entity has the financial standing to perform its obligations under this Agreement and creditworthiness similar to GUVNL and expressly assumes all obligations under this agreement and is in a position to perform them.

13.4 Termination:

13.4.1 Termination for HPD's Default: Upon the occurrence of an event of default as set out in sub-clause 13.3.1 above, GUVNL may deliver a "Default Notice" to the HPD in writing, with a copy to the representative of the lenders to the HPD with whom the HPD has executed the Financing Agreements which shall specify in reasonable detail the Event of Default giving rise to the default notice, and calling upon the HPD to remedy the same. Where a "Default Notice" has been issued with respect to an Event of Default, which requires the co-operation of both GUVNL and the HPD to remedy, GUVNL shall render all reasonable co-operation to enable the Event of Default to be remedied without any legal obligations.

Upon being in default, the HPD shall be liable to pay to GUVNL the damages, as provided in Clause 5.6 of the PPA for failure to commission within stipulated time and in Clause 5.1 (viii)(b) for failure to supply power in terms of the PPA. For other cases, the damages shall be as under.

- a. At the expiry of 30 (thirty) days from the delivery of the default notice and unless the Parties have agreed otherwise, or the Event of Default giving rise to the default notice has been remedied, the HPD shall have liability to make payment

toward compensation to GUVNL equivalent to six (6) months' billing or balance PPA period whichever is less, at contracted CUF of the charges for its contracted capacity. Also, GUVNL shall have the right to recover the said damages by way of forfeiture of bank guarantee, if any; without prejudice to resorting to any other legal course or remedy.

- b. In addition to the levy of damages as aforesaid, in the event of a default by the HPD, the lenders shall be entitled to exercise their rights to seek substitution of the HPD by a selectee, in accordance with the substitution agreement and in concurrence with GUVNL. However, in the event the lenders are unable to substitute the defaulting HPD within the stipulated period, GUVNL may terminate the PPA and acquire the Project assets for an amount equivalent to 90% of the debt due by issuing a "Termination Notice" / "Takeover Notice", failing which, the lenders may exercise their mortgage rights and liquidate the Project assets.
- c. Provided that any substitution under this Agreement can only be made with the condition that the selectee meets the eligibility requirements of Request for Selection (RfS) issued by GUVNL.
- d. The lenders in concurrence with GUVNL, may seek to exercise right of substitution under Article 13.4.1 (b) by an amendment or novation of the PPA in favour of the selectee. The HPD shall cooperate with GUVNL to carry out such substitution and shall have the duty and obligation to continue to operate the Power Project in accordance with this PPA till such time as the substitution is finalized. In the event of Change in Shareholding/Substitution of Promoters triggered by the Financial Institutions leading to signing of fresh PPA with a New Entity, an amount of Rs. 10 Lakh per Project per Transaction as Facilitation Fee (non-refundable) shall be deposited by the developer to GUVNL.

13.4.2 Termination for GUVNL's Default: Upon the occurrence of an Event of Default as set out in sub-clause 13.3.2 above, the HPD may deliver a Default Notice to GUVNL in writing which shall specify in reasonable detail the Event of Default giving rise to the Default Notice, and calling upon GUVNL to remedy the same.

GUVNL with the prior consent of the HPD may novate its part of the PPA to any third party, including its Affiliates within the period of 7 days following the expiry of notice period. In the event the aforesaid novation is not acceptable to the HPD, or if no offer of novation is made by the defaulting Procurer/ GUVNL within the stipulated period of 7 days, then the HPD may terminate the PPA and at its discretion require the defaulting Procurer/ GUVNL to either (i) takeover the Project assets by making a payment of the termination compensation equivalent to the amount of the debt due and 110% of the "Adjusted Equity" less insurance cover, if any in case of Combination B & C whereas 150% of the "Adjusted Equity" in case of Combination A, by issuing a "Termination Notice" / "Takeover Notice", or, (ii) pay to the Power Producer, damages, equivalent to 6 (six) months billing at contracted CUF, or

balance PPA period whichever is less, of charges for its contracted capacity, with the Project assets being retained by the HPD.

In the event of such termination of PPA, any damages or charges payable to GETCO/ CTU, for the connectivity of the plant, shall be borne by GUVNL.

"Adjusted Equity" hereinabove means the Equity funded in Indian Rupees and adjusted on the first day of the current month (the "Reference Date"), in the manner set forth below, to reflect the change in its value on account of depreciation and variations in Wholesale Price Index (WPI), and for any Reference Date occurring between the first day of the month of Appointed Date (the date of achievement of Financial Closure) and the Reference Date;

- i. On or before Commercial Operation Date (COD), the Adjusted Equity shall be a sum equal to the Equity funded in Indian Rupees and expended on the Project, revised to the extent of one half of the variation in WPI occurring between the first day of the month of Appointed Date and Reference Date;
- ii. An amount equal to the Adjusted Equity as on COD shall be deemed to be the base (the "Base Adjusted Equity");
- iii. After COD, the Adjusted Equity hereunder shall be a sum equal to the Base Adjusted Equity, reduced by 0.333% (zero point three three three percent) thereof at the commencement of each month following the COD [*reduction of 1% (one percent) per quarter of an year*] and the amount so arrived at shall be revised to the extent of variation in WPI occurring between the COD and the Reference Date;

For the avoidance of doubt, the Adjusted Equity shall, in the event of termination, be computed as on the Reference Date immediately preceding the Transfer Date; provided that no reduction in the Adjusted Equity shall be made for a period equal to the duration, if any, for which the PPA period is extended, but the revision on account of WPI shall continue to be made.

"Debt Due" means the aggregate of the following sums expressed in Indian Rupees outstanding on the Transfer Date:

- i. The principal amount of the debt provided by the Senior Lenders under the Financing Agreements for financing the Total Project Cost (the 'Principal') but excluding any part of the principal that had fallen due for repayment 2 (two) years prior to the Transfer Date;
- ii. All accrued interest, financing fees and charges payable under the Financing Agreements on, or in respect of, the debt referred to in sub-clause(i) above until the Transfer Date but excluding: (i) any interest, fees or charges that had fallen due one year prior to the Transfer Date, (ii) any penal interest or charges payable under the Financing Agreements to any Senior Lender, (iii) any pre-payment charges in relation to accelerated repayment of debt except where such charges have arisen due to Utility Default, and (iv) any Subordinated Debt which is

included in the Financial Package and disbursed by lenders for financing the Total Project Cost. Provided that if all or any part of the Debt Due is convertible into Equity at the option of Senior Lenders and/or the Concessionaire, it shall for the purposes of this Agreement be deemed not to be Debt Due even if no such conversion has taken place and the principal thereof shall be dealt with as if such conversion had been undertaken. Provided further that the Debt Due, on or after COD, shall in no case exceed 80% (eighty percent) of the Total Project Cost."

Article 14: Dispute Resolution

- 14.1 All disputes or differences between the Parties arising out of or in connection with this Agreement shall be first tried to be settled through mutual negotiation.
- 14.2 The Parties hereto agree to attempt to resolve all disputes arising hereunder promptly, equitably and in good faith.
- 14.3 Each Party shall designate in writing and communicate to the other Party its own representative who shall be authorized to resolve any dispute arising under this Agreement in an equitable manner and, unless otherwise expressly provided herein, to exercise the authority of the Parties hereto to make decisions by mutual agreement.
- 14.4 In the event that such differences or disputes between the Parties are not settled through mutual negotiations within sixty (60) days, after such dispute arises, then it shall be adjudicated by Appropriate Commissioning accordance with law.

Article 15: Liability and Indemnification

15.1 Indemnity

15.1.1HPD's Indemnity: The HPD agrees to defend, indemnify and hold harmless GUVNL, its officers, directors, agents, employees and affiliates (and their respective officers, directors, agents and employees) from and against any and all claims, liabilities, actions, demands, judgments, losses, costs, expenses, suits, actions and damages arising by reason of bodily injury, death or damage to property sustained by third parties that are caused by an act of negligence or the willful misconduct of the HPD, or by an officer, director, sub-contractor, agent or employee of the HPD except to the extent of such injury, death or damage as is attributable to the willful misconduct or negligence of, or breach of this Agreement by, GUVNL, or by an officer, director, sub-contractor, agent or employee of GUVNL.

15.1.2GUVNL's Indemnity: GUVNL agrees to defend, indemnify and hold harmless the HPD, its officers, directors, agents, employees and affiliates (and their respective officers, directors, agents and employees) from and against any and all claims, liabilities, actions, demands, judgments, losses, costs, expenses, suits, actions and damages arising by reason of bodily injury, death or damage to property sustained by third parties that are caused by an act of negligence or the willful misconduct of GUVNL, or by an officer, director, sub-contractor, agent or employee of GUVNL except to the extent of such injury, death or damage as is attributable to the willful misconduct or negligence of, or breach of this Agreement by, the HPD, or by an officer, director, sub-contractor, agent or employee of the HPD.

15.2 Limitation on Liability

15.2.1 Except as expressly provided in this Agreement, neither the HPD nor GUVNL nor its / their respective officers, directors, agents, employees or affiliates (or their officers, directors, agents or employees), shall be liable or responsible to the other Party or its affiliates, officers, directors, agents, employees, successors or permitted assigns or their respective insurers for incidental, indirect or consequential damages, connected with or resulting from performance or non-performance of this Agreement, or anything done in connection herewith, including claims in the nature of lost revenues, income or profits (other than payments expressly required and properly due under this Agreement), any increased expense of, reduction in or loss of power generation or equipment used therefore, irrespective of whether such claims are based upon breach of warranty, tort (including negligence, whether of GUVNL or the HPD), strict liability, contract, breach of statutory duty, operation of law or otherwise.

15.2.2 GUVNL shall have no recourse against any officer, director or shareholder of the HPD or any Affiliate of the HPD or any of its officers, directors or shareholders for

such claims excluded under this Article. The HPD shall have no recourse against any officer, director or shareholder of GUVNL, or any subsidiaries of GUVNL or any of its officers, directors or shareholders for such claims excluded under this Article.

15.3 Duty to Mitigate

15.3.1 The Parties shall endeavour to take all reasonable steps so as mitigate any loss or damage which has occurred under this Article 15.

Article 16: Miscellaneous Provisions

- 16.1 Governing Law:** This Agreement shall be interpreted, construed and governed by the Laws of India.
- 16.2 Insurance:** The HPD shall obtain and maintain necessary policies of insurance during the Term of this Agreement consistent with Prudent Utility Practice.
- 16.3 Books and Records:** The HPD shall maintain books of account relating to the Project in accordance with generally accepted Indian accounting principles.
- 16.4 Waivers:** Any failure on the part of a Party to exercise, and any delay in exercising, exceeding three years, any right thereunder shall operate as a waiver thereof. No waiver by a Party of any right hereunder with respect to any matter or default arising in connection with this Agreement shall be considered a waiver with respect to any subsequent matter or default.
- 16.5 Limitation Remedies and Damages:** Neither Party shall be liable to the other for any consequential, indirect or special damages to persons or property whether arising in tort, contract or otherwise, by reason of this Agreement or any services performed or undertaken to be performed hereunder.
- 16.6 Notices:** Any notice, communication, demand, or request required or authorized by this Agreement shall be in writing and shall be deemed properly given upon date of receipt if delivered by hand or sent by courier, if mailed by registered or certified mail at the time of posting, if sent by fax when dispatched (provided if the sender's transmission report shows the entire fax to have been received by the recipient and only if the transmission was received in legible form), to:

In case of the HPD:

Name: _____

Designation: _____

Address: _____

Ph. Nos.: _____ Fax No.: _____

In case of Gujarat Urja Vikas Nigam Limited:

Designation: General Manager (RE & IPP)

Address : Gujarat Urja Vikas Nigam Limited - Commerce Dept, 2nd floor, Sardar Patel Vidyut Bhavan, Race Course, Vadodara – 390 007

Ph. Nos.: 0265- 2340504 Fax No.: 0265- 2344543

16.7 Confidentiality

The Parties undertake to hold in confidence this Agreement and not to disclose the terms and conditions of the transaction contemplated hereby to third parties, except:

- a) to their professional advisors;
- b) to their officers, contractors, employees, agents or representatives, financiers, who need to have access to such information for the proper performance of their activities; or
- c) disclosures required under Law, without the prior written consent of the other Party.

16.8 Severability:

Any provision of this Agreement, which is prohibited or unenforceable in any jurisdiction, shall, as to such jurisdiction, be ineffective to the extent of such prohibition or unenforceability without invalidating the remaining provisions hereof and without affecting the validity, enforceability or legality of such provision in any other jurisdiction.

16.9 Amendments:

This Agreement shall not be amended, changed, altered, or modified except by a written instrument duly executed by an authorized representative of both Parties. However, GUVNL may consider any amendment or change that the Lenders may require to be made to this Agreement. Any amendment, change, alteration or modification shall be subject to the approval of the Appropriate Commission.

16.10 Assignment:

Neither Party shall assign this Agreement nor shall any portion hereof without the prior written consent of the other Party, provided further that any assignee expressly assume the assignor's obligations thereafter arising under this Agreement pursuant to documentation satisfactory to such other Party. However, such assignment shall be permissible only for entire contracted capacity.

Provided however, no approval is required from GUVNL for the assignment by the Power Producer of its rights herein to the Financing Parties and their successors and assigns in connection with any financing or refinancing related to the construction, operation and maintenance of the Project.

In furtherance of the foregoing, GUVNL acknowledges that the Financing Documents may provide that upon an event of default by the Power Producer under the Financing Documents, the Financing Parties may cause the Power Producer to assign to a third party the interests, rights and obligations of the Power Producer thereafter arising under this Agreement. GUVNL further acknowledges that the Financing Parties, may, in addition to the exercise of their rights as set forth in this Section, cause the Power Producer to sell or lease the Project and cause any new lessee or purchaser of the Project to assume all

of the interests, rights and obligations of the Power Producer thereafter arising under this Agreement.

16.11 Entire Agreement, Appendices:

This Agreement constitutes the entire agreement between GUVNL and the Power Producer, concerning the subject matter hereof. All previous documents, undertakings, and agreements, whether oral, written, or otherwise, between the Parties concerning the subject matter hereof are hereby cancelled and shall be of no further force or effect and shall not affect or modify any of the terms or obligations set forth in this Agreement, except as the same may be made part of this Agreement in accordance with its terms, including the terms of any of the appendices, attachments or exhibits. The appendices, attachments and exhibits are hereby made an integral part of this Agreement and shall be fully binding upon the Parties.

In the event of any inconsistency between the text of the Articles of this Agreement and the appendices, attachments or exhibits hereto or in the event of any inconsistency between the provisions and particulars of one appendix, attachment or exhibit and those of any other appendix, attachment or exhibit GUVNL and the Power Producer shall consult to resolve the inconsistency.

16.12 Further Acts and Assurances:

Each of the Parties after convincing itself agrees to execute and deliver all such further agreements, documents and instruments, and to do and perform all such further acts and things, as shall be necessary or convenient to carry out the provisions of this Agreement and to consummate the transactions contemplated hereby.

IN WITNESS WHEREOF, the Parties hereto have caused this Agreement to be executed by their fully authorized officers, and copies delivered to each Party, as of the day and year first above stated.

FOR AND ON BEHALF OF HPD M/S. Authorised Signatory WITNESSES 1. _____ (_____) 2. _____ (_____)	FOR AND ON BEHALF OF GUJARAT URJA VIKAS NIGAM LIMITED Authorised Signatory WITNESSES 1. _____ (_____) 2. _____ (_____)
---	---

SCHEDULE 1: Parameters and Technical Limits of Supply

1. Electrical Characteristics

Three phase alternating current

Nominal declared frequency : 50.0 Hz

Final Voltage at Delivery Point: 400/220/132/66 kV

Short circuit rating: As a part of the detailed design process, the Power Producer shall calculate the short circuit rating (minimum and maximum), and supply this information to GUVNL.

Note: The tolerances & Electrical characteristics variations and Basic Insulation level will be as per relevant grid code and CEA standards.

2. Quality of Service

The Power Producer shall be responsible for the delivery of energy conforming Performance Standards for Transmission and Bulk Supply as approved by the Appropriate Commission.

The maximum current and voltage waveform distortion shall be in accordance with the limits prescribed under Central Electricity Authority (Grid Standards) Regulations 2010, as amended from time to time.

3. Power Factor

The Power Producer shall maintain the Power Factor as per the prevailing regulations and as may be stipulated / specified by GETCO from time to time. The Power Producer shall provide suitable protection devices, so that the Electric Generators could be isolated automatically when grid supply fails.

Connectivity criteria like short circuit level (for switchgear), neutral Grounding, fault clearance time, current unbalance (including negative and zero sequence currents), limit of harmonics etc. shall be as per Grid Code.

4. Technical Limits of Voltage

(i) The nominal steady state electrical characteristics of the system are as follows:

a) Three phase alternating current at 50 Hertz plus or minus 0.5 Hertz

- b) Nominal voltage of ____ KV with +10% to – 12.5% variation.
- (ii) The Project shall be designed and capable of being synchronized and operated within a frequency range as per relevant Grid Code and voltage of ____ KV
- (iii) Operation of the Project outside the nominal voltage and frequency specified above will result in reduction of power output consistent with generator capability curves.

5. Specification of Electrical Energy Delivery

- a) The generation voltage from the Grid Interactive Power Project of M/s. _____ is ____ KV. It uses unit connection of generator, generator transformer and unit transformer.
- b) The generated power at ____ KV will be stepped up to ____ KV at the Project Site and connected ____ KV at for the purpose of interconnection with the Grid System in accordance with the Regulations notified by Appropriate Commission.

SCHEDULE 2: Approvals

1. Consent from the STU / CTU for the evacuation scheme for evacuation of the power generated by HPP.
2. Approval of the Electrical Inspectorate, Government of Gujarat in relation to projects located in Gujarat and approval of the statutory agencies responsible for carrying out the function of Electrical Inspectorate in the respective States / UTs of India in relation to projects located outside Gujarat for commissioning of the transmission line and the solar project and / or the wind project installed at the Project Site.
3. Certificate of Commissioning of the Solar Photovoltaic Grid Interactive Power Project and / or Grid Interactive Wind Power Projects issued by GEDA.
4. Permission from all other statutory and non-statutory bodies required for the Hybrid Power Project.
5. Clearance from Department of Forest, Ecology and Environment, if required.
6. Certificate by the concerned and competent revenue / registration authority for acquisition / ownership / right to use / vesting of land in the name of Hybrid Project Developer.
7. Approval for Water from the concerned authority (if applicable) required for the Project.
8. Clearance from Airport Authority of India, if required.
9. Any other clearances as may be legally required.

SCHEDULE 3: Project Location Details

CAPACITY (MW)& CONFIGURATION	LOCATION DETAILS (Village, Taluka, District)	CUF%	SENDING SUBSTATION / POOLING STATION

Note:

- (i) If the HPD chooses to declare the location / sub-station details upfront at the time of signing of PPA, the HPD may be allowed to change the location(s) up to SCOD.
- (ii) The HPD shall be solely responsible for getting the connectivity of their project on or before SCOD.
- (iii) The HPD shall be allowed to be revise the CUF% once within first three years of COD of the full project capacity.

SCHEDULE 4: Important Terms & Conditions

1. The HPD at the time of signing of PPA shall decide one of the following combinations of their Hybrid Power Plant i.e. Combination A - Wind Power Project with co-located energy storage system OR Combination B - Solar PV Project with co-located Energy Storage System OR Combination C - Wind-Solar Hybrid Power Project with co-located energy storage system OR Combination D - Generation and blending of power from separate Wind and/or Solar and/or Wind-Solar Hybrid sources along with ESS, connected with the Grid at more than one interconnection points. The Combination decided by HPD shall not be allowed to be changed after signing of PPA and out of the respective provisions mentioned below, the provisions applicable in case of the Combination selected by the HPD shall be retained in this Schedule while signing of PPA and the provisions relating to other two combinations shall be deleted.

1.1 Term of PPA

- Combination A: The term of the PPA shall be 25 years from the date of SCD or from the date of full commissioning of the projects, whichever is earlier. The PPA may be further extended on such terms and conditions as mutually agreed between the parties signing the PPA and approved by Appropriate Commission, provided the arrangements with the land and infrastructure owning agencies, the relevant transmission utilities and system operators permits operation of the HPP beyond the initial PPA period of 25 years.
- Combination B: The term of the PPA shall be 25 years from the date of SCD. The HPD is free to operate their plants after the expiry of the PPA period in case the arrangements with the land and infrastructure owning agencies, the relevant transmission utilities and system operators so provide.
- Combination C: The term of the PPA shall be 25 years from the date of SCD. The HPD is free to operate their plants after the expiry of the PPA period in case the arrangements with the land and infrastructure owning agencies, the relevant transmission utilities and system operators so provide.
- Combination D: As per Combination C

1.2 Capacity Utilization Factor

- Combination A: The HPD shall declare the annual CUF in Schedule 3 at the time of signing of PPA and will be allowed to revise the same once within first three years of COD of the full project capacity. Calculation of CUF will be on yearly basis from 1st April of the year to 31st March of the next year. The declared annual CUF shall in no case be less than 22%. The HPD shall maintain generation so as to achieve annual CUF within + 20% and -20% of the annual contracted CUF (As declared in Schedule 3) till the end of the PPA duration of 25 years. The lower limit will, however, be relaxable by GUVNL to the extent of non-availability of grid for evacuation which is beyond the control of the HPD. For the first year of operation of the project, the annual CUF shall be calculated for the complete year after CoD of the project. Subsequently, the annual CUF will be calculated every year from 1st April of the year to 31st March next year.
- Combination B: The HPD shall declare the annual CUF in Schedule 3 at the time of signing of PPA and will be allowed to revise the same once within first three years of COD of the full project capacity. The declared annual CUF shall in no case be less than 17%. The HPD shall maintain generation so as to achieve annual CUF within + 10% and -15% of the contracted CUF (As declared in Schedule 3) till the end of 10 years from COD, subject to the annual CUF remaining minimum of 15%, and within +10% and -20% of the contracted annual CUF thereafter till the end of the PPA duration of 25 years. The lower limit will, however, be relaxable by GUVNL to the extent of

non-availability of grid for evacuation which is beyond the control of the Power Producer. The annual CUF will be calculated every year from 1st April of the year to 31st March next year.

- Combination C: The HPD shall declare the annual CUF in Schedule 3 at the time of signing of PPA (which will be as per bid submission)s and will be allowed to revise the same once within first three years of COD of the full project capacity. The declared annual CUF shall in no case be less than 30%. Calculation of CUF will be on yearly basis from 1st April of the year to 31st March of the next year. The HPD shall maintain generation so as to achieve annual CUF not less than 90% of the declared value (i.e Minimum CUF) and not more than 120% of the declared CUF value (i.e. Maximum CUF), during the PPA duration of 25 years. The lower limit will, however, be relaxable by GUVNL to the extent of non-availability of grid for evacuation of Hybrid Power, which is beyond the control of the HPD. Energy supplied between CoD and commencement of first financial year after COD will not be taken into consideration for the purpose of calculation of CUF. Subsequently, the annual CUF will be calculated every year from 1st April of the year to 31st March the next year.
- Combination D: As per Combination C.

1.3 Compensation for shortfall (below minimum CUF)

- Combination A: In case the project supplies energy less than the energy corresponding to the minimum CUF, the HPD will be liable to pay penalty for the shortfall in availability of energy. This will, however be relaxable to the extent of grid non-availability for evacuation, which is beyond the control of the HPD. The amount of such penalty will be calculated @50% of the PPA tariff for the shortfall in energy terms.
- Combination B: In case the project generates and supplies energy less than the energy corresponding to the minimum CUF, the HPD will be liable to pay to GUVNL, penalty for the shortfall in availability below such contracted CUF level. The amount of such penalty will be 25% of the cost of this shortfall in energy terms, calculated at PPA tariff.
- Combination C: In case the project supplies energy less than the energy corresponding to the minimum CUF, the HPD will be liable to pay to GUVNL, compensation for the shortfall in availability of energy. This will, however be relaxable to the extent of grid non-availability for evacuation, which is beyond the control of the Generator. The amount of such compensation will be calculated @ 50% of the PPA tariff for the shortfall in energy terms.
- Combination D: As per Combination C.

1.4 Excess purchase (beyond maximum CUF)

- Combination A: In case of availability of power more than the maximum CUF specified, HPD will be free to sell it to any other entity provided first right of refusal will vest with GUVNL. In case GUVNL purchases the excess generation, the same may be done at 75% of the PPA tariff.
- Combination B: In case of availability of power more than the maximum CUF specified, the HPD will be free to sell it to any other entity provided first right of refusal will vest with GUVNL. In case GUVNL purchases the excess generation, the same may be done at 75% of the PPA tariff.
- Combination C: In case of availability of energy more than the maximum annual CUF specified, Generator will be free to sell it to any other entity provided first right of refusal will vest with GUVNL. In case GUVNL purchases the excess generation, the same may be done at 75% of the PPA tariff.

- Combination D: As per Combination C.

1.5 Payment Security Mechanism

- Combination A: GUVNL shall provide payment security to the HPD through:
 - a) Revolving Letter of Credit (LC) of an amount not less than 1 months' average billing from the project under consideration;
- Combination B: GUVNL shall provide payment security to the HPD through:
 - a) Revolving Letter of Credit (LC) of an amount not less than 1 months' average billing from the project under consideration;
- Combination C: GUVNL shall provide payment security to the HPD through:
 - a) Revolving Letter of Credit (LC) of an amount not less than 1 months' average billing from the project under consideration;
- Combination D: As per Combination C.

1.6 Compensation due to Grid Unavailability during operation period.

- Combination A: During the operation of the plant, there can be some periods where the plant can generate power but due to temporary transmission unavailability beyond Delivery Point the power is not evacuated, for reasons not attributable to the HPD. In such cases the generation compensation shall be addressed by GUVNL in following manner:

Duration of Grid Unavailability beyond Delivery Point	Provision for Generation Compensation
Grid unavailability in a contract year as beyond 50 hours in a Contract Year as defined in the PPA:	Generation Loss = [(Average Generation per hour during the contract year) × (number of hours of grid unavailability during the contract year)] Where, Average Generation per hour during the contract year (kWh) = Total generation in the contract year (kWh) ÷ 8766 hours less total hours of grid unavailability in a Contract Year.

The excess generation by the HPD equal to this generation loss shall be procured by GUVNL at the PPA tariff so as to offset this loss in the succeeding 3 (three) Contract Years.

- Combination B: During the operation of the plant, there can be some periods where the plant can generate power but due to temporary transmission unavailability the power is not evacuated, for reasons not attributable to the HPD. In such cases the generation compensation shall be addressed by GUVNL in following manner:

Duration of Grid Unavailability	Provision for Generation Compensation
---------------------------------	---------------------------------------

Grid unavailability in a Contract Year as defined in the PPA:(Only period from 8 am to 6 pm to be counted)	Generation Loss = [(Average Generation per hour during the contract year) × (number of hours of grid unavailability during the contract year)] Where, Average Generation per hour during the contract year (kWh) = Total generation in the contract year (kWh) ÷ total hours of generation in the Contract Year. The excess generation by the HPD equal to this generation loss shall be procured by GUVNL at the PPA tariff so as to offset this loss in the succeeding 3 (three) Contract Years.
--	---

- Combination C& D: As per Combination A.

1.7 Compensation due to backing down

- Combination A: The HPD and GUVNL shall follow the forecasting and scheduling process as per the regulations in this regard by the Appropriate Commission. The Government of India, as per Clause 5.2(u) of the Indian Electricity Grid Code (IEGC), encourages a status of "must-run" to wind power projects. Accordingly, no wind power plant, duly commissioned, should be directed to back down by a DISCOM / Load Dispatch Centre (LDC). In case such eventuality of Backdown arises, except for the cases where the Backdown is on account of events like consideration of grid security or safety of any equipment or personnel or other such conditions, the HPD shall be eligible for a Generation Compensation, from GUVNL, in the manner detailed below.

Duration of Back down	Provision for Generation Compensation
Hours of Back down during a monthly billing cycle.	Generation Compensation = 50% × [(Average Generation during the month corresponding to the capacity backed down) × PPA Tariff] Where, Average Generation during the month corresponding to the capacity backed down (kWh) = (CUF during the month) × ∑ (Backed down capacity in MW × corresponding time of backdown in hours × 1000)

The Generation Compensation as calculated above will be limited to the extent of shortfall in annual generation corresponding to the maximum permitted CUF and the same will be settled on annual basis.

- Combination B: The HPD and GUVNL shall follow the forecasting and scheduling process as per the regulations in this regard by the Appropriate Commission. The Government of India, as per Clause 5.2(u) of the Indian Electricity Grid Code (IEGC), provides for the status of "must-run" to solar power projects. Accordingly, no Solar Power Plant, duly commissioned, should be directed to back down by a DISCOM / Load Dispatch Centre (LDC). In case such eventuality of Back down arises, including non-dispatch of power due to non-compliance with "Order No. 23/22/2019-R&R dated 28.06.2019 of Ministry of Power regarding opening and maintaining of adequate Letter of Credit as payment security mechanism under Power Purchase Agreements by Distribution

Licensees" and any clarifications or amendments thereto, except for the cases where the Back down is on account of events like consideration of grid security or safety of any equipment or personnel or other such conditions, the SPG shall be eligible for a Minimum Generation Compensation, from GUVNL, in the manner detailed below.

Duration of Back down	Provision for Generation Compensation
Hours of Back down during a monthly billing cycle.	$\text{Minimum Generation Compensation} = 100\% \text{ of } \left[\left(\text{Average Generation per hour during the month} \right) \times \left(\text{number of Back down hours during the month} \right) \right] \times \text{PPA Tariff}$ Where, Average Generation per hour during the Month (kWh) = Total generation in the Month (kWh) ÷ Total hours of generation in the Month.

The Generation Compensation is to be paid as part of the energy bill for the successive month after receipt of Energy Accounts. No back down / curtailment to be ordered without giving formal / written instructions for the same. The details of back-down/ curtailment, including justifications for such curtailment, to be made public by the concerned Load Dispatch Centre.

- Combination C: The Generator and GUVNL shall follow the forecasting and scheduling process as per the regulations in this regard by the Appropriate Commission. The Government of India, as per Clause 5.2(u) of the Indian Electricity Grid Code (IEGC), provides for status of "must-run" to RE power projects. Accordingly, no Hybrid Power Plant, duly commissioned, should be directed to back down by a DISCOM / Load Dispatch Centre (LDC). In case of Back down, including non-dispatch of power due to non-compliance with "Order No. 23/22/2019-R&R dated 28.06.2019 of Ministry of Power regarding Opening and maintaining of adequate Letter of Credit (LC) as Payment Security Mechanism under Power Purchase Agreements by Distribution Licensees" and any clarifications or amendment thereto, the Power Generator shall be eligible for a Minimum Generation Compensation, from GUVNL, in the manner detailed below.

Duration of Back down	Provision for Generation Compensation
Hours of Back down during a monthly billing cycle.	$\text{Minimum Generation Compensation} = 100\% \text{ of } \left[\left(\text{Average Generation per hour during the month} \right) \times \left(\text{number of Back down hours during the month} \right) \right] \times \text{PPA Tariff}$ Where, Average Generation per hour during the Month (kWh) = Total generation in the Month (kWh) ÷ Total hours of generation in the Month.

The Generation Compensation is to be paid as part of the energy bill for the successive month after receipt of Energy Accounts. No Compensation shall be payable, however, if the backdown/ curtailment is on account of considerations of grid security / safety. Such a backdown will be recorded and reported to RLDC/NLDC. RLDC/NLDC will examine the issue of grid safety/ security and give a finding that the issue of grid safety existed. The details of back-down/ curtailment, including justifications for such curtailment, to be made public by the concerned Load Dispatch Centre.

- Combination D: As per Combination C.

1.8 Financial Closure

- Combination A: The HPD shall attain the financial closure in terms of the PPA, within 7 months from the date of execution of the PPA.

- Combination B: The HPD shall attain the financial closure in terms of the PPA, within 12 months from the date of execution of the PPA.
- Combination C: HPD shall attain the financial closure in terms of the PPA, within 12 months from the date of execution of the PPA.
- Combination D: As per Combination C.

1.9 Scheduled Commercial Operation Date

- Combination A: The Projects shall be commissioned, within a period of 18 months from the date of execution of the PPA.
- Combination B: The Projects shall be commissioned, within a period of 18 months from the date of execution of the PPA.
- Combination C: The Projects shall be commissioned, within a period of 24 months from the date of execution of the PPA.
- Combination D: As per Combination C.

1.10 Part Commissioning

- Combination A: Part Commissioning of the Project shall be accepted by GUVNL subject to the condition that the minimum capacity for acceptance of first part commissioning shall be 50% of project capacity or 50 MW, whichever is lower, without prejudice to the imposition of penalty, in terms of the PPA on the part which is not commissioned. A project of capacity 100 MW or less can be commissioned in maximum two parts. The projects with capacity more than 100 MW can be commissioned in parts of atleast 50 MW each, with last part could be the balance capacity. However, the SCD will not get altered due to part commissioning. In case of part commissioning of the project, land corresponding to the part capacity being commissioned, shall be required to be demonstrated by the HPD prior to declaration of commissioning of the said part capacity. Irrespective of dates of part commissioning, the PPA will remain in force for a period of 25 years from the SCD or from the date of full commissioning of the Projects, whichever is Earlier.
- Combination B: Part Commissioning of the Project shall be accepted by GUVNL subject to the condition that the minimum capacity for acceptance of first and subsequent part(s) commissioning shall be 50 MW, without prejudice to the imposition of penalty, in terms of the PPA on the part which is not commissioned. However, the SCD will not get altered due to part commissioning. Irrespective of dates of part commissioning or full commissioning, the PPA will remain in force for a period of 25 years from the SCD.
- Combination C: Part Commissioning of the Project shall be accepted by GUVNL subject to the condition that the minimum capacity for acceptance of first part commissioning shall be atleast 50 MW, without prejudice to the imposition of penalty, in terms of the PPA on the part which is not commissioned. The Project can further be commissioned in parts of at least 25 MW batch size; with last part could be the balance capacity. However, the SCD will not get altered due to part commissioning. In case of part-commissioning of the project, possession of land in accordance with the provisions of PPA, corresponding to the part capacity being commissioned, shall be required to be demonstrated by the Generator prior to declaration of commissioning of the said part capacity. Irrespective of dates of part commissioning, the PPA will remain in force for a period of 25 years from the SCD. Part commissioning cannot be construed by just installing one source of

generation, the Generator shall install both solar and wind capacities in proposed ratio on pro-rata basis.

- Combination D: As per Combination C.

1.11 Early Commissioning

- Combination A: The HPD shall be permitted for full commissioning as well as part commissioning of the project even prior to the SCD subject to availability of transmission connectivity and Long Term Access (LTA). In case of the early part commissioning GUVNL may purchase the generation at PPA tariff.
- Combination B: The HPD shall be permitted for full commissioning as well as part commissioning of the project even prior to the SCD. In case of early part commissioning, till SCD, GUVNL may purchase the generation till SCD, at 75% of the PPA tariff. However, in case the entire capacity is commissioned prior to SCD, the procurer may purchase the generation at PPA tariff.
- Combination C: The Generator shall be permitted for full commissioning as well as part commissioning of the project even prior to the SCD subject to availability of transmission connectivity and Long Term Access / Medium term / Short Term Access. In case of the early part commissioning, the Generator will be free to sell it to any other entity provided first right of refusal will vest with GUVNL. GUVNL shall provide refusal within 30 days from the receipt of the request, beyond which it would be considered as deemed refusal. Procurement of such early commissioned power, if accepted by GUVNL, shall be done at the PPA tariff.
- Combination D: As per Combination C.

1.12 Transmission Charges and Losses

- Combination A: All transmission charges & losses upto delivery point shall be borne by the HPD. All transmission charges & losses beyond and after delivery point shall be borne by GUVNL.
- Combination B: All transmission charges & losses upto delivery point shall be borne by the HPD. All transmission charges & losses beyond and after delivery point shall be borne by GUVNL.
- Combination C: All transmission charges & losses upto delivery point shall be borne by the HPD. All transmission charges & losses beyond and after delivery point shall be borne by GUVNL.
- Combination D: Transmission charges & losses shall be borne shared by the parties as follows.
 - (i) All transmission charges & losses upto delivery point shall be borne by the HPD.
 - (ii) In case of Hybrid Power Plants with Combination D, the incremental transmission charges due to multiple interconnection points of the project i.e. transmission charges for the transmission / LTA / GNA quantum in excess of contracted capacity, shall be borne by the project developer irrespective of the delivery point.
 - (iii) It is further clarified that in case of Combination D, the transmission charges in relation to the transmission of power beyond and after the delivery point for the transmission / LTA / GNA quantum corresponding to contracted capacity shall be borne by GUVNL.
 - (iv) Moreover, the transmission losses upto delivery point shall be borne by the project developer and after delivery point shall be borne by GUVNL.
 - (v) For example, if a HPP with contracted capacity of 100 MW under Combination D, being set up with a solar component of 90 MW with ESS and wind component of 60 MW with or without ESS, is interconnected with the CTU grid at two separate interconnection points, the developer of such project shall be required to bear the CTU transmission charges of 150 MW capacity upto Delivery Point and GETCO transmission charges of 50 MW capacity after Delivery Point whereas GUVNL shall bear GETCO transmission charges of 100 MW capacity after Delivery Point.

Annexure III

Record of Discussions of Pre-bid meeting dated 18.07.2022 - RFS No. GUVNL / 500 MW / RE with ESS (Phase XV) dated 14.06.2022

<u>Sr No.</u>	<u>Reference</u>	<u>Proposed modifications/Rationale /Query from bidders</u>	<u>GUVNL's reply</u>
1.	Co-location of projects	The requirement of co-location shall be removed for (1) Wind and solar components in case of hybrid. (2) Co-location of ESS. Can different block can be set up at different location in case of Solar PV. Need clarification, whether battery / ESS is to be sub-divided on pro-rata basis w.r.t separately located blocks.	As per recently finalized GNA regulations of CERC, "Renewable Hybrid Generating Station" means <i>agenerating station based on hybrid of two or more renewable source(s) of energy with or without Energy Storage System, connected at the same inter-connection point.</i> Accordingly, the all three components of a Wind-Solar Hybrid Project with ESS shall be connected at the same inter-connection point and hybridization shall take place prior to grid interface. The provisions of detailed connectivity procedure, if any, to be notified by CTU from time to time shall be applicable. Wind and solar components of a wind-solar hybrid project shall be at the same location or shall be injecting power at the same grid interconnection point through sub-pooling station. In case of Solar and Wind Projects, different blocks can be set up at different locations. Further, the ESS in such cases is not required to be sub-divided on pro-rata basis at each location. However, grid charging of ESS shall not be permitted. Each Project shall have a single grid-interconnection point irrespective of number of blocks of the project. Enabling provisions for allowing project developers to install different sub-components of a project i.e. Wind, Solar, ESS at multiple locations with multiple grid interconnection points shall be incorporated in the RFS by introducing an additional Combination D wherein generation and blending of power from separate Wind and/or Solar and/or Wind-Solar Hybrid sources and ESS connected with the Grid at more than one interconnection points shall be allowed by incorporating necessary changes in the RFS documents. In such a combination, the transmission charges and losses shall be borne by GUVNL after the delivery point only upto contracted capacity whereas the incremental transmission charges and losses due to multiple grid interconnection points shall

			be borne by the HPD for making bids comparable for evaluation.
2.	Change in Law – Article 12.1.1	1) The scope of Change in Law should be broadened and provisions thereof should be aligned with MoP Guidelines. 2) The definition of Change in Law proposed by GUVNL is against the objectives of MoP Guidelines. 3) The provisions of Electricity (Timely Recovery of Costs due to Change in Law Rules, 2021) shall be applicable.	The Change in Law clauses proposed in the tender cover limited items i.e. taxes and duties on the generation of electricity (leviable on the final output in the form of energy) or sale of electricity, Safeguard Duty, Customs Duty, Anti-dumping Duty and GST under the ambit of Change in Law provisions. It is to clarify that while calculating the relief under the formula stipulated at clause 12.2.2 the "per MW" cost shall be considered based on aggregate rated capacity of wind and solar components and not based on contracted capacity. With regard to deviations from MoP Guideline and Electricity (Timely Recovery of Costs due to Change in Law Rules, 2021), it is to mention that GUVNL has already taken the approval of similar Change in Law clause earlier in Petition No. 2069 of 2022 (Order dated 19.05.2022) and that the definition of Change in Law as mentioned in Electricity (Timely Recovery of Costs due to Change in Law Rules, 2021) is applicable only when there is no definition of Change in Law in the PPA, taking into consideration the words "unless otherwise provided in the agreement" mentioned in the Rules.
3.	Project Timelines	We request GUVNL to also revise the timelines for SCOD and Financial Closure. The timelines for Wind with ESS should be increased. Project involves ESS and financing is difficult. It is suggested to increase SCD for pump storage projects to be 36 months from the date of execution of the PPA and 30 months for Solar-Wind Hybrid Projects along with ESS for facilitating in timely commissioning.	The project timelines are as per respective guidelines of Central Government. Considering that the waiver from applicability of ISTS transmission charges is expiring in June, 2025, the timelines of 24 months for commissioning is sufficient. GUVNL is exploring the possibility of Funding support through PSDF from Govt. of India and complete the bidding process and sign PPAs by June – 2023.
4.	Rf's 4.8.9 & 4.4 – Change in Project Configuration	4.8.9 Any Changes in the project configuration will be allowed only up to signing of PPA, and the project configuration shall remain unchanged thereafter 4.4 viii – it mentions project re-configuration allowed till FC	Change in project configuration under clause 4.8.9 is with reference to configuration of a wind-solar hybrid project. The re-configuration under Clause 4.4 viii is also an internal reconfiguration of the projects in terms of blocks. Any changes in the Project Configuration i.e. selection of Component A or B or C or D will be allowed only up to signing of PPA, and the Project configuration shall remain unchanged thereafter. However, internal reconfiguration of project in terms of blocks shall be allowed.
5.	Rf's 4.9.1- MoD clearance	30 days period for MOD clearance is big hindrance Kindly allow 90 days for applying MOD clearance	The clause is as per Central Government Guidelines and it is only advisory in nature.

6. Rfs 4.10.2 v Peak and Off Peak Hours	HPD shall be allowed to choose peak hours (in between the allocated peak hours) Request GUVNL to provide intimation of the consumption schedule minimum 24 hours before any operating Peak hour of the day. Do we expect that peak and off-peak hours as defined in bidding documents shall revise as per the RLDC's notification" To avoid any ambiguity, request GUVNL to please share the detailed procedure for intimation of Peak Hours by GUVNL / SLDC on a day ahead basis to HPD.	The discretion of choosing peak hours for scheduling in between the prescribed hours shall be with GUVNL / SLDC. As per Clause 4.10.2 (vi) of RfS and Clause 7.2 (iv) of the PPA, GUVNL / SLDC shall intimate its choice of Peak Hours to HPD on a day ahead basis. The peak hours are proposed to be revised as 05 to 09 Hours in morning and 18 Hours to 24 Hours in the evening of a day. The discharge will be in two cycles. The off-peak hours will also be revised accordingly. The detailed procedure for day ahead scheduling will be in line with the applicable DSM Regulations. Necessary amendment shall be issued for allowing mutually agreed peak hours between developer and SLDC based on grid scenario in future subject to quantum of charging and discharging remaining the same.
7. PPA 1.11 Excess Generation	In case of early full commissioning, it is clearly mentioned for Combination B that the Procurer may purchase the generation at PPA tariff, however, same is not mentioned for Combination A and Combination C. Therefore, we request you to kindly mention the same provision for Combination A and C as well.	The clauses mentioned at Schedule 1.11 of the PPA in respect of early commissioning in cases of Combination A (Wind), Combination B (Solar) and Combination C (Wind Solar Hybrid) are as per respective guidelines issued by Central Government. Accordingly, in case of Combinations A, C & D, the purchase of power in case of early commissioning shall be at PPA tariff whereas in case of Combination B, it shall be at 75% of the PPA tariff.
8. PPA 11.1- Force Majeure	Any damage or breakdown in transmission system shall be covered in Force majeure.	Sub-clause (ix) of the said clause already covers the same.
9. RFS Definition Installed Capacity	Please allow installed capacity to be more than the contracted capacity with the obligation that the developer will not inject power more than the contracted capacity in grid at any point in time. The clause of limiting installed capacity upto 5% of contracted capacity cannot be complied with specially in case of Hybrid. Therefore this clause may please be deleted. For ESS the Inverters are generally oversized. Please clarify the limitation on capping the Inverter Capacity.	Oversizing of inverter i.e. installation of inverter with capacity in excess of contracted capacity shall be allowed. Further, AC capacity of the project can be more than the contracted capacity. However, in any case, in any 15 minute time block during the entire term of the PPA, the injected power shall not exceed the Contracted AC Capacity for which the developer shall install necessary control systems / Power Plant Controller. GETCO shall grant connectivity for the contracted capacity. Necessary amendments in the tender documents for clarity regarding allowing oversizing of the AC capacity and Inverter Capacity shall be issued.

		The annual CUF obligation and obligation for supply of peak energy will be based on which capacity?	Annual CUF obligation and obligation for supply of peak energy will be based on Contracted Capacity.
10. Rf's 4.10.2 iv - Peak and Off Peak tariffs		We request GUVNL to consider single tariff for both peak and off peak hours Having a blended tariff instead of a two-part tariff will make the final tariff optically better In case there will be different tariff for off-peak hours, then kindly consider last discovered wind tariff as off peak tariff i.e., INR 2.80 Will there be any upper cap on excess generation during Peak hours beyond 20%.	The peak and off peak tariffs shall be separate.
11. Rf's 4.10.2 iv - Peak and Off Peak tariffs		Minimum ESS rated energy capacity – 1. Is it the operating capacity or just installed nameplate capacity? 2. Does this ESS rated Energy capacity required to be maintained throughout the project life 3. Will there be any test procedure to be conducted by GUVNL on annual basis for verification of available ESS capacity? There should not be minimum installed ESS rated energy capacity restriction with respect to contracted capacity of the project as per PPA. Kindly confirm regarding below points: 1) Can developer use / deploy multiple ESS technologies. 2) Will there be any particular process at time of commissioning for verification of ESS capacity.	The off peak tariff shall be increased to Rs 2.57 / unit by making necessary amendments in the tender documents.
12. Rf's 4.6 - Rated Capacity of ESS		Minimum ESS rated energy capacity would be the installed nameplate capacity at the time of commissioning and shall be at least X/2 MWh where X being the Contracted Capacity. However, the developer shall be required to meet contractual obligation of peak supply as per terms of PPA and maintain sufficient operating capacity of the ESS as per prudent utility practices to meet contractual obligations under the PPA. (1) The developer can deploy multiple ESS technologies at its own risk and cost. (2) The procedure for commissioning shall be as determined by GEDA.	The minimum ESS rated energy capacity would be the installed nameplate capacity at the time of commissioning and shall be at least X/2 MWh where X being the Contracted Capacity. However, the developer shall be required to meet contractual obligation of peak supply as per terms of PPA and maintain sufficient operating capacity of the ESS as per prudent utility practices to meet contractual obligations under the PPA.
13. Rf's 4.6 - Rated Capacity of ESS		Mandatory installation of Energy Storage System shall be increased to X MWh instead of X/2 MWh in order to meet the criteria for peak supply power.	X/2 MWh is only a minimum criteria and the bidders are free to install ESS of higher capacity to meet the criteria for peak supply power.

14. Delivery Point	Delivery Point: All expenses including transmission & wheeling charges and losses between the Project and the Delivery Point including on account of any change in law event shall be paid by the Power Producer without any reimbursement by GUVNL. All expenses including wheeling charges and losses in relation to the transmission and distribution after the Delivery Point shall be borne by GUVNL. The Developer cannot be asked to bear additional charges on account of any change in law event not envisaged at the time of bid submission. Request you to seek deletion of the bold text. What will be the treatment of GNA regulations in future?	This text has been included with a view to clarify that changes in transmission & wheeling charges will not be covered under 'Change in Law' and all transmission charges & losses upto delivery point shall be borne by the developer. The clause shall be read as under. "All expenses, including transmission & wheeling charges and losses between the Project and the Delivery Point including on account of any change in law event, shall be paid by the Power Producer without any reimbursement by GUVNL. All expenses including wheeling charges and losses in relation to the transmission and distribution after the Delivery Point shall be borne by GUVNL." It is to clarify further, that pursuant to effective date of GNA regulations and amended Sharing regulations of CERC in future, if the transmission charges are directly billed to GUVNL in respect of the RE projects connected with CTU, the same shall be recovered from the developers by making necessary adjustments while making payment of monthly invoices as the delivery point in the present tender is GETCO Periphery. Further, the mechanism of sharing of transmission charges & losses mentioned at Schedule 4 of PPA shall also be applicable in respect of projects connected with CTU as well as STU network.
15. GETCO related queries	- The list of sub-stations provided on GETCO website may be updated. Can bidder participate in the bid by using a substation which is not mentioned in the list of available GETCO substations? GUVNL may please confirm if Developer can choose from the existing STU SS which are not present in the list, however have connectivity is available as per our due diligence? - Please note that under clause 4.8.9 (illustration) connectivity has been showed at 11 kV or above level. Request GUVNL to please clarify minimum level of voltage for Blocks to be connected at Sub pooling / Pooling Station	- GETCO is in the process of finalizing the procedure for connectivity wherein the aspects regarding Sub-Station list will be covered. Further, Bidders shall have to choose the location(s) and sub-station(s) for their proposed Project(s) from the list as amended / updated by GETCO from time to time. - Interconnection voltages and metering shall be governed as per applicable regulations. Connectivity at delivery point shall be at voltage level of 66 kV or above and shall be determined in consultation with GETCO as per applicable regulations.
16. Definition - Wind-Solar Hybrid	As per definition of Wind-Solar Hybrid Project, the rated power capacity of one resource shall be at least 33% of the rated power capacity of other source. However, as per	It is clarified that both the provisions shall be applicable and have to be complied by the developer.

	Project	clause 3.2.2(2), the rated power capacity of one resources (wind or solar) shall be at least 33% of total contracted capacity.	
17.	Off Peak tariff.	We request to increase the off-peak tariff from Rs. 2.29 / kWh to Rs. 3/kWh. The off peak tariff in SECI Peak Power tender was INR 2.88/kWh during 2019-20. The price dynamics of RE and storage has drastically changed over the years and hence we request to increase the off-peak tariff to Rs. 3/kWh. Peak Tariff discovered in SECI peak tender with similar supply conditions are Rs. 6.12/kWh (PHSP technology) and Rs. 6.88/kWh (BESS technology) where off-peak tariff was Rs. 2.88/kWh. With off-peak tariff being reduced by Rs. 0.59/kWh and given location constraints (only BESS eligibility) it is likely that Peak tariff is going to be higher. However, average tariff shall remain in the same range. Hence, we suggest to keep bid eligibility as Single Tariff for both Peak and Off-Peak.	The objective of this tender is to shift the RE generation from off-peak hours (solar hours) to the designated peak hours (non-solar hours). The off peak tariff to be increased from Rs 2.29 / unit to Rs 2.57 / unit by making necessary amendments in the tender documents. The selection of successful bidders shall also be based on Peak tariff and not on average tariff.
18.	Co-location of projects	The requirement of co-location shall be removed for (1) Wind and solar components in case of hybrid. (2) Co-location of ESS. Can different block can be set up at different location in case of Solar PV. Need clarification, whether battery / ESS is to be sub-divided on pro-rata basis w.r.t separately located blocks.	As per recently finalized GNA regulations of CERC, "Renewable Hybrid Generating Station" means <i>agenerating station based on hybrid of two or more renewable source(s) of energy with or without Energy Storage System, connected at the same inter-connection point.</i> Accordingly, the all three components of a Wind-Solar Hybrid Project with ESS shall be connected at the same inter-connection point and hybridization shall take place prior to grid interface. The provisions of detailed connectivity procedure, if any, to be notified by CTU from time to time shall be applicable. Wind and solar components of a wind-solar hybrid project shall be at the same location or shall be injecting power at the same grid interconnection point through sub-pooling station. In case of Solar and Wind Projects, different blocks can be set up at different locations. Further, the ESS in such cases is not required to be sub-divided on pro-rata basis at each location. However, grid charging of ESS shall not be permitted. Each Project shall have a single grid-interconnection point irrespective of number of blocks of the project. Enabling provisions for allowing project developers to install different sub-

		components of a project i.e. Wind, Solar, ESS at multiple locations with multiple grid interconnection points shall be incorporated in the RFS by introducing an additional Combination D wherein generation and blending of power from separate Wind and/or Solar and/or Wind-Solar Hybrid sources and ESS connected with the Grid at more than one interconnection points shall be allowed by incorporating necessary changes in the RFS documents. In such a combination, the transmission charges and losses shall be borne by GUVNL after the delivery point only to the extent of contracted capacity whereas the incremental transmission charges and losses in excess of contracted capacity due to multiple grid interconnection points shall be borne by the HPD for making bids comparable for evaluation. Further, in such Combination D it is proposed to follow other provisions of bid document inline with Wind-Solar Hybrid Guidelines of MoP, subject to approval of GERC.	components of a project i.e. Wind, Solar, ESS at multiple locations with multiple grid interconnection points shall be incorporated in the RFS by introducing an additional Combination D wherein generation and blending of power from separate Wind and/or Solar and/or Wind-Solar Hybrid sources and ESS connected with the Grid at more than one interconnection points shall be allowed by incorporating necessary changes in the RFS documents. In such a combination, the transmission charges and losses shall be borne by GUVNL after the delivery point only to the extent of contracted capacity whereas the incremental transmission charges and losses in excess of contracted capacity due to multiple grid interconnection points shall be borne by the HPD for making bids comparable for evaluation. Further, in such Combination D it is proposed to follow other provisions of bid document inline with Wind-Solar Hybrid Guidelines of MoP, subject to approval of GERC.
19. Calculation of Shortfall in supply and compensation	- Kindly clarify whether shortfall in supply of Peak Power will be calculated monthly or annual basis? In case it is calculated monthly basis, we request to kindly amend it to annual basis as this shortfall may be prominent during low wind seasons where charging of BESS shall be a problem. - We understand that the energy supplied during Peak hours shall also be accounted in the calculation of annual CUF. Please confirm. - Please clarify if the shortfall in supply will be charged at peak tariff or off-peak tariff. - Cl 4.10.3 (vi) states that shortfall in Peak Power supply shall be adjusted against annual energy reconciliation. Cl 4.10.3 (iii) states that the compensation for shortfall in supply of peak power specified herein shall be in addition to the other compensation provided in RFS. Kindly clarify whether compensation payable shall be netted off as per Cl 4.10.3 (vi.) in case of shortfall in supply of Peak Energy and shortfall in annual CUF. - As the generation compensation to the developer in cases of grid unavailability, back down is to be given at PPA tariff, in this reference please clarify if the PPA tariff will be peak tariff or off-peak tariff.	- The shortfall in supply of peak power will be calculated for each hourly block in a day and the same shall be reconciled and settled on monthly basis. - The energy supplied during Peak Hours shall be accounted in the calculation of annual CUF by way of netting off as per illustration at Clause 4.10.3 (vi) of RFS. - The shortfall in peak supply will be charged at peak tariff and will not be charged again while calculating the compensation for shortfall in overall annual supply. The shortfall in supply of power other than the above shall be charged at off-peak tariff. - The generation compensation to the developers in case of grid unavailability will be settled at peak tariff in case of grid unavailability during peak hours and at off peak tariff in case of grid unavailability during off peak hours as per Schedule 4 of PPA.	
20. Nodal	Request to clarify whether GEDA shall be the certifying	GEDA shall be the certifying authority for both STU and CTU connected projects	

	agency for commissioning	authority for both STU and CTU connected projects for commissioning.	for commissioning.
21. Metering		Separate metering of Wind and Solar in a Wind-Solar Hybrid Project should not be insisted for a new Wind and Solar Hybrid Project.	It is mandatory as per GERC tariff framework for Wind-Solar Hybrid Projects and the same is required for accounting of separate RPO of wind and solar.
22. Delay in commissioning		- How will the delay in commissioning of Energy Storage facility be quantified for the period of SCOD and SCOD + 6 months. - Will there be any practice for capacity demonstration at the time of commissioning for the integrated energy storage facility.	The treatment for delay in ESS will be the same as is for RE components. The ESS capacity shall be demonstrated at the time of commissioning in line with Commissioning Procedures to be decided by GEDA.
23. Peak and Off Peak Hours		We understand that any power supplied during Peak hours will be considered Peak Power and HPD will be paid with Peak Tariff for energy supplied during the peak hours. Hence, peak tariff will be paid for total 9 peak hours of the day, with upper limit of 50MW power for each 1 hr block during peak hours, wherein GUVNL can schedule peak power during 6 hrs. Request GUVNL to confirm that Peak Hours will be the "9 hr time block" mentioned in the definition and out of which "6 hr time block" selected by GUVNL / SLDC will be the "Notified Peak Hours".	The peak hours are proposed to be revised as 05 to 09 Hours in morning and 18 to 24 Hours in the evening of a day. The off-peak hours will also be revised accordingly. These 10 hours are designated peak hours of the day however the peak tariff shall be paid only for the 6 peak hours chosen by SLDC for scheduling of Peak Power as per RfS. The power injected in the other hours will be supplied at off-peak tariff. Necessary amendment shall be issued for allowing mutually agreed peak hours between developer and SLDC based on grid scenario in future subject to quantum of charging and discharging remaining the same.
24. Compensation due to Grid Unavailability		Request GUVNL to define "Notified Peak Hours" separately. 1.6 Compensation due to Grid Unavailability during operation period. What if HPD couldn't generate excess generation? How HPD will be compensated.	HPD will not be compensated in such case.
25. TDS Deduction		We request to kindly clarify if TDS Deduction is allowed from the payment of Cost of RfS and Bid Proceeding Fees?	Payment of TDS Deduction is allowed. However, BG towards EMD in such cases shall be released only after submission of documents regarding payment of tax to the tax authorities.
26. Sharing of CDM		We request GUVNL to kindly confirm regarding the Clean Development mechanism (CDM) Benefits for the project developed under this RfS. Is there any benefits to be shared with GUVNL or Developer can avail 100% of same on its own.	Sharing of CDM is not applicable in respect of this tender.

27. Clause 4.10.2 (vii)	1) Can developer install additional dedicated RE power capacity for Charging of the ESS / BESS system only other than contracted capacity? 2) We request to use Rs 2.29/KWh instead of HT temporary tariff for imported energy which may also be used for grid charging? 3) For Combination B-Solar Project with co-located ESS, it will not be possible to meet the peak power requirement for the next day morning peak as battery shall not have sufficient charge, unless ESS is oversized which will have impact in CAPEX. In this regard the Developer shall be allowed for grid charging the ESS with RE power from grid/exchange market.	(1) The developer can install higher capacity of RE project for charging of ESS. However, the injection in the grid as well as connectivity quantum shall be limited to contracted capacity. (2) Grid Charging of ESS is not permitted. Energy Drawl from grid, if any, shall be Charged at HT temporary tariff. (3) Charging of ESS from open market / exchanges is not allowed.
28. Change in Location	As per RFS, the bidder shall identify 100% of the land for the project at the time of bid submission. We request GUVNL to kindly clarify if any documentary proof required to furnish in support of same. Also, kindly confirm that the change in location is allowed till SCOD of project as per RFS provisions.	There is no requirement for submission of documentary proof for the land at the time of bid submission. The change in location is allowed till SCOD of the project as per RFS conditions however, the timelines for commissioning shall remain unchanged.
29. Change in Location	We request GUVNL to kindly confirm that the location / land parcel can be changed till SCOD in case the developer has opted for sub-station allocation based on L1 priority, by keeping the Sub-station firm up.	The change in sub-station selected by developer based on L1 priority shall not be allowed. However, the change in project land by keeping the sub-station unchanged is allowed.
30. Import of equipment	We request GUVNL to kindly confirm: 1) Is there any restriction on import of material for this project from countries such as China or other countries which shares land border. 2) Is any registration required of those vendors in case if the material sourced from these countries. Kindly confirm if the BESS will be deployed as ESS as per RFS requirement, can BESS be sourced from China and the manufacturer not registered with competent authority.	The developers are required to adhere to the OM dated 23.07.2020 issued by Department of Expenditure, Ministry of Finance, Government of India as per RFS and all other Notifications issued by Central Government from time to time.
31. Format 8.10 – Submission	We request GUVNL to kindly clarify if the details which bidder submits in Format 8.10 (proposed technology tie up, estimated	Format 8.10 stipulates basic technical information which should be declared along with Bid submission. The project combination shall be decided at the time

	of information	annual generation, ____) will be firm up at this stage or same will be allowed to change later on? In case if its allowed, kindly confirm the timeline upto which the same is allowed.	of signing of PPA. Internal reconfiguration of project shall be allowed as per RFS documents. The project location can be firm up subsequently as per RFS documents.
32.	RFS 6.3.4 (vi) – E-RA	Kindly confirm if the extension of time in reverse auction will be of 8 min or 5 min in case if there will be any tariff reduction by bidders in Green / yellow zone.	The auto extension will be for the 5 min. Necessary amendment to be issued.
33.	RFS – Single PPA or multiple PPAs	We request GUVNL to kindly confirm if the Developer can select different projects with different technologies / Combinations. Also, kindly confirm if single PPA will be signed for different combinations or single PPA will be signed.	Yes, it is at the discretion of developer to choose any combination with ESS of different technologies. In case of different combinations, different PPAs will be signed. If the combinations of all projects to be developed by developer are similar, a single PPA can be signed. Clause 4.4.4 (vii) of RFS to be amended accordingly.
34.	RFS A.6 – Shareholding	As per RFS, a Bidder which has been selected as Successful Bidder based on this RfS can also execute the Project(s) through a Special Purpose Vehicle(s) (SPV) i.e. a Project Company especially incorporated/acquired as a subsidiary Company of the successful bidder for setting up of the Project, with atleast 76% shareholding in the SPV which has to be registered under the Indian Companies Act, 2013, before signing of PPA. Multiple SPVs may also be utilized for executing more than one Project. We request to kindly clarify if the Shareholding bidder to maintain is 76% or 51% in SPV during the Project execution period.	Bidder is required to be maintain shareholding of at least 51% for a period of 1 year after SCoD. However, at the time of signing of PPA, minimum shareholding shall be 76%.
35.	BIS Certification	BIS certification on BESS system - Kindly clarify if developer required to furnish / consider the BIS certification for the BESS.	Batteries/ Power Conversion System (PCS) deployed in the power plants including safety equipments must have valid test certificates for their qualification as per specified in applicable IEC/ BIS Standards and as mentioned in Annexure-A1 of RfS. Further, Guidelines for Standalone BESS issued by MoP dated 10.03.2022 shall also be compiled for BESS.
36.	RFS 4.10.4	The similar methodology will be followed for all the days in the concerned billing month, with total deviation calculated for 180	The similar methodology will be followed for all the days in the concerned billing month, with total deviation calculated for 180 hours in a month (consisting of 30

		hours in a month (consisting of 30 days), being matched against the reference value of 50 MWh x30, i.e..... Please recheck the reference value of 50 MWh X 30 i.e 1500 MWh	days), being matched against the reference value of 50 MWh x30 x 6, i.e 9000 MWh. Necessary amendments to be issued to modify Clause 4.10.4 of RFS in order to align the same with Clause 4.10.3 (iv) of RFS and 5.1 (viii) (c) of PPA
37. Selection of Project Combination.		We request GUVNL to kindly confirm that Bidder can quote multiple combinations in bid or a bidder can quote only single combination as bid submission	Bidder can quote multiple combinations in bid but has to select final combinations at the time of signing of PPA.
38. Bilateral PPA		The Bidder may also be allowed to tie up the ESS with a third party, while self-developing the RE component. Such provision was already allowed in SECI RTC II tender. Additionally, we propose another business model wherein the Bidder develops the ESS and ties up the RE with a third party. Such model is needed given the evolving ESS industry. It is requested that RE Assets and Storage Assets are allowed to be held under different SPV's for ease of project financing and any one of the following options be explored to achieve the same (1) Solar (or Wind) entity (SPV 1) being the lead entity signing the tripartite agreement with GUVNL and a separate ESS entity (SPV 2) being a party to this agreement. Solar (or Wind) entity (SPV 1) signing Power Purchase Agreement with GUVNL and a back to back agreement with an ESS entity (SPV 2) for a minimum of X/2 MWh. Given that development of RE and ESS are of two different nature and thereby having different investor base, it may be allowed to form two separate SPVs, each for RE and ESS, for setting up the Projects	The present tender is for procurement of power from RE projects with ESS. There will be a single bilateral PPA with developer for both RE as well as ESS capacity as the RE project with ESS is treated as a single project to be implemented by the successful bidder.
39. Definitions (RIS)		"PLANT" or "PROJECT" shall mean the new renewable energy based power generation facility, including ESS, having single point of injection into the grid at Interconnection/ Delivery/ Metering Point, having separate control systems and metering. The Project may.....	This is basic technical feature of any project. Each project shall have separate control systems and metering. Even in the projects having merchant capacity, separate control systems for the entire project is a basic technical characteristic. No change is required.

		In case of certain energy storage projects, particularly for pumped storage projects (PSP), the Project size may be lower than the overall capacity of such storage project. In such cases, separate control systems and metering may not be feasible. In such cases, part of the larger capacity shall be made available to GUVNL in line with the tender conditions. This is particularly relevant for PSP projects where the economies of scale dictate that the optimal size of project which is beyond a minimum threshold. For instance, in case of Greenko, all the PSP projects are of capacity in excess of 10000 MWh. In view of above, it is suggested that GUVNL may do away with the requirement of separate control systems and metering.	
40.	Peak power criteria.	State may consider to off-take 100 MW power for each 1-hr block during the Peak Hours at peak tariff instead of 50 MW for each capacity contract of 100 MW, as technologies are available to meet such requirement and would meet the intended requirement of the state.	The peak power criteria of 50 MWh against contracted capacity of 100 MW mentioned in the tender is adequate considering different types of ESS.
41.	Shortfall in peak supply	Shortfall shall be permitted upto 10% below the energy commitment during the Peak Hours on a monthly basis without any compensation instead of 20%. This will increase the dispatchability for the state and fulfil the intended requirement.	The energy commitment in peak hours mentioned in the tender is adequate considering different types of ESS and RE sources.
42.	4.10.4 (RfS) & 5.1.viii.e (PPA) & 5.4.ii	This clause refers to excess generation at an annual level where the Annual CUF supply conditions are met. However, with higher Installed Capacity than the contracted capacity to meet the supply conditions there will be excess generation on a day-to-day basis and hour to hour basis. This excess generation on a day-to-day basis and hour to hour basis should be allowed to sell on exchange without any restrictions from GUVNL.	GUVNL shall have first right to purchase the scheduled excess generation. The excess generation can be sold in the market only if the same is refused by GUVNL.
43.	Payment on Order Instrument	Submission of Payment on Order Instrument (POI) should also be allowed instead of Bank Guarantee.	GUVNL is accepting Bank Guarantee towards EMD as per list of banks notified by Finance Department, Government of Gujarat from time to time.

44. Delay in commissioning	Delay in ISTS substation and network is beyond the control of developers. Therefore any delay in ISTS system shall correspondingly be allowed for extension of COD with an added period of 30-60 days for testing and commissioning.	Necessary amendments to be issued.
45. Network	"Certified copies of annual audited accounts for the last financial year ending on 31.03.2022 or 31.12.2022 as applicable or as on the date at least 7 days prior to the bid submission deadline."	Necessary amendments to be issued.
46. Network	31.12.2021 instead of 31.12.2022 The Net Worth of the Bidder should be equal to or greater than INR 1.5 Crores per MW of the quoted capacity, as on the last date of previous Financial Year, i.e. FY 2021-22 or as on the date at least 7 days prior to the date of bid submission. Either FY 2021-22 or FY 2020-21 if FY 2021 - 22 are not ready.	Necessary amendment allowing use of Net-worth based on Financial Statements of FY 2020-21 to be issued.
47. Lock Period of ownership	Without prejudice to the rights of GUVNL to object to the assignment of the Projects by the Successful Bidders as provided in the PPA, if the Project is transferred or sold to a third party during its tenure (after initial lock-in period of 1 year after COD), GUVNL at its discretion shall have the option and the rights to operationalize the PPA with the third party, which will be under full obligation to honor all the obligations and terms & conditions of the PPA We propose that Section 3.3.4 of the R/S should be deleted and the transfer restriction should only be for a period of 1 year i.e. the lock-in period, and as provided in the PPA. Post the lock-in period, transfer (including sale) should be directly allowed to the successful bidder and its operationalisation should not be at the discretion of GUVNL.	Necessary amendments to be issued allowing transfer of project after initial lock-in period of 1 year after COD.
48. EMD & PBG	EMD and PBG amount should be reduced.	The amounts of PBG and EMD are in line with the Central Government Guidelines.
49. Wind-Solar Hybrid	In case of part commissioning of the Wind-Solar Hybrid Power Projects, it shall be mandatory to demonstrate commissioning	The clause is in line with the Central Government Guidelines.

Projects	of one component (either wind or solar) having capacity equal to atleast 33% of the project capacity of the other component being commissioned, otherwise the project shall not be demonstrated as part-commissioned	
50. GST on extension charges	Rationale: We request GUVNL to allow Part commissioning for Solar and Wind separately for Hybrid Project and 33% criteria can be shown at the time of full commissioning We request GUVNL to make extension charges for FC inclusive of GST as this will help lower the tariff and will be in line with the SECI peak power tender as well	Since GST is applicable on extension charges, it shall be collected in addition to extension charges.
51. Rebate	Since MCLR is already over 7% and expected to rise further, the rebate should be capped at 5% + MCLR i.e 1% per month upper cap.	The rebate clauses stipulated in the bid documents are appropriate.
52. Letter of Credit	(...) All the cost for opening, maintenance and other cost related to establishment of Letter of Credit shall be borne by the Procurer.	LC is just an optional arrangement. If a developer wants to avoid LC charges, he may not avail LC. There are various developers who do not require LC as GUVNL's has good track record in terms of making payment in time.
53. Force Majeure	In line with hybrid guidelines, which state, "(...). The HPG shall intimate the Procurer about the occurrence of force majeure within 15 (fifteen) days of the start of the force majeure and the Procurer shall take a decision on his claim within 15 days of the receipt of the intimation." Termination compensation due to Force Majeure not included. Force Majeure clause need to be aligned as per MoP Guidelines	The Force Majeure provisions of the present tender are in line with GUVNL tender for Solar Projects. These provisions have already been approved earlier in case of Solar. Similar clauses are proposed for Wind and Hybrid. However, necessary clauses for bringing the event of delay in LTA operationalization under ambit of Force Majeure provisions to be issued.
54. Force Majeure	There should be scope for renegotiation of tariff in case of FM to make the bid more competitive	The tariff cannot be renegotiated. Relief under the Force Majeure provisions shall be as per the relief clause.
55. RFS 13.1.1 - C & E - Event of Default	Occurrence of any other event which is specified in this Agreement to be a material breach / default of the HPD or commits any other acts or omissions as laid down in the PPA The above clause shall be deleted and similar clause shall be added under GUVNL's event of default.	This is a standard clause. No change is required.

56. Letter of Credit	We request GUVNL to edit the payment security mechanism clause for all 3 combinations in a way that the payment security consists of a revolving LC of an amount not less than 3 months' average billing instead of 1 month	The clauses regarding LC equivalent to 1 month billing is as per Central Government Guidelines.
57. RFS Schedule 4 - Generation Compensation	Generation compensation in case of backdown for combination A should be made consistent with combination B & C, where the compensation is defined as 100% of average generation * backdown hours * PPA tariff	The clauses are as per Central Government guidelines.
58. Co-located ESS	Rationale: We request GUVNL to clarify the charges which will be applicable on charging of ESS in case the generation assets are not co-located However, for each 100 MW of Contracted Capacity, as per the PPA, GUVNL shall off-take 50 MW power for each 1-hr block during the Peak Hours, limited to six nos. of 1-hour blocks, at the Peak Tariff The continuous discharge from the ESS solution during peak hours may be limited to 4 hours considering the commercial proven technologies available for ESS. Minimum gap of 1 hour shall be provided after one full charging / discharging cycle	The project developer shall be required to bear all transmission charges and losses upto delivery point. Additionally, the transmission charges and losses are also required to be shared by the developer setting up the project under Combination D (at more than one inter-connection point) as per Schedule 4 of the PPA. The peak hours are proposed to be revised as 05 to 09 Hours in morning and 18 to 24 Hours in the evening of a day. The discharge will be in two cycles. SLDC shall off-take peak power by choosing 4 hours from the evening Peak Hours and 2 hours from the morning Peak Hours. <u>SLDC and RE developers can modify the peak hours with mutual agreement during the term of the PPA provided that the quantum for assured power offtake remains unchanged.</u>
59. Peak and Off-peak hours		
60. Approvals	The HPD shall apply for all the necessary approvals, permits and clearances not later than 3 months from the issuance of LOI, which shall be complete in all respects, incorporating the clarifications/changes as required by the concerned authorities. The above timeline shall be adhered to, in order to examine cases where the HPD faces delay in grant of the necessary approvals and permits, for a period substantially greater than the standard period of grant of approval by the respective organizations. 3-month timeline for obtaining the clearances is too less as all	The timeline of 3 months is only for making application and it is not necessary to obtain the approvals.

		these requires ample of time for this specific type of projects. It should be increased to 6-month.	
61. Late Payment Surcharge		(1) Late Payment Surcharge shall be payable on the payment outstanding after the due date at the base rate of Late Payment Surcharge applicable for the period for the first month of default. (2) The rate of Late Payment Surcharge for the successive months of default shall increase by 0.5 percent for every month of delay provided that the Late Payment Surcharge shall not be more than 3 percent higher than the base rate at any time. (3) Provided further that all Payments shall be first adjusted towards Late Payment Surcharge and thereafter, towards monthly charges, starting from the longest overdue bill. (4) The Late Payment Surcharge shall be claimed by HPD through the supplementary bill. It shall be changed as per the LPSC rules dated 03.06.2022	These provisions are consistent with Late Payment Surcharge Rules 2022. Necessary amendments to be made to give reference of LPS Rules.
62. Excess generation		Any excess generation over and above the declared annual CUF may be purchased by GUVNL at its discretion (without any obligation to do so) as per PPA. The HPD shall inform at least 30 days in advance of such excess generation to GUVNL, to enable GUVNL take necessary actions for sale / consumption of this excess generated energy. The HPD shall inform at least 1 day ahead in advance of such excess generation to GUVNL.	No change is required.
63. EMD & PBG		Waiver for MSME registered companies in EMD and PBG submission should be provided. Similar provision is also available in SECI and other auctions also.	The exemptions to MSMEs available in the Central Government tenders as per Central Government policies is not specified for State Government tenders or RE policies of State.
64. GERC approval		It is requested if GUVNL can provide clarity on what are the deviations sought by GUVNL under the petition before GERC which will be applicable to this tender.	The copy of petition is available on GUVNL's website. The deviations have been sought in following provisions (1) Force Majeure (2) Change in Law (3) Payment Security Fund.
65. Peak Tariff		Since there is 20% flexibility in supply of energy, request	Necessary amendment to be issued.

		GUVNL to amend the definition as follows:	
		"PEAK TARIFF" shall mean the tariff payable to the HPD for energy supplied during the Peak Hours as per the dispatch schedule confirmed by the Discor / GUVNL / SLDC, applicable to supply of energy limited to 300 MWh (along with permissible additional limit of 20%) within a time period of 24 hours, for each 100 MW Contracted Capacity;	
66. Pooling SubStation and Sub-Pooling Sub-station		Request GUVNL to clarify the difference between "Pooling Sub Station" and "Sub-Pooling Substation"	Sub-Pooling station is the point where two sub-components of the Wind-Solar Hybrid Project Interconnect prior to grid.
67. ESS at sub-pooling station		Please confirm whatever the block split of a hybrid PV-Wind Project, ESS can be connected to sub pooling station.	Pooling Station is where more than One Projects interconnect with grid through common infrastructure. Yes, the ESS can be connected to sub-pooling station.
68. DSM Penalties		We understand that HPD will be subject to DSM penalties if generation is different from scheduling as per application of DSM. Request GUVNL to indicate the reference tariff used for the DSM penalties, will it be offpeak tariff or peak tariff also will it be depending on the time hour block of deviation.	In case of STU connectivity, DSM Regulations of GERC shall be followed separately in respect of wind and solar subject to future amendments in the regulations. In case of CERC Regulations, the DSM Regulations of CERC shall be followed.
69. Oversizing		Please consider our request to allow oversizing of individual rated capacity of wind and solar beyond rated capacity to enable us to meet PPA compliances (in case of Combination A & B)	Oversizing of rated capacities to be allowed by removing 5 % limit. Necessary amendments to be issued.
70. Projects in Gujarat		We request that option of all or part project capacity may be allowed to put anywhere in India under ISTS network	The projects under this tender can be set up in the State of Gujarat with CTU/STU connectivity or may be set up anywhere in India with CTU connectivity.
71. DSM Regulations		Which Forecasting, Scheduling and Deviation Settlement Regulations would become applicable for Hybrid project as no specific DSM regulations exist for Hybrid projects. Whether addition of storage component will attract DSM regulations related to conventional power projects, please	In case of STU connectivity, DSM Regulations of GERC shall be followed separately in respect of wind and solar subject to future amendments in the regulations. In case of CTU Connectivity, the DSM Regulations of CERC shall be followed. As per latest CERC regulations, RE projects can be set up with or without

	clarify.	storage. Accordingly, the storage component should not attract DSM penalties relating to conventional power.
72. Energy Accounting	In case GUVNL fails to intimate its choice of Peak Hours for a particular day or chooses less than 6 hours for Peak Power supply, the HPD shall be free to choose such Peak Hours in line with Clause 4.10.2v of the RFS, as per its own discretion, and shall intimate such choice to GUVNL / SLDC on day-ahead basis. <u>Energy accounting will be done on the scheduling done by the HPD, at the respective Peak and Off-Peak PPA tariffs.</u> Please confirm whether the energy accounting will be done on the schedule basis or actual basis.	In case of projects connected with CTU network, energy accounting will be done on the basis of energy scheduled in line with CERC Regulations. In case of STU connectivity, the energy accounting will be done on actual basis in line with GERC Regulations.
73. EMD	Whether the EMD has to be submitted based on contracted capacity or on the basis of proposed capacity of Solar/Wind/Hybrid project? Please clarify.	The EMD is to be submitted based on capacity offered by bidder for contracting with GUVNL.
74. GERC approval	Whether the tariff fixed for Off-peak power in the bid documents will also be adopted by the Commission as it is not derived through competitive bidding process as required under Section 63 of the Electricity Act.	GUVNL has already filed a petition before Hon'ble GERC for approval of bid documents and issued the tender documents after Hon'ble GERC's interim approval for floating the tender. GUVNL shall also obtain the approval of GERC for revisions in bid documents.
75. Bid evaluation	The bid documents do not provide upper ceiling for CUF. Based on Fixed tariff for off peak hours and auction derived peak hours tariff, the weighted average tariff may come relatively lower in case a bidder quotes higher overall annual CUF and higher tariff as against the bidder quoting lowest peak tariff with lower overall annual CUF. This should not create any dispute in future.	The objective of this tender is to shift the RE generation from solar hours to non-solar hours. Therefore the bid evaluation is to be done based on peak tariff. If a bidder is able to minimize the peak tariff rate by supplying less power in off-peak hours, the same is in line with the objectives of the tender.
76. Point C8 in Section 5 - Network	For example, if two companies A and B form a Consortium with equity participation in 70:30 ratio and submit their bid for a capacity of 100MW, then, total Net-Worth to be met by the Consortium is Rs. 1.2 Crores x 100MW = Rs. 120 Crores. Minimum requirement of Net-Worth to be met by Lead Member A would be minimum Rs. 84 Crores and to be met by	Net-worth for qualification criteria is Rs 1.5 Crs / MW as per Point C.8 at Section 5 of RFS. The illustration at Point C8 to be modified accordingly.

		Consortium Member B would be Rs.36 Crores.	
77. EMD		Can a bidder participate in bid by submitting EMD from their parent company?	EMD can be submitted by a parent company on behalf of their fully owned subsidiary company in case of bidding by the subsidiary company.

Annexure – IV

Statement showing some of the important Amendments / Modifications in the tender invited by GUVNL vide RFS No. GUVNL / 500 MW / RE with ESS (Phase XV) dated 14.06.2022

SN.	Reference	Existing Clause	Proposed modifications
1.	Definition of "Peak Hours" in RfS & PPA	"Peak Hours" shall mean the energy scheduling hours between (& including) <u>06:00</u> hrs up to 09:00 hrs, and between (& including) 18:00 hrs to 24:00 hrs of the same day. For the purpose of scheduling, a 'day' shall commence from 00:00 hrs and end at 24:00 hrs;	"Peak Hours" shall mean the energy scheduling hours between (& including) <u>05:00</u> hrs up to 09:00 hrs, and between (& including) 18:00 hrs to 24:00 hrs of the same day. For the purpose of scheduling, a 'day' shall commence from 00:00 hrs and end at 24:00 hrs;
2.	Definition of "Off Peak Hours" in RfS & PPA	"Off-Peak Hours" shall mean the energy scheduling hours between (& including) 09:00 hrs up to 18:00 hrs and the hours between (& including) 00:00 hrs. up to <u>06:00</u> hrs of the subsequent day;	"Off-Peak Hours" shall mean the energy scheduling hours between (& including) 09:00 hrs up to 18:00 hrs and the hours between (& including) 00:00 hrs. up to <u>05:00</u> hrs of the subsequent day;
3.	Definition of "Peak Tariff" in RfS & PPA	"PEAK TARIFF" shall mean the tariff payable to the HPD for energy supplied during the Peak Hours as per the dispatch schedule confirmed by the Discom / GUVNL / SLDC, applicable to supply of energy limited to 300 MWh within a time period of 24 hours, for each 100 MW Contracted Capacity;	"PEAK TARIFF" shall mean the tariff payable to the HPD for energy supplied during the Peak Hours as per the dispatch schedule confirmed by the Discom / GUVNL / SLDC, applicable to supply of energy limited to 300 MWh <u>(along with permissible additional limit of 20% as per PPA)</u> within a time period of 24 hours, for each 100 MW Contracted Capacity;
4.	Text in the Table under Clause 4.10.2 v. of RfS & Article 7.2 iii. Of PPA	Discharge hours during morning Peak Hours, between (& including) <u>06:00 hrs (with a ±30 minutes variation) up to 09:00 hrs (with a ±30 minutes variation)</u> Discharge hours during evening Peak Hours,	Discharge hours during morning Peak Hours, between (& including) <u>05:00 hrs up to 09:00 hrs</u> Discharge hours during evening Peak Hours, between (& including) <u>18:00 hrs up to 24:00 hrs</u>

SN.	Reference	Existing Clause	Proposed modifications
		between (& including) <u>18:01 hrs (with a ± 30 minutes variation) up to 24:00 hrs (with a ± 30 minutes variation)</u>	<u>hrs</u>
5.	Third Para of Clause 4.10.2 v. of RfS & Article 7.2 iii. Of PPA	In other words, GUVNL / SLDC shall mandatorily off-take Peak Power bychoosing 4 hours from the evening Peak Hours and 2 hours from the morningPeak Hours. <u>Further, a variation of ± 30 minutes in the deadlines of morning and evening peak hours is also allowed in making that choice by GUVNL / SLDC.</u>	In other words, GUVNL / SLDC shall mandatorily off-take Peak Power bychoosing 4 hours from the evening Peak Hours and 2 hours from the morningPeak Hours. <u>GUVNL / SLDC and RE developers can modify the peak hours with mutual agreement during the term of the PPA provided that the quantum for assured power offtake remains unchanged.</u>
6.	Clause 3.3.2 of RfS Article 8.2 of PPA	Energy supplied during the Off-Peak Hours shall be eligible for a flat tariff payment @ Rs. <u>2.29/kWh</u>	Energy supplied during the Off-Peak Hours shall be eligible for a flat tariff payment @ Rs. <u>2.57/kWh</u>
7.	Clause 4.10.2 iv of RfS	The complete energy supplied by the HPD during Off-Peak Hours will be at the pre fixed tariff of Rs <u>2.29/kWh</u> .	The complete energy supplied by the HPD during Off-Peak Hours will be at the pre fixed tariff of Rs <u>2.57/kWh</u> .
8.	Clause 4.10.4 of RfS Article 5.1 (viii) (f)	The HPD shall be allowed to supply excess energy over and above the mandated energy requirement upto a limit of 20% in excess of the mandated energy requirement, on a monthly basis. For e.g.: in case of a 100 MW Project Capacity, the HPD shall be allowed to supply energy upto a maximum limit of (360 MWh x no. of days in the billing month), at the Peak Tariff, on a monthly basis. Any	The HPD shall be allowed to supply excess energy over and above the mandated energy requirement upto a limit of 20% in excess of the mandated energy requirement, on a monthly basis. For e.g.: in case of a 100 MW Project Capacity, the HPD shall be allowed to supply energy upto a maximum limit of (360 MWh x no. of days in the billing month), at the Peak Tariff, on a monthly basis. Any

SN.	Reference	Existing Clause	Proposed modifications
		excess energy supplied over and above the above limit shall be procured by GUVNL @ Off-Peak Tariff, i.e. Rs <u>2.29/kWh</u> , to be reconciled on a monthly basis.	excess energy supplied over and above the above limit shall be procured by GUVNL @ Off-Peak Tariff, i.e. Rs <u>2.57/kWh</u> , to be reconciled on a monthly basis.
9.	Clause 6.2 (B) of RfS	 It is specified that the bidders shall quote only for the 2nd part tariff, i.e. the "PeakTariff" as elaborated in the RfS document, which shall be exclusive of the 1st part tariff of Rs. <u>2.29/kWh</u>	 It is specified that the bidders shall quote only for the 2nd part tariff, i.e. the "PeakTariff" as elaborated in the RfS document, which shall be exclusive of the 1st part tariff of Rs. <u>2.57/kWh</u>
10.	Format 8.11 of RfS	the Peak Tariff as defined in the RfS, and will be exclusive of the 1 st part tariff, i.e. the Off-Peak Tariff of Rs. <u>2.29/kWh</u> , in line with provisions of the RfS.....	the Peak Tariff as defined in the RfS, and will be exclusive of the 1 st part tariff, i.e. the Off-Peak Tariff of Rs. <u>2.57/kWh</u> , in line with provisions of the RfS.....
11.	PPA Article 1.1 "Delivery Point /Interconnection Point"	All expenses including transmission & wheeling charges and losses between the Project and the Delivery Point including on account of any change in law event shall be paid by the Power Producer without any reimbursement by GUVNL. All expenses including wheeling charges and losses in relation to the transmission and distribution after the Delivery Point shall be borne by GUVNL.	All expenses including transmission & wheeling charges and losses between the Project and the Delivery Point including on account of any change in law event, shall be paid by the Power Producer without any reimbursement by GUVNL. All expenses including wheeling charges and losses in relation to the transmission and distribution after the Delivery Point shall be borne by GUVNL.
			It is clarified further, that pursuant to effective date of GNA regulations and amended Sharing regulations of CERC in future, if the transmission charges are directly billed to GUVNL in respect of the RE projects connected with CTU, the same shall be recovered from the developers by making necessary adjustments while making payment of monthly invoices.

SN.	Reference	Existing Clause	Proposed modifications
12.	Article 12.2.2 of PPA	In case of Change in Law on account of 9.1.1 (b) above, the HPD shall be allowed an increase / decrease in tariff of 1 paise / unit for every increase / decrease of Rs. 2Lakh per MW in the Project Cost incurred up to the Scheduled Commercial Operation Date upon submission of proof of payment made by the HPD towards safeguard duty and/or anti-dumping duty and/or custom duty and or Goods and Services Tax to the concerned Authority and with due approval of GERC. The increase / decrease in tariff due to change in cost of solar PV modules shall be limited to actual DC capacity or 150% (One hundred & fifty percent) of contracted AC capacity, whichever is lower.	In case of Change in Law on account of 9.1.1 (b) above, the HPD shall be allowed an increase / decrease in tariff of 1 paise / unit for every increase / decrease of Rs. 2Lakh per MW in the Project Cost incurred up to the Scheduled Commercial Operation Date upon submission of proof of payment made by the HPD towards safeguard duty and/or anti-dumping duty and/or custom duty and or Goods and Services Tax to the concerned Authority and with due approval of GERC. The increase / decrease in tariff due to change in cost of solar PV modules shall be limited to actual DC capacity or 150% (One hundred & fifty percent) of contracted AC capacity, whichever is lower. <u>It is to clarify that while calculating the relief under the formula stipulated at clause 12.2.2 the "per MW" cost shall be considered based on aggregate rated capacity of wind and solar components and not based on contracted capacity.</u>
13.	Clause 6.3.4 vi) of RfS	The initial auction period will be of 30 (thirty) minutes with a provision of auto extension by 08 (eight) minutes from the scheduled / extended closing time.	The initial auction period will be of 30 (thirty) minutes with a provision of auto extension by 05 (five) minutes from the scheduled / extended closing time.
14.	Definition of Contracted Capacity in PPA	"Contracted Capacity" shall mean [Insert capacity] MW contracted with GUVNL for supply by the HPD to GUVNL at the Delivery Point from the Hybrid Power Project. It is to clarify that in any 15 minute time block during the entire term of the PPA, the injected power shall not exceed the	"Contracted Capacity" shall mean [Insert capacity] MW contracted with GUVNL for supply by the HPD to GUVNL at the Delivery Point from the Hybrid Power Project. It is to clarify that in any 15 minute time block during the entire term of the PPA, the injected power shall not exceed the

SN.	Reference	Existing Clause	Proposed modifications
		Contracted AC Capacity <u>plus 5% as well as the inverter capacity shall not exceed Contracted AC Capacity plus 5%.</u>	Contracted AC Capacity.
15.	Definition of Contracted Capacity in RFS	"CONTRACTED CAPACITY" shall mean the AC capacity in MW contracted with GUVNL for supply by the HPD to GUVNL at the Delivery Point from the Project; It is to clarify that in any 15 minute timeblock during the entire term of PPA, the injected power shall not exceed the Contracted AC Capacity <u>plus 5% as well as the inverter capacity shall not exceed Contracted AC capacity plus 5%.</u>	"CONTRACTED CAPACITY" shall mean the AC capacity in MW contracted with GUVNL for supply by the HPD to GUVNL at the Delivery Point from the Project; It is to clarify that in any 15 minute timeblock during the entire term of PPA, the injected power shall not exceed the Contracted AC Capacity.
16.	Definition of Installed Capacity in RFS	"Installed Capacity" shall mean the capacity of the Project at the generating terminal(s) <u>and may be within $\pm 5\%$ of Contracted Capacity, provided that necessary evacuation consent shall have to be arranged from GETCO / CTU.</u>	"Installed Capacity" shall mean the rated capacity of the Project at the generating terminal(s) <u>which may be higher than the contracted capacity, provided that necessary control systems shall be installed in the project to ensure that the injection of power does not exceed the contracted capacity in any 15 min time block during the entire term of the PPA.</u> 1.1.4
17.	Definition of Installed Capacity in PPA	"Installed Capacity" shall mean the rated capacity of the Project at the generating terminal(s) <u>and may be within $\pm 5\%$ of Contracted Capacity, provided that necessary evacuation consent shall have to be arranged from GETCO / CTU.</u>	"Installed Capacity" shall mean the rated capacity of the Project at the generating terminal(s) <u>which may be higher than the contracted capacity, provided that necessary control systems shall be installed in the project to ensure that the injection of power does not exceed the contracted capacity in any 15 min time block during the entire term of the PPA.</u>
18.	Clause 4.4.4	A single Power Purchase Agreement shall	A single Power Purchase Agreement can be

SN.	Reference	Existing Clause	Proposed modifications
	(vii) of RFS	be signed for all Projects for which the tariff has been quoted by the successful bidder. The HPD shall be responsible for obtaining Connectivity and Long Term Open Access (LTA) for each Project if LTA is applicable.	signed for all Projects with same Combination. However, if the Combinations of the projects are different within the capacity allocated to bidder, separate PPAs shall be signed for each Combination. The HPD shall be responsible for obtaining Connectivity and Long Term Open Access (LTA) for each Project if LTA is applicable.
19.	Para 8,9,10 of Clause 4.10.4 of RfS, Para 6,7,8 of Article 5.1 (viii) (f) of PPA, Para 7,8,9 of Article 5.4 (ii) of PPA	The total deviation from reference is (-) 70 MWh, for Day 1, while the deviation allowed for Day 1 is (300-240) MWh, i.e. (-) 60 MWh. Thus, shortfall in Peak Power supply for Day 1 is (70-60) MWh = 10 MWh. Thus, compensation payable by the HPD against such shortfall in Peak Power supply = Rs. (4.50 x 10) x 1000 = Rs. 45,000/- The similar methodology will be followed for all the days in the concerned billing month, with total deviation calculated in a month (consisting of 30 days), being matched against the reference value of 50 MWh, i.e. 1500 MWh. It is reiterated that only negative deviations from 1500 MWh will be considered for reconciliation on the monthly basis. It is clarified that for the sole purpose of payment of Peak Tariff, the total supply of PeakPower within the upper limit of (360 MWh x no. of days in the billing month) and lower limit of (240 MWh x no. of days in the billing month), will be considered, on a	The total deviation from reference is (-) 70 MWh, for Day 1. The similar methodology will be followed for all the days in the concerned billing month, with total deviation calculated for 180 hours in a month (consisting of 30 days), being matched against the reference value of 50 MWh x 30 * 6 Hours, i.e. 9000 MWh. It is reiterated that only negative deviations from 9000 MWh will be considered for reconciliation on the monthly basis. It is clarified that for the purpose of payment of Peak Tariff, the total supply of PeakPower within the upper limit of (360 MWh x no. of days in the billing month) and lower limit of (240 MWh x no. of days in the billing month), will be considered, on a monthly basis.

SN.	Reference	Existing Clause	Proposed modifications
20.	Clause 4.10.3 (vi) of RfS Third Para of Article 5.1 (viii) (c). Second Para of Article 5.4 (i) of PPA	monthly basis.Further, based on monthly reconciliation, the annual shortfall in supply of Peak Power amounts to 1,00,000 MUs, in line with clause (c) above. Thus, the net compensation payable by the HPD on account of shortfall in supply of energy on an annual basis will be Rs. [(10,00,000-(8,00,000+1,00,000))x(rate as per Schedule 4)].	 Further, based on monthly reconciliation, the annual shortfall in supply of Peak Power amounts to 1,00,000 MUs, in line with clause (c) above. Thus, the net compensation payable by the HPD on account of shortfall in supply of energy on an annual basis will be Rs. [(10,00,000-(8,00,000+1,00,000))x(rate as per <u>Schedule 4 applicable for Off-peak tariff</u>)], which will be in addition to compensation for peak power shortfall.
21.	Clause 4.20 (12) (d) of RfS	Certified copies of annual audited accounts for the last financial year ending on 31.03.2022 or <u>31.12.2022</u> as applicable or as on the date at least 7 days prior to the bid submission deadline, and provisional audited accounts, along with certified copies of Balance Sheet, Profit & Loss Account, Schedules and Cash Flow Statement supported with bank statements (if applicable), shall be required to be submitted.	Certified copies of annual audited accounts for the last financial year ending on 31.03.2022 or <u>31.12.2021 or 31.03.2021</u> as applicable or as on the date at least 7 days prior to the bid submission deadline, and provisional audited accounts, along with certified copies of Balance Sheet, Profit & Loss Account, Schedules and Cash Flow Statement supported with bank statements (if applicable), shall be required to be submitted.
22.	Section 5 C.1 of RfS	The Net Worth of the Bidder should be equal to or greater than INR 1.5 Crores per MW of the quoted capacity, as on the last date of previous Financial Year, i.e. <u>FY 2021-22</u> or as on the date at least 7 days prior to the date of bid submission.	The Net Worth of the Bidder should be equal to or greater than INR 1.5 Crores per MW of the quoted capacity, as on the last date of previous Financial Year, i.e. <u>FY 2020-21 or FY 2021-22</u> as on the date at least 7 days prior to the date of bid submission.
23.	Section 5 C.5 of RfS	A Company/ Consortium would be required to submit annual audited accounts for the last financial year, i.e. <u>FY 2021-22</u> or provisional audited accounts in case of the	A Company/ Consortium would be required to submit annual audited accounts for the last financial year, i.e. <u>FY 2020-21 or FY 2021-22</u> or provisional audited accounts in case of the

SN.	Reference	Existing Clause	Proposed modifications
		bidder meeting the financial criteria as on the date at least 7 days prior to the date of bid submission, along with net worth certificate from a practicing Chartered Accountant/ Statutory Auditor to demonstrate fulfillment of the criteria. In case of foreign companies, the Bidders shall be required to submit the annual audited accounts for the last respective financial year as per the general norm in the country where the Bidder or its Affiliate(s) is/ are located, or provisional audited accounts in case of the bidder meeting the financial criteria as on the date at least 7 days prior to the date of bid submission.	bidder meeting the financial criteria as on the date at least 7 days prior to the date of bid submission, along with net worth certificate from a practicing Chartered Accountant/ Statutory Auditor to demonstrate fulfillment of the criteria. In case of foreign companies, the Bidders shall be required to submit the annual audited accounts for the last respective financial year as per the general norm in the country where the Bidder or its Affiliate(s) is/ are located, or provisional audited accounts in case of the bidder meeting the financial criteria as on the date at least 7 days prior to the date of bid submission.
24.	Format 8.6 of RfS	We certify that the Bidding Company/ Member in a Bidding Consortium has a Net worth of INR Crore (.....in words) as on the end of Financial Year 2021-22 /the date at least 7 days prior to the date of bid submission	We certify that the Bidding Company/ Member in a Bidding Consortium has a Net worth of INR Crore (.....in words) as on the end of Financial Year 2020 -21 or Financial Year 2021-22 /the date at least 7 days prior to the date of bid submission
25.	Clause 3.3.4 of RfS	Without prejudice to the rights of GUVNL to object to the assignment of the Projects by the Successful Bidders as provided in the PPA, if the Project is transferred or sold to a third party during its tenure (after initial lock-in period of 1 year after COD), GUVNL at its discretion shall have the option and the rights to operationalize the PPA with the third party, which will be under full obligation to honor all the obligations and terms & conditions of the PPA	Without prejudice to the rights of GUVNL to object to the assignment of the Projects by the Successful Bidders as provided in the PPA, if the Project is transferred or sold to a third party after initial lock-in period of 1 year after COD, the same shall be in accordance with the provisions of PPA.

SN.	Reference	Existing Clause	Proposed modifications
26.	Section 5, Clause C.8 of RFS	For example, if two companies A and B form a Consortium with equity participation in 70:30 ratio and submit their bid for a capacity of 100MW, then, total Net-Worth to be met by the Consortium is Rs. 1.2 Crores x 100MW = Rs. 120 Crores . Minimum requirement of Net-Worth to be met by Lead Member A would be minimum Rs. 84 Crores and to be met by Consortium Member B would be Rs.36 Crores.	For example, if two companies A and B form a Consortium with equity participation in 70:30 ratio and submit their bid for a capacity of 100MW, then, total Net-Worth to be met by the Consortium is Rs. 1.5 Crores x 100MW = Rs. 150 Crores . Minimum requirement of Net-Worth to be met by Lead Member A would be minimum Rs. 105 Crores and to be met by Consortium Member B would be Rs.45 Crores .
27.	Article 5.1 (xiii) of PPA	The HPD shall be responsible for all payments on account of any taxes, cesses, duties or levies imposed by the GoG or its competent statutory authority on the land, equipment, material or works of the Project or on the Electricity generated or consumed by the Project or by itself or on the income or assets owned by it. All expenses including wheeling / transmission charges and losses, UI / DSM Charges applicable as per GERC / CERC Regulations, upto Delivery Point shall be paid by the Power Producer without any reimbursement by GUVNL.	The HPD shall be responsible for all payments on account of any taxes, cesses, duties or levies imposed by the GoG or its competent statutory authority on the land, equipment, material or works of the Project or on the Electricity generated or consumed by the Project or by itself or on the income or assets owned by it. All expenses including wheeling / transmission charges and losses, UI / DSM Charges applicable under GERC / CERC Regulations, upto Delivery Point shall be borne by the Power Producer. It is clarified further, that pursuant to effective date of GNA regulations and amended Sharing regulations of CERC in future, if the transmission charges are directly billed to GUVNL in respect of the RE projects connected with CTU, the same shall be recovered from the developers by making necessary adjustments while making payment of monthly invoices.
28.	Article 5.5 (ii) of	The HPD shall apply due diligence while	The delay in grant of connectivity/LTA, if

SN.	Reference	Existing Clause	Proposed modifications
	PPA and Clause 4.16 (c) of RFS	identifying the GETCO / CTU substations and applying for connectivity, with reference to bay availability and/or timelines of commissioning of planned GETCO / CTU infrastructure as well as physical progress of the sub-station works. GUVNL does not assume any responsibility in this above mentioned process of ascertaining availability at the GETCO / CTU substations and grant of connectivity. The delay in commissioning of the sub-station will not be a ground for extension in the project timelines. It is clarified that the delay in regard to ISTS network or CTU for any reason whatsoever including on the aspects mentioned above up to the Delivery Point in case the Bidder opts for such connectivity through Inter State network shall be entirely to the account of the Bidder and shall not be considered as beyond the control of the HPD or as Force Majeure events for the purpose of the PPA.	applicable, by the CTU / STU and/or delay in readiness of the ISTS / InSTS substation at the Delivery Point, including readiness of the power evacuation and transmission infrastructure of the ISTS / InSTS network, will be considered as a factor attributable to the CTU / STU / transmission licensee and beyond the control of the HPD subject to the following: (i) The ISTS / InSTS sub-station at the Delivery Point and the power evacuation and transmission infrastructure of the ISTS / InSTS network, with which the HPD applies for connectivity, shall be scheduled for completion on or before the SCOD of the concerned Project so as to match the two timelines. (ii) Subject to adherence to above, subsequent to grant of connectivity, in case there is a delay in grant / operationalization of connectivity / LTA by CTU / STU and/or there is a delay in readiness of the ISTS / InSTS sub-station at the delivery point, including readiness of the power evacuation & transmission infrastructure of the ISTS / InSTS network until SCOD of the project and it is established that; (iii) The HPD has complied with the complete application formalities as per the connectivity procedure(s) and the ISTS / InSTS sub-station at the delivery point at

SN.	Reference	Existing Clause	Proposed modifications
			the power evacuation and transmission infrastructure of the ISTS / InSTS Network with which the HPD had applied for connectivity, was scheduled for completion on or before the SCOD of the project and; (iv) The HPD has adhered to the applicable procedure in this regard as notified by the CERC / GERC / CTU / STU and; (v) The delay in grant of connectivity / LTA by CTU / STU and / or delay in readiness of the ISTS / InSTS sub-station at the delivery point, including readiness of the power evacuation and transmission infrastructure of the ISTS / InSTS Network, is a factor solely attributable to CTU / STU / transmission licensee and is beyond the control of the HPD; The above shall be treated as delays beyond the control of the HPD under Article 11.1 (a) of the PPA and such projects shall be eligible for suitable time extension in their SCOD.
29.	Bid Information Sheet	Payment of Cost of RfS Document and Bid Processing Fees through Demand Draft OR NEFT / RTGS	Payment of Cost of RfS Document and Bid Processing Fees shall be mandatorily made online i.e. through NEFT / RTGS
30.	Clause 4.5 of RFS	The Projects can be located anywhere in Gujarat. The solar PV and/or wind power components, along with ESS installed, in relation to each project shall be co-located prior to the energy meter, and shall inject	The Projects can be located anywhere in India. The solar PV and/or wind power components, along with ESS installed, in relation to each project shall be co-located prior to the energy meter, and shall inject

SN.	Reference	Existing Clause	Proposed modifications
31.	Clause no.1.2.2 -4.8.6 of RFS	power through a single Delivery Point. A single bidder can submit a single bid for more than one Project however the capacity to be quoted by bidder shall be single and aggregate of all the capacities proposed to be developed in multiple projects. All expenses including wheeling charges and losses in relation to the transmission and distribution beyond and after the Delivery Point shall be borne by GUVNL	power through a single Delivery Point except in case of Combination D. In case of Combination D, the solar / wind / wind-solar-hybrid sources along with ESS component of the project can be interconnected with grid at multiple interconnection points. A single bidder can submit a single bid for more than one Project however the capacity to be quoted by bidder shall be single and aggregate of all the capacities proposed to be developed in multiple projects. All expenses including wheeling charges and losses in relation to the transmission and distribution beyond and after the Delivery Point shall be borne by GUVNL except in case of Combination D wherein the mechanism of sharing of transmission charges and losses between the project developer and GUVNL shall be as under: (i) In case of Hybrid Power Plants with Combination D, incremental transmission charges due to multiple interconnection points of the project i.e. transmission charges for the transmission / LTA / GNA quantum in excess of PPA capacity / contracted capacity, shall be borne by the project developer irrespective of the delivery point. (ii) It is further clarified that in case of Combination D, the transmission

SN.	Reference	Existing Clause	Proposed modifications
			charges in relation to the transmission of power beyond and after the delivery point for the transmission / LTA / GNA quantum corresponding to PPA capacity / contracted capacity shall be borne by GUVNL. (iii) Moreover, the transmission losses upto delivery point shall be borne by the project developer and after delivery point shall be borne by GUVNL. (iv) For example, if a HPP with contracted capacity of 100 MW under Combination D, being set up with a solar component of 90 MW with ESS and wind component of 60 MW with or without ESS, is interconnected with the CTU grid at two separate interconnection points, the developer of such project shall be required to bear the CTU transmission charges of 150 MW capacity upto Delivery Point and GETCO transmission charges of 50 MW capacity after Delivery Point whereas GUVNL shall bear GETCO transmission charges of 100 MW capacity after Delivery Point.
32.	Definition of Hybrid Power plant in RfS.	"HYBRID POWER PLANT or HYBRID POWER PROJECT (HPP)" shall mean the development of system of generation of power with one of the following	"HYBRID POWER PLANT or HYBRID POWER PROJECT (HPP)" shall mean the development of system of generation of power with one of the following combinations.

SN.	Reference	Existing Clause	Proposed modifications
		combinations. Combination A - Wind Power Project with co-located energy storage system or Combination B - Solar PV Project with co-located Energy Storage System or Combination C - Wind-Solar Hybrid Power Project with co-located energy storage system. The developer of "Hybrid Power Plant / Project" shall establish a dedicated line at its own cost for evacuation of power up to receiving end sub-station of grid where the Project Developers desires to inject power in the state grid where connectivity is granted. From there onwards, GETCO shall ensure transmission system and connectivity.	Combination A - Wind Power Project with co-located energy storage system or Combination B - Solar PV Project with co-located Energy Storage System or Combination C - Wind-Solar Hybrid Power Project with co-located energy storage system or Combination D—Generation and blending of power from separate Wind and/or Solar and/or Wind-Solar Hybrid sources along with ESS connected with the Grid at more than one interconnection points wherein installation of ESS is mandatory. The developer of "Hybrid Power Plant / Project" shall establish a dedicated line at its own cost for evacuation of power up to receiving end sub-station of the grid where the Project Developer desires to inject power in the grid where connectivity is granted.
33.	Definition of Plant / Project in Rfs	"PLANT" or "PROJECT" shall mean the new renewable energy based power generation facility, including ESS, having single or multiple point(s) of injection into the grid at Interconnection/ Delivery/ Metering Point, having separate control systems and metering. The Project may include Solar PV and/or Wind power generation units, including auxiliaries and associated facilities, bay(s) for transmission system in the Project switchyard, dedicated transmission line up to the Delivery Point and all the other assets, buildings/structures, equipment, plant and machinery, facilities and related assets required for the efficient and economic	"PLANT" or "PROJECT" shall mean the new renewable energy based power generation facility, including ESS, having single or multiple point(s) of injection into the grid at Interconnection/ Delivery/ Metering Point, having separate control systems and metering. The Project may include Solar PV and/or Wind power generation units, including auxiliaries and associated facilities, bay(s) for transmission system in the Project switchyard, dedicated transmission line up to the Delivery Point and all the other assets, buildings/structures, equipment, plant and machinery, facilities and related assets required for the efficient and economic

SN.	Reference	Existing Clause	Proposed modifications
		operation of the power generation facility, whether completed or at any stage of development and construction or intended to be developed and constructed for the purpose of supply of power to GUVNL. It may be noted that the sources of generation and ESS, shall need to be co-located, to be considered a single Project. In case the Project comprises both wind and solar power generation components, it shall be denoted as a "Wind-Solar Hybrid Power Project" as per its definition;	operation of the power generation facility, whether completed or at any stage of development and construction or intended to be developed and constructed for the purpose of supply of power to GUVNL. It may be noted that the ESS may be co-located with RE generation plants as per Combination A, B & C or may be set up at a different location as per Combination D, to be considered as a part of the Project. In case the Project comprises both wind and solar power generation components interconnected with grid through a single inter-connection point, it shall be denoted as a "Wind-Solar Hybrid Power Project" as per its definition; It is further clarified that an ESS charged using a source other than RE power would not qualify as RE power. Further, the ESS capacity offered with a Project under this tender shall only be charged through the RE power capacity set up under this tender. It must be noted that in case the ESS is charged from non-RE power, such ESS will be construed to be the non-RE component. ESS capacity other than aforementioned capacity could be charged with RE / Non-RE power subject to provisions of this Agreement and other applicable laws and regulations. The ESS capacity charged with RE power of this tender cannot be utilized for supply to any third party without the consent

SN.	Reference	Existing Clause	Proposed modifications
34.	Clause no.3.4.2 of RfS.	Already commissioned projects cannot be considered under this RfS. Projects under construction. Projects which are not yet commissioned will, however, be considered, in case these projects are not already accepted under any other Central or State Schemes. Enhancement and augmentation of already commissioned Projects, irrespective of their capacities will not be considered as eligible Project under this scheme. However, the new projects being installed in existing Wind Farm or Solar Parks are permitted subject to terms mentioned in the RfS.	of GUVNL. The HPD shall be allowed to supply power from ESS in excess of the ESS capacity Contracted under this tender, to any third party or power exchange without requiring GUVNL's consent. Projects under construction, projects which are not yet commissioned or projects not having any contractual obligation / PPA with other buyer shall be allowed to participate in the tender, in case these projects are not already accepted under any other Central or State Schemes. The new projects being installed in existing Wind Farm or Solar Parks are permitted subject to terms mentioned in the RfS.
35.	Clause no.4.4.4 (vii) of RfS.	A single Power Purchase Agreement shall be signed for all Projects for which the tariff has been quoted by the successful bidder. The HPD shall be responsible for obtaining Connectivity and Long Term Open Access (LTA) for each Project if LTA is applicable.	A single Power Purchase Agreement can be signed for all Projects with same Combination. However, if the Combinations of the projects are different within the capacity allocated to bidder, separate PPAs shall be signed for each Combination. The HPD shall be responsible for obtaining Connectivity and Long Term Open Access (LTA) for each Project if LTA is applicable.
36.	Clause no.4.10.2 of RfS	In other words, GUVNL / SLDC shall mandatorily off-take Peak Power by choosing 4 hours from the evening Peak Hours and 2 hours from the morning Peak Hours. Further, a variation of ± 30 minutes in	In other words, GUVNL / SLDC shall mandatorily off-take Peak Power by choosing 4 hours from the evening Peak Hours and 2 hours from the morning Peak Hours. GUVNL / SLDC and RE developers

SN.	Reference	Existing Clause	Proposed modifications
		the deadlines of morning and evening peak hours is also allowed in making that choice by GUVNL / SLDC.	can modify the peak hours with mutual agreement during the term of the PPA provided that the quantum for assured power offtake remains unchanged.
37.	Clause no.4.10.3 (viii) of RfS & Article 5.1 (viii) (g) of PPA	--	The Project Developer shall not sell the power from Contracted Capacity to any other third party including Power Exchanges without prior consent of GUVNL. In case the Project Developer fails to offer the contracted power as per the agreement to GUVNL and sells this power without GUVNL's consent to any other third party, the procurer shall be entitled to claim damages from seller for an amount equal to higher of : (a) twice the Tariff as per the PPA for the corresponding contracted power; and (b) the entire sale revenue accrued from Third parties on account of sale of the contracted power. These damages shall be in addition to other penalties / liquidated damages specified in the PPA. For the avoidance of doubt, no Tariff or any amount in lieu thereof shall be due or payable by GUVNL to the Seller for and in respect of any electricity sold hereunder.
38.	Definition of Appropriate Commission in PPA	"Appropriate Commission" unless otherwise stated, Appropriate Commission shall mean Gujarat Electricity Regulatory Commission;	"Appropriate Commission" shall mean Gujarat Electricity Regulatory Commission or Central Electricity Regulatory Commission, as the case may be, having jurisdiction under the Electricity Act 2003;
39.	Article 9.6 of PPA	In the event of a dispute as to the amount of any Tariff Invoice, GUVNL shall notify the HPD of the amount in dispute and GUVNL	In the event of a dispute as to the amount of any Tariff Invoice, GUVNL shall notify the HPD of the amount in dispute and GUVNL

SN.	Reference	Existing Clause	Proposed modifications
		shall pay the HPD100% of the undisputed amount plus 85% of the disputed amount within the due date provided either party shall have the right to approach the GERC to effect a higher or lesser payment on the disputed amount. The Parties shall discuss within a week from the date on which GUVNL notifies the Power Producer of the amount in dispute and try to settle the dispute amicably. Where any dispute arising out of or in connection with this agreement is not resolved mutually then be submitted to adjudication by the GERC under Section 86 of Electricity Act 2003 and the GERC may refer the matter to Arbitration as provided in the said provision read with Section 158 of Electricity Act 2003. If the dispute is not settled during such discussions then the GUVNL shall be considered as a payment under protest. Upon resolution of the dispute, in case the HPD is subsequently found to have returned the overcharged amount with Late Payment Surcharge in accordance with the Article 6.3 for the period it retained the additional amount. GUVNL / HPD shall not have the right to challenge any Tariff Invoice, or to bring any court or administrative action of any kind questioning/modifying a Tariff Invoice after a period of three years from the date of the Tariff Invoice is due and payable.	shall pay the HPD100% of the undisputed amount plus 85% of the disputed amount within the due date provided either party shall have the right to approach the Appropriate Commission to effect a higher or lesser payment on the disputed amount. The Parties shall discuss within a week from the date on which GUVNL notifies the Power Producer of the amount in dispute and try to settle the dispute amicably. Where any dispute arising out of or in connection with this agreement is not resolved mutually then such dispute shall be submitted to adjudication by the Appropriate Commission under Section 79 or 86 of Electricity Act 2003 and the Appropriate Commission may refer the matter to Arbitration as provided in the said provision read with Section 158 of Electricity Act 2003. If the dispute is not settled during such discussions then the payment made by GUVNL shall be considered as a payment under protest. Upon resolution of the dispute, in case the HPD is subsequently found to have overcharged, then it shall return the overcharged amount with Late Payment Surcharge in accordance with the Article 6.3 for the period it retained the additional amount. GUVNL / HPD shall not have the right to challenge any Tariff Invoice, or to bring any court or administrative action of any kind questioning/modifying a Tariff Invoice after a period of three years from the

SN.	Reference	Existing Clause	Proposed modifications date of the Tariff Invoice is due and payable.
40.	Article 11.1 of PPA	--	i) The delay in grant of connectivity/LTA, if applicable, by the CTU / STU and/or delay in readiness of the ISTS / InSTS substation at the Delivery Point, including readiness of the power evacuation and transmission infrastructure of the ISTS / InSTS network, will be considered as a factor attributable to the CTU / STU / transmission licensee and beyond the control of the Parties subject to the following: (a) The ISTS / InSTS substation at the Delivery Point and the power evacuation and transmission infrastructure of the ISTS / InSTS network, with which the Project Developer applies for connectivity, shall be scheduled for completion on or before the SCOD of the concerned Project so as to match the two timelines. (b) Subject to adherence to above, subsequent to grant of connectivity, in case there is a delay in grant / operationalization of

SN.	Reference	Existing Clause	Proposed modifications
			connectivity / LTA by CTU / STU and/or there is a delay in readiness of the ISTS / InSTS sub-station at the delivery point, including readiness of the power evacuation & transmission infrastructure of the ISTS / InSTS network until SCOD of the project and it is established that; (c) The Power Producer has complied with the complete application formalities as per the connectivity procedure(s) and the ISTS / InSTS sub-station at the delivery point at the power evacuation and transmission infrastructure of the ISTS / InSTS Network with which the Power Producer had applied for connectivity, was scheduled for completion on or before the SCOD of the project and; (d) The Power Producer has adhered to the applicable procedure in this regard as notified by the CERC / GERC / CTU / STU and; (e) The delay in grant of

SN.	Reference	Existing Clause	Proposed modifications
			connectivity / LTA by CTU / STU and / or dealy in readiness of the ISTS / InSTS sub-station at the delivery point, including readiness of the power evacuation and transmission infrastructure of the ISTS / InSTS Network, is a factor solely attributable to CTU / STU / transmission licensee and is beyond the control of the Parties;
41.	Article 11.2 of PPA	--	The event specified at Article 8.1(a)(xi) above and consequent delay shall be treated as delay beyond the control of the parties and both parties shall be eligible for suitable time extension in the SCOD.
42.	Article 12.2.2 of PPA	In case of Change in Law on account of 9.1.1 (b) above, the HPD shall be allowed an increase / decrease in tariff of 1 paise / unit for every increase / decrease of Rs. 2 Lakh per MW in the Project Cost incurred upto the Scheduled Commercial Operation Date upon submission of proof of payment made by the HPD towards safeguard duty and/or anti-dumping duty and/or custom duty and or Goods and Services Tax to the concerned Authority and with due approval of GERC. The increase / decrease in tariff due to change in cost of solar PV modules shall be limited to actual DC capacity or 150% (One	In case of Change in Law on account of 9.1.1 (b) above, the HPD shall be allowed an increase / decrease in tariff of 1 paise / unit for every increase / decrease of Rs. 2 Lakh per MW in the Project Cost incurred upto the Scheduled Commercial Operation Date upon submission of proof of payment made by the HPD towards safeguard duty and/or anti-dumping duty and/or custom duty and or Goods and Services Tax to the concerned Authority and with due approval of GERC. The increase / decrease in tariff due to change in cost of solar PV modules shall be limited to actual DC capacity or 150% (One

SN.	Reference	Existing Clause	Proposed modifications
		hundred & fifty percent) of contracted AC capacity, whichever is lower.	hundred & fifty percent) of contracted AC capacity, whichever is lower. It is to clarify that while calculating the relief under the formula stipulated at clause 12.2.2 the "per MW" cost shall be considered based on aggregate rated capacity of wind and solar components and not based on contracted capacity.
43.	Article 9.3 (4) of PPA	The Late Payment Surcharge shall be claimed by HPD through the supplementary bill.	The parties acknowledge and accept that the Electricity (Late Payment Surcharge and related matters) Rules, 2022 as amended or modified from time to time notified by the Central Government in exercise of the power conferred by Sub-section (1) of Section 176 of the Electricity Act, 2003 shall apply and govern the terms and conditions of this Agreement in regard to matters contained in the said Rules. The Rules referred to hereinabove being statutory shall, to the extent applicable, supersede any provisions in this Agreement which are inconsistent or contrary to the provisions of the Rules.
44.	Clause 4.23 of RFS	Entire Clause 4.23 of RFS which deals with the method of submission of online and offline documents in relation to bid submission, shall be substituted as under. <u>4.23 METHOD OF SUBMISSION OF RESPONSE TO RFS BY THE BIDDER</u> A. DOCUMENTS TO BE SUBMITTED OFFLINE (IN ORIGINAL) 1. Bank Guarantee towards EMD as mentioned in the Bid Information Sheet (as per Format 8.3). One EMD may be submitted for the cumulative capacity	

SN.	Reference	Existing Clause	Proposed modifications
		quoted by the bidder, or individual EMDs may be submitted for different capacities. 2. Pass-phrases for Techno-commercial and Financial bids submitted on the ETS portal in two separate envelopes. Bidders shall take special note that no documents other than the above shall be submitted offline. <u>Bidders shall take special note that no documents other than the above shall be submitted offline.</u> Bank Guarantee against EMD needs to be submitted in both online and offline modes. The bidders will be required to submit the bank guarantee, either in person or through post, at the office of GUVNL until the date as on 2 working days after the closing date of online bid submission. The 2-day duration will be counted from the date of online bid submission deadline. For e.g., if the bid submission deadline is 18:00 hrs on 22.05.2022, the above deadline will expire at 18:00 hrs on 24.05.2022. In case of the above deadline being a holiday, the next working day in GUVNL will be the deadline for submission of Bank Guarantees. Note: In all cases, the Bank Guarantee against EMD (if applicable), shall be issued on or before the bid submission deadline. These instruments issued after the expiry of the deadline will be summarily rejected. The bidding envelope shall contain the following sticker:	

SN.	Reference	Existing Clause	Proposed modifications
		Response to RfS for purchase of power through Competitive Bidding Process (followed by reverse e-auction) from 500 MW grid connected RE Projects with assured peak power supply through Energy Storage System (ESS) to be setup in Gujarat (Phase XV)	
		Capacity of Project	MW
		RfS Reference No.	RfS No. GUVNL / 500 MW / RE with ESS (Phase XV) dtd 14.06.2022
		Submitted by	(Enter Full name and address of the Bidder)
		Authorized Signatory	(Signature of the Authorized Signatory) (Name of Signatory) (Stamp of Bidder)
		Bid Submitted to	General Manager (RE &IPP) Gujarat Urja Vikas Nigam Ltd Sardar Patel Vidyut Bhavan, Race Course, Vadodara-390007

B. DOCUMENTS TO BE SUBMITTED ONLINE

Detailed instructions to be followed by the bidders for online submission of response to RfS are stated as Annexure-D and E. The bidders shall strictly follow the instructions mentioned in the electronic form in respective technical bid and financial bid while filling the form.

If the Bidder has submitted bid online and fails to submit the Bank Guarantee for requisite amount and/or DDs against cost of RfS Document and bid processing fee offline within 2 working days from last date of bid submission, then the same shall be treated as incomplete bid and Cost of RfS, Processing Fee submitted shall be encashed and the EMD(s) shall be returned.

SN.	Reference	Existing Clause	Proposed modifications
		All documents of the response to RfS submitted online must be digitally signed on https://www.bharat-electronictender.com which should contain the following: 1. "Technical Bid (First Envelope)" 63 The Bidder shall upload single technical bid containing the scanned copy of following documents duly signed and stamped on each page by the authorized signatory as mentioned below. i) Formats - 8.1, 8.2 (if applicable), 8.3 A, 8.4, 8.5 (if applicable), 8.6, 8.7, 8.8, 8.9 and 8.10 as elaborated in Clause No. 4.20, Section-4. ii) All attachments elaborated in Clause No. 4.20, Section-4, under the sub clause 12, Attachments with proper file names. iii) All supporting documents regarding meeting the eligibility criteria iv) Scanned copies of NEFT/RTGS/DD details towards Cost of RfS Document as mentioned in Bid Information Sheet. v) Scanned copies of requisite amount of Bank Guarantee towards EMD as mentioned in the Bid Information Sheet. The bidder will have to fill the Electronic Form provided at the https://www.bharat-electronictender.com as part of Technical Bid. 2. "Financial Bid (Second Envelope)" Bidders shall submit the single Financial Bid containing the scanned copy of following document(s): i) Covering letter as per Format-8.11 of this RfS document; ii) Preliminary Estimate of Cost of Project as per Format 8.12 Only a single tariff, i.e. the Peak Tariff bid for all the Projects applied for, shall have to be filled online in the Electronic Form provided at the ISN-ETS portal. The instructions mentioned in the Financial Bid Electronic Form have to be strictly followed without any deviation, else the bid shall be considered as nonresponsive. Important Notes: i) The Bidders shall not deviate from the naming and the numbering formats mentioned above, in any manner. ii) In each of the Envelopes, all the documents enclosed shall be indexed and flagged appropriately, with the index list indicating the name of the document against each flag. iii) All the Envelopes shall be properly sealed with the signature of the Authorized Signatory running across the sealing of the envelopes. iv) In	

SN.	Reference	Existing Clause	Proposed modifications
		case the Bidder submits the online documents on ISN-ETS within the bid submission deadlines and fails to submit the offline documents in the office of GUVNL within the bid submission deadlines, the online bid of the Bidder shall not be opened and shall be 'archived' on the ISN-ETS portal. Similarly, bids submitted offline but without any online submission on ISN-ETS portal shall not be opened and the EMD shall be returned to the respective bidder.	
45.		Various minor amendments have been incorporated in the revised bid documents to give effect of the changes mentioned above as well as discussed during pre-bid meeting as per Annexure III.	

119620/e-tappa/21/2023

802

	GUJARAT URJA VIKAS NIGAM LIMITED (An ISO 9001:2015 Certified Company) CIN:- U40109GJ2004SGC045195 Sardar Patel Vidyut Bhavan, Race Course, Vadodara: 390 007 Phone PBX : (0265) 2310582-86, Direct: (0265)2334751, 2340289 Fax No. 0265-2344543, 2337918 Web Site:www.guvnl.com	
REF NO: GUVNL/COM/2022/GM(RE & IPP)/Solar/ 111		Date:23.01.2023

To,
Shri Roopwant Singh, IAS
Secretary
Gujarat Electricity Regulatory Commission
6th Floor, GIFT ONE,
Road 5C, Zone 5, GIFT City,
Gandhinagar - 382355,
Gujarat, India.
Email: gerc@gercin.org

By RPAD

Sub: Interlocutory Application for Amendment of Petition No. 2098 / 2022

Respected Sir,

GUVNL had filed an Interlocutory Application for Amendment of Petition No. 2098 / 2022.

In this matter, a declaration to be filed as per GERC (Conduct of Business) Regulations 2004 was mistakenly not filed along with the application. In this regard, the requisite declaration is attached herewith. Hon'ble Commission is requested to kindly take the same on record please.

Thanking you,

Yours faithfully,


(Amit H Chavda)
Deputy Engineer

Encl: As above

AX (Legal) / Ex (Legal)
Process
P.H.
24/01/2023

Legal
D-23/1

Law No. - 0381
Date : 23 JAN 2023

1901

1902

1903

1904

1905

1906

803

BEFORE THE GUJARAT ELECTRICITY REGULATORY COMMISSION

GANDHINAGAR

PETITION NO. 2098 of 2022

Filing No:

Case No:

IN THE MATTER OF:

Gujarat Urja Vikas Nigam Limited
Applicant

... Petitioner /

Versus

Wind Independent Power Producers Association & Others.
..Objectors

APPLICATION ON BEHALF OF THE PETITIONER / APPLICANT FOR
AMENDMENT OF THE PRESENT PETITION

DECLARATION

Declaration that subject matter of the Petition has not been raised by the Petitioner before any other competent forum and that no other competent forum is currently seized of the matter or has passed any order in relation thereto.



Gujarat Urja Vikas Nigam Limited
PETITIONER

Date: 23/07/2023

Place: Vadodara

BEFORE THE GUJARAT ELECTRICITY REGULATORY COMMISSION
GANDHINAGAR

804

IA No.02 of 2023 in Petition No.2098 of 2022

Filing No:

Case No:

AD (Gujarat) / Ex (Gujarat)
Put in relevant
files
PH
04/05/2023

IN THE MATTER OF

Petition under Section 63 read with 86(1)(b) of the Electricity Act 2003 for Compliance on Order dtd.29.03.2023 in IA No.02 of 2023 in Petition No.2098 of 2022 issued by Hon'ble Commission and seeking approval of deviations from the Guidelines issued by Central Government for procurement of power through Tariff Based Competitive Bidding Process from Grid Connected Renewable Energy sources i. e. Wind, Solar and Wind-Solar Hybrid projects and for approval of bid documents for carrying out bidding process for procurement of power from Hybrid Power Projects having RE generation with co-located Energy Storage Systems.

PETITIONER

Gujarat Urja Vikas Nigam Limited
Sardar Patel Vidyut Bhavan,
Race Course,
Vadodara - 390 007
Fax: 0265-2344543

G.E.R.C.	
Inward No.	- 2 1 0 2
Date :	- 2 MAY 2023

Compliance to the Hon'ble Commission's directives issued under order dated 29.03.2023 in IA No.02 of 2023 in Petition No.2098 of 2022.

MOST RESPECTFULLY SHOWETH:

- 1) The Hon'ble Commission, vide Order 29.03.2023 in IA No.02 of 2023 in Petition No.2098 of 2022 filed by GUVNL under Section 63 read with 86(1)(b) of the Electricity Act 2003 for approval of deviations from the Guidelines issued by Central Government for procurement of power through Tariff Based Competitive Bidding Process from Grid Connected Renewable Energy sources i. e. Wind, Solar and Wind-Solar Hybrid projects and for approval of bid documents for carrying out bidding process for procurement of power from Hybrid Power Projects having RE generation with co-located Energy Storage Systems, has directed GUVNL to issue public notice in two daily newspapers.



Page 1 of 1

one in English language and one in vernacular language i.e., Gujarati, inviting suggestions and objections on the amendments sought through IA No. 02 of 2023 in main Petition from the stakeholders with consideration of all deviations that are sought and revised bidding documents.

- 2) Hon'ble Commission also directed GUVNL to upload the IA No.02 of 2023 along with amended Petition and all the documents on its website and invite comments and suggestions from the stakeholders on the IA seeking amendment in Petition on affidavit on or before 21 days from the date of issuance of public notice. It is also directed that GUVNL shall also state in the public notice that the hearing before the Commission is scheduled on 08.05.2023 at 11:30 AM and the stakeholders/ objectors shall file their objections/suggestions in the Petition to the Secretary, Gujarat Electricity Regulatory Commission.
- 3) In this regard, it is submitted that the Petitioner, GUVNL, as per directives of Hon'ble Commission, has issued Public Notices on 11.04.2023 in Divya Bhaskar & The Indian Express newspapers and invited suggestions and objections on the present Petition as well as IA from the stakeholders. The copies of Public Notices are attached herewith as Annexure A and Annexure B respectively.
- 4) In this regard, it is to submit that Petitioner had also uploaded the Public Notice, IA No.02 of 2023, Petition No.2098 of 2022 along with RfS and Draft PPA documents on it's website www.guvnl.com (In Notices section) for knowledge and information of the stakeholders under the title "*Notice inviting Comments / Suggestions from stakeholders on IA No. 02 of 2023 & Petition No. 2098 / 2022 filed by GUVNL before GERC*".


Gujarat Urja Vikas Nigam Limited
PETITIONER



Date: 29.04.2023

Place: Vadodara

GANDHINAGAR

IA No.02 of 2023 in Petition No.2098 of 2022

Filing No:

Case No:

IN THE MATTER OF

Petition under Section 63 read with 86(1)(b) of the Electricity Act 2003 for Compliance on Order dtd.29.03.2023 in IA No.02 of 2023 in Petition No.2098 of 2022 issued by Hon'ble Commission and seeking approval of deviations from the Guidelines issued by Central Government for procurement of power through Tariff Based Competitive Bidding Process from Grid Connected Renewable Energy sources i. e. Wind, Solar and Wind-Solar Hybrid projects and for approval of bid documents for carrying out bidding process for procurement of power from Hybrid Power Projects having RE generation with co-located Energy Storage Systems.

Gujarat Urja Vikas Nigam Limited
Sardar Patel Vidyut Bhavan,
Race Course, Vadodara - 390 007

PETITIONER

Regd. No.: 9835
Date : 29/4/2023

AFFIDAVIT

I, Amitkumar Chavda, son of Shri Hargovindbhai Chavda, aged about 41 years resident of Vadodara do hereby solemnly affirm and state as under:

1. I am the Deputy Engineer working in Gujarat Urja Vikas Nigam Limited and am well conversant with the facts of the case and able to swear to the present Affidavit.
2. I, on behalf of the Petitioner, Gujarat Urja Vikas Nigam Limited, have gone through the contents of the accompanying submission and say that the contents stated therein are based on the records of the Petitioner Company maintained in the normal course of business and believed by me to be true.
3. I say that the Annexures are true copies of their originals.



3





VERIFICATION:

807.

I, the Deponent above named do hereby verify that the contents of my above Affidavit are true to my knowledge, no part of it is false and nothing material has been concealed therefrom.

Verified at Vadodara on this 29th day of April, 2023.



Identified before me.



DEPONENT



My Commission Expires
on 04/07/2023

Solemnly Affirmed/Declared
Sworn Before me by ...

Ashwini
Wreel
H. J. ZALA
NOTARY (Govt. of India)

12345678910111213141516171819202122232425262728293031323334353637383940414243444546474849505152535455565758596061626364656667686970717273747576777879808182838485868788899091929394959697989910010110210310410510610710810911011111211311411511611711811912012112212312412512612712812913013113213313413513613713813914014114214314414514614714814915015115215315415515615715815916016116216316416516616716816917017117217317417517617717817918018118218318418518618718818919019119219319419519619719819920020120220320420520620720820921021121221321421521621721821922022122222322422522622722822923023123223323423523623723823924024124224324424524624724824925025125225325425525625725825926026126226326426526626726826927027127227327427527627727827928028128228328428528628728828929029129229329429529629729829930030130230330430530630730830931031131231331431531631731831932032132232332432532632732832933033133233333433533633733833934034134234334434534634734834935035135235335435535635735835936036136236336436536636736836937037137237337437537637737837938038138238338438538638738838939039139239339439539639739839940040140240340440540640740840941041141241341441541641741841942042142242342442542642742842943043143243343443543643743843944044144244344444544644744844945045145245345445545645745845946046146246346446546646746846947047147247347447547647747847948048148248348448548648748848949049149249349449549649749849950050150250350450550650750850951051151251351451551651751851952052152252352452552652752852953053153253353453553653753853954054154254354454554654754854955055155255355455555655755855956056156256356456556656756856957057157257357457557657757857958058158258358458558658758858959059159259359459559659759859960060160260360460560660760860961061161261361461561661761861962062162262362462562662762862963063163263363463563663763863964064164264364464564664764864965065165265365465565665765865966066166266366466566666766866967067167267367467567667767867968068168268368468568668768868969069169269369469569669769869970070170270370470570670770870971071171271371471571671771871972072172272372472572672772872973073173273373473573673773873974074174274374474574674774874975075175275375475575675775875976076176276376476576676776876977077177277377477577677777877978078178278378478578678778878979079179279379479579679779879980080180280380480580680780880981081181281381481581681781881982082182282382482582682782882983083183283383483583683783883984084184284384484584684784884985085185285385485585685785885986086186286386486586686786886987087187287387487587687787887988088188288388488588688788888989089189289389489589689789889990090190290390490590690790890991091191291391491591691791891992092192292392492592692792892993093193293393493593693793893994094194294394494594694794894995095195295395495595695795895996096196296396496596696796896997097197297397497597697797897998098198298398498598698798898999099199299399499599699799899910001001100210031004100510061007100810091010101110121013101410151016101710181019102010211022102310241025102610271028102910301031103210331034103510361037103810391040104110421043104410451046104710481049105010511052105310541055105610571058105910601061106210631064106510661067106810691070107110721073107410751076107710781079108010811082108310841085108610871088108910901091109210931094109510961097109810991100110111021103110411051106110711081109111011111112111311141115111611171118111911201121112211231124112511261127112811291130113111321133113411351136113711381139114011411142114311441145114611471148114911501151115211531154115511561157115811591160116111621163116411651166116711681169117011711172117311741175117611771178117911801181118211831184118511861187118811891190119111921193119411951196119711981199120012011202120312041205120612071208120912101211121212131214121512161217121812191220122112221223122412251226122712281229123012311232123312341235123612371238123912401241124212431244124512461247124812491250125112521253125412551256125712581259126012611262126312641265126612671268126912701271127212731274127512761277127812791280128112821283128412851286128712881289129012911292129312941295129612971298129913001



ਸਮਾਜਿਕ ਸੇਵਾ: ਯੁਵਕ

[illegible]

દિલ્લા અને પુણીએને ડિલાઈન્ડો
ગર્મ પિનાપુએ કસાપારી, કુપાસ
સામખર્થે કર રસિયારી એક કપાસ

[illegible]

ଉତ୍କଳିକା ଓରିସ୍ସା ସେବା ଟ୍ରଷ୍ଟ
୪୫ମୋ ଉତ୍କଳ ଦିବସ ଉଜ୍ଜ୍ୱଳ

હોમિયોપેથી
દિવસ નિમિત્તે
સ્પર્ધા યોજાશે

www.ck12.org Visit www.ck12.org to read, purchase or print additional custom textbooks for your class.

દાખતી માગતો.
 ઉદાહરણ એકાદમી જેવા દુર
 વિશિષ્ટ સહાયી અને ખાનગી
 સંસ્થાઓ સાથે ગણતંત્ર અને વહીવટી
 અને નેતી આદરણીય રીતે
 એકાદમીના કોષ્ટકો સંજોગોમાં પ્રમાણ
 કરી શકે છે. દુર તેમજ એક આદરણીય
 એકાદમી ના સંસ્થામાં પ્રમાણ
 કરી શકે છે જ્યાં તેમજ તેમજ
 આદરણીય દુર તેમજ એકાદમી

જાણીતા ગાયક શ્રી. રામચંદ્ર. શર્મા
જાણીતા ગાયિકા શ્રી. સુષીલા શર્મા
કે અને સરોજને હાજરુદી મનાવી છે.

॥१॥ ॥२॥ ॥३॥ ॥४॥ ॥५॥ ॥६॥ ॥७॥ ॥८॥ ॥९॥ ॥१०॥ ॥११॥ ॥१२॥ ॥१३॥ ॥१४॥ ॥१५॥ ॥१६॥ ॥१७॥ ॥१८॥ ॥१९॥ ॥२०॥ ॥२१॥ ॥२२॥ ॥२३॥ ॥२४॥ ॥२५॥ ॥२६॥ ॥२७॥ ॥२८॥ ॥२९॥ ॥३०॥ ॥३१॥ ॥३२॥ ॥३३॥ ॥३४॥ ॥३५॥ ॥३६॥ ॥३७॥ ॥३८॥ ॥३९॥ ॥४०॥ ॥४१॥ ॥४२॥ ॥४३॥ ॥४४॥ ॥४५॥ ॥४६॥ ॥४७॥ ॥४८॥ ॥४९॥ ॥५०॥ ॥५१॥ ॥५२॥ ॥५३॥ ॥५४॥ ॥५५॥ ॥५६॥ ॥५७॥ ॥५८॥ ॥५९॥ ॥६०॥ ॥६१॥ ॥६२॥ ॥६३॥ ॥६४॥ ॥६५॥ ॥६६॥ ॥६७॥ ॥६८॥ ॥६९॥ ॥७०॥ ॥७१॥ ॥७२॥ ॥७३॥ ॥७४॥ ॥७५॥ ॥७६॥ ॥७७॥ ॥७८॥ ॥७९॥ ॥८०॥ ॥८१॥ ॥८२॥ ॥८३॥ ॥८४॥ ॥८५॥ ॥८६॥ ॥८७॥ ॥८८॥ ॥८९॥ ॥९०॥ ॥९१॥ ॥९२॥ ॥९३॥ ॥९४॥ ॥९५॥ ॥९६॥ ॥९७॥ ॥९८॥ ॥९९॥ ॥१००॥

અર્થશાસ્ત્રના અભ્યાસમાં આજે, વિવિધ પ્રોબ્લેમ્સ ઉભા થયા છે. અર્થશાસ્ત્રના અભ્યાસમાં આજે,

[illegible]

આથી હવે તમારું જીવન બદલાઈ જશે.
સંપર્ક: 079-25551111 | www.dreamcity.in
સી.સી. સર્વિસ સેન્ટર નામવાળા સ્થળે

આપો એવાં સંકેતો નિયમિત
મનપૂર્વક જોઈ લેવા જોઈએ
અવિચલ રહેવાની સુચના
પોલિસનાથી જાણે જાણે
મથક સહીત કોઈને જોઈ
જો પોલીસ અવિચલ રહેવાની
સૂચના અને સંકેતો જોઈ

॥ श्रीगणेशाय नमः ॥
 ॥ श्रीगणेशाय नमः ॥
 ॥ श्रीगणेशाय नमः ॥

[illegible][illegible][illegible]

જાહેર

[illegible]

1 **சென்னை**

[illegible]

00	Deputy Chief	2013-2014	1.25
----	--------------	-----------	------

[illegible]

निवम विमिटेड
G26

[illegible]

Small text at the bottom of the page, likely a footer or contact information.

Item	Quantity	Unit	Price	Total
100	100	kg	100.00	100.00
101	100	kg	100.00	100.00
102	100	kg	100.00	100.00
103	100	kg	100.00	100.00
104	100	kg	100.00	100.00
105	100	kg	100.00	100.00
106	100	kg	100.00	100.00
107	100	kg	100.00	100.00
108	100	kg	100.00	100.00
109	100	kg	100.00	100.00
110	100	kg	100.00	100.00
111	100	kg	100.00	100.00
112	100	kg	100.00	100.00
113	100	kg	100.00	100.00
114	100	kg	100.00	100.00
115	100	kg	100.00	100.00
116	100	kg	100.00	100.00
117	100	kg	100.00	100.00
118	100	kg	100.00	100.00
119	100	kg	100.00	100.00
120	100	kg	100.00	100.00
121	100	kg	100.00	100.00
122	100	kg	100.00	100.00
123	100	kg	100.00	100.00
124	100	kg	100.00	100.00
125	100	kg	100.00	100.00
126	100	kg	100.00	100.00
127	100	kg	100.00	100.00
128	100	kg	100.00	100.00
129	100	kg	100.00	100.00
130	100	kg	100.00	100.00
131	100	kg	100.00	100.00
132	100	kg	100.00	100.00
133	100	kg	100.00	100.00
134	100	kg	100.00	100.00
135	100	kg	100.00	100.00
136	100	kg	100.00	100.00
137	100	kg	100.00	100.00
138	100	kg	100.00	100.00
139	100	kg	100.00	100.00
140	100	kg	100.00	100.00
141	100	kg	100.00	100.00
142	100	kg	100.00	100.00
143	100	kg	100.00	100.00
144	100	kg	100.00	100.00
145	100	kg	100.00	100.00
146	100	kg	100.00	100.00
147	100	kg	100.00	100.00
148	100	kg	100.00	100.00
149	100	kg	100.00	100.00
150	100	kg	100.00	100.00
151	100	kg	100.00	100.00
152	100	kg	100.00	100.00
153	100	kg	100.00	100.00
154	100	kg	100.00	100.00
155	100	kg	100.00	100.00
156	100	kg	100.00	100.00
157	100	kg	100.00	100.00
158	100	kg	100.00	100.00
159	100	kg	100.00	100.00
160	100	kg	100.00	100.00
161	100	kg	100.00	100.00
162	100	kg	100.00	100.00
163	100	kg	100.00	100.00
164	100	kg	100.00	100.00
165	100	kg	100.00	100.00
166	100	kg	100.00	100.00
167	100	kg	100.00	100.00
168	100	kg	100.00	100.00
169	100	kg	100.00	100.00
170	100	kg	100.00	100.00
171	100	kg	100.00	100.00
17				

[illegible][illegible]

કનેયાલાલ (કનુભાઈ) એ
૬૫૬ પ્રાણ, ૪૪૮ નં, ૬૬, જાન

[illegible]

Call 1-800-855-8810

[illegible]

17	Amber, Lisa 17/02/2018	1st year - 1st year (1st year) Amber, Lisa, Amber (Amber)	17/02/2018	17/02/2018
----	---------------------------	--	------------	------------

[illegible]

ગાંધીપરિશિષ્ટ એન. ૫૨૫૫૧૨ (એડનોપેન્ડેન્ટ)
ગાંધીપરિશિષ્ટ એન. ૫૨૫૫૧૨ (એડનોપેન્ડેન્ટ)

१०६१२३४५६७८९१०१११२१३१४१५१६१७१८१९२०२१२२२३२४२५२६२७२८२९३०३१३२३३३४३५३६३७३८३९४०४१४२४३४४४५४६४७४८४९५०५१५२५३५४५५५६५७५८५९६०६१६२६३६४६५६६६७६८६९७०७१७२७३७४७५७६७७७८७९८०८१८२८३८४८५८६८७८८८९९०९१९२९३९४९५९६९७९८९९

T ASSOCIATES represents U.S. clients in over 100 foreign jurisdictions, and has offices in New York, London, Hong Kong, and Tokyo.

[illegible]

© 2001 The McGraw-Hill Companies. All rights reserved. Reproduction or translation in any form without written permission of The McGraw-Hill Companies is prohibited. This publication may be used for educational or promotional purposes, provided that the McGraw-Hill Companies are properly acknowledged. For more information, contact The McGraw-Hill Companies, 1221 Avenue of the Americas, New York, NY 10020-1095.



[illegible]

GUJARAT URJA VIKAS NIGAM LIMITED

Sardar Patel Vidyut Bhavan, Race Course, Vadodara 390007
PBX : (0265) 2310582-86, Web : www.guvnl.com


PUBLIC NOTICE

GUVNL has filed IA No.02 of 2023 in Petition No.2098 of 2022 before the Hon'ble Gujarat Electricity Regulatory Commission (GERC) seeking to amend the Petition No.2098 of 2022 for approval of deviations from the Guidelines issued by Central Government for procurement of power through Tariff based Competitive Bidding Process from Grid connected Renewable Energy Sources, i.e. Wind, Solar and Wind-Solar Hybrid Projects and for approval of revised bid documents for carrying out bidding process for procurement of power from Hybrid Power Projects having RE generation with co-located or multi-located Energy Storage Systems.

The stakeholders / objectors may file their objections / suggestions in the matter to the Secretary, Gujarat Electricity Regulatory Commission, 6th Floor, GIFT ONE, Road 5C, Zone 5, GIFT City, Gandhinagar - 382355 in five copies along with affidavit in support of their submissions with a copy to GUVNL within 21 days from the date of issuance of this public notice. The public hearing before the Hon'ble GERC is scheduled on 08.05.2023 at 11:30 A.M. The petition along with IA is uploaded on www.guvnl.com.

Date: 11/04/2023

General Manager (RE)



ગુજરાત ઉર્જા વિકાસ નિગમ લીમીટેડ

સરદાર પટેલ વિદ્યુત ભવન, રેસકોર્સ-૫૭૦૦૦૭
PBX : (0265) 2310582-86, Web : www.guvnl.com

જાહેર સુચના

ગુજરાત ઉર્જા વિકાસ નિગમ લીમીટેડ દ્વારા નામદાર ગુજરાત વીજ નિયમન આયોગ (GERC) સમક્ષ, કેન્દ્ર સરકાર દ્વારા જાહેર કરેલ ગ્રીડ કનેક્ટેડ રિન્યુએબલ પ્રોજેક્ટ્સ (વિન્ડ, સોલાર, વિન્ડ-સોલાર હાયબ્રિડ પ્રોજેક્ટ્સ) પાસેથી સ્પર્ધાત્મક બિડિંગ પ્રક્રિયા દ્વારા વીજ ખરીદી કરવા માટે ની ગાર્ન્ટીવાઈન્સ માંથી ડેવીએશન ની મંજૂરી મેળવવા માટે IA નં.02 of 2023 થકી પીટીશન નંબર ૨૦૮૮ / ૨૦૨૨ માં સુધારો કરવા અરજી દાખલ કરેલ છે, જે અંતર્ગત લાગતા વળગતા પક્ષકારો પાસેથી વાંધા / સૂચનો આ સુચના ની તારીખથી 21 દિન ની સમયમર્યાદા માં મળાવવામાં આવે છે. પક્ષકારો એ પોતાના વાંધા / સૂચનો એફિડેવિટ કરાવીને પાંચ નકલ માં Secretary, Gujarat Electricity Regulatory Commission, 6th Floor, GIFT ONE, Road 5C, Zone 5, GIFT City, Gandhinagar - 382355 સરનામે મોકલવા તથા એક નકલ ગુજરાત ઉર્જા વિકાસ નિગમ લીમીટેડ ને આપવી. આ અન્વયે તા ૦૮.૦૫.૨૦૨૩ ના રોજ સવારે ૧૧.૩૦ કલાકે ગુજરાત વીજ નિયમન આયોગ (GERC) સમક્ષ જાહેર સુનાવણી રાખેલ છે. પીટીશન તથા IA ની નકલ www.guvnl.com વેબસાઈટ પર ઉપલબ્ધ છે.

તા : 11/04/2023

જનરલ મનેજર (RE)



BEFORE THE GUJARAT ELECTRICITY REGULATORY COMMISSION, GANDHINAGAR

Filing no.:

Case no.:

AD (Chesal) / Ex (Chesal)
04/05/2023 Put in relevant files
PK
04/05/2023


IN THE MATTER OF: Suggestions with respect to GUVNL's public notice dated 11.04.2023 towards IA No.02 of 2023 in Petition No.2098 of 2022 filed before the Hon'ble Gujarat Electricity Regulatory Commission (GERC) seeking to amend the Petition No. 2098 of 2022 for approval of deviations from the Guidelines issued by Central Government for procurement of power through Tariff based Competitive Bidding Process from Grid connected Renewable Energy Sources, i.e. Wind, Solar and Wind-Solar Hybrid Projects and for approval of revised bid documents for carrying out bidding process for procurement of power from Hybrid Power Projects having RE generation with co-located or multi-located Energy Storage Systems.



Stake Holder

ReNew Power Private Limited

A-1304, Empire Business Hub, Science City Road, Near Shukan Mall,
 Sola, Ahmedabad-380060.

AFFIDAVIT

I, Jai Rajeshirke, son of Shankarrao Rajeshirke aged about 42 years, resident of Ahmedabad do hereby solemnly affirm and state as under :

I am working as Dy. General Manager in ReNew Power Private Limited (stake holder) and am well conversant with the facts of the case and able to swear to the present Affidavit.

I, on behalf of the Stake Holder - ReNew Power Private Limited have gone through the contents of the petition no. 2098 of 2022 of petitioner GUVNL before the Hon'ble GERC and respect to GUVNL's public notice dated 11.04.2023 towards IA No.02 of 2023 in Petition No.2098 of 2022 filed before the Hon'ble Gujarat Electricity Regulatory Commission (GERC) and we are hereby submitting our suggestions, further we hereby submit that the enclosed details, comments & submissions are believed to be true.

SERIAL NO. : 576 /2023

[Signature]
 PIYUSH V. PANCHAL

NOTARY
 GOVT. OF INDIA

02 MAY 2023

[Signature]
 DEPONENT

Verification:

I, the stake holder named above, hereby submit that the enclosed details, comments and submissions (in 5 original copies) made by us are true to my knowledge, no part of it is false and nothing material has been concealed there from.

Identified before me.

Date: 1st May 2023
 Place: Ahmedabad

IDENTIFIED BY ME

ADVOCATE



SOLEMNLY AFFIRMED
 BEFORE ME

[Signature]
 PIYUSH V. PANCHAL

NOTARY
 GOVT. OF INDIA

02 MAY 2023

[Signature]
 DEPONENT





12/12/2023

12/12/2023

12/12/2023



ભારતીય વિશિષ્ટ ઓળખાણ પ્રાધિકરણ

ભારત સરકાર

Unique Identification Authority of India
Government of India


નામોંકન ક્રમ સંખ્યા / Enrollment No.: 0124/11909/00836

To
જયકુમાર શંકરરાવ રાજેશિર્કે
Jaikumar Shankarrao Rajeshirke
C/O Jaikumar Shankarrao Rajeshirke
K-906 Sorrel Apartment Applewoods Township
Next To Decathlon Sports Store S P Ring Road Near
Shantipura Circle
Shela
Shela
Ahmedabad
Gujarat 380058

22/06/2013
147607012



AQ449617196IN



તમારો આધાર નંબર / Your Aadhaar No.

9898 0359 7559


મારો આધાર, મારી ઓળખ



ભારત સરકાર
Government of India



જયકુમાર શંકરરાવ રાજેશિર્કે
Jaikumar Shankarrao Rajeshirke
જન્મ તારીખ / DOB : 29/12/1981
પુરુષ / MALE



9898 0359 7559

મારો આધાર, મારી ઓળખ

Note:- This ID proof is enclosed alongwith GERL Affidavit (01-05-2023) ^{Dated}
in petition no 2098 to wards submission of comments

Dated: 2nd May, 2023

To,
The Secretary,
Gujarat Electricity Regulatory Commission
6th Floor, GIFT ONE, Road 5C, Zone 5, GIFT City,
Gandhinagar – 382355, Gujarat, India.

Subject: Suggestions with respect to **GUVNL Peak Power Tender** (GUVNL / 500 MW / RE with ESS (Phase XV) dated 14.06.2022)

Ref –

- (1) RFS and PPA document for **"Purchase of Power through Competitive Bidding Process Followed by Reverse e- auction from 500 MW Grid Connected RE Projects with Assured Peak Power Supply along with Energy Storage System (ESS) located in the state of Gujarat"** dated 14.06.2022
- (2) Petition no 2098 of 2022 along with IA No. 02 of 2023 in Petition No. 2098 of 2022 filed by GUVNL
- (3) GERC daily order dated 29.03.2023 in IA No. 02 of 2023 in Petition No. 2098 of 2022
- (4) GERC Public Notice dated 11.04.2023 in Petition No. 2098 of 2022.

Respected Sir,

We write in reference to the above-mentioned RFS and PPA documents issued by GUVNL "for purchase of power through Competitive Bidding Process from 500 MW Grid connected RE projects with assured Peak Power supply along with Energy Storage System (ESS) Phase-XV" (**GUVNL Peak Power Tender**). GUVNL has filed Petition No. 2098 of 2022 before the Hon'ble GERC seeking "approval of deviations from the Guidelines issued by the Central Government for procurement of power through Tariff based Competitive Bidding Process from Grid connected Renewable Energy Sources i.e., Wind, Solar and Wind/Solar Hybrid Projects and for approval of bid documents for carrying out bidding process for procurement of power from Hybrid Power Projects having Regeneration with co-located Energy Storage Systems" referred above at (2). Further, the Hon'ble GERC vide order dated 30.08.2022 allowed GUVNL to revise the said petition and also allowed the stakeholder to file their comments/suggestions on the same. Thereafter, GUVNL filed I. A. No. 02 of 2023 in Petition No. 2098 of 2022 seeking amendment to the said petition. The said IA No. 02 of 2023 was heard by the Hon'ble GERC on 15.03.2023 wherein it was decided conduct a Public Hearing in the said matter to take into consideration the views/ comments/ suggestions/ objections of the stakeholders before deciding the matter. Subsequently, the Hon'ble GERC issued a Public Notice on 11.04.2023 inviting objections / suggestions / comments from stakeholders in the said matter.

At the outset, we would like to thank Hon'ble GERC for providing opportunity to the stakeholders to put forward their comments/suggestions on the said GUVNL Peak Power Tender. Considering the revised petition, we hereby submit following recommendations/ suggestions for consideration of the Hon'ble GERC as part of the tender conditions as these conditions would be useful for the state as well as the industry:



ReNew Power Private Limited
CIN: U40300DL2011PTC291527

Corporate Office ReNew Hub, Commercial Block-1, Zone-6, Golf Course Road, DLF City Phase-V, Gurugram - 122009,
Registered Office 138, Ansal Chambers-II, Bhikaji Cama Place, Delhi - 110066,

W www.renew.com T +91 124 489 6670, F +91 124 489 6699

repl @ renew.com

- (1) Blended Tariff instead of 2-part tariff** – As per the current tender construct, the Hybrid Power Developers (HPDs) are required to quote the peak tariff while the off-peak tariff has been fixed by GUVNL at INR 2.57/kWh. We request GUVNL to remove bifurcation of the tariff into two (2) parts and instead request HPDs to quote a single blended tariff, which in turn will put all the RE technologies on an equal competitive footing. Further, we understand that the 2-part tariff approach will increase the peak tariff by ~INR 1/kWh to recover the shortfall of tariff realization for the wind energy generated during the non-peak hours.

We would like to submit that SECI has recently concluded the 1200 MW ISTS-connected Wind-Solar Hybrid Power Projects with assured Peak Power Supply in India (Tranche-VI) on 12.04.2023 with a discovered single blended tariff of INR 4.64/unit which is very competitive. Further, this also ensures a high CUF under the PPA thereby increasing the utilization of evacuation infrastructure.

Further, it is to be noted that GUVNL in its recent tender for purchase of 300MW wind power (Phase-IV) on 31.01.2023 through competitive bidding, has awarded project to developers @INR 2.96/kWh. Also, in auction to supply 500MW solar power (Tranche-XIX) on 20.04.2023, the lowest discovered tariff is INR 2.71/kWh. Therefore, we would like to suggest that in case blending the 2-part tariff into one is not feasible for GUVNL, we request to increase the off-peak tariff to INR 2.87/kWh (*weighted average of INR 2.96/kWh and INR 2.71/kWh considering 67:33 ratio of capacity of wind and solar to be installed*) as the peak hours defined are predominantly wind generation hours.

- (2) Allow market sell:** In the blended tariff construct mentioned above, increasing the CUF supply under the PPA will subsidize the overall bid tariff. This will require oversizing wind and solar capacity which will result in surplus power generation during the high wind season. In order to allow optimization of operation of RE sources, the generator should be allowed to supply any surplus power from RE sources after fulfilling requirements under PPA, to any third party or power exchange without requiring any No-Objection Certificate (NOC) from GUVNL. The generator may also be allowed to sell the power which was offered to GUVNL (within Contracted Capacity) but not scheduled, to any third party or power exchange without requiring NOC from GUVNL on day ahead basis. This will help developers to generate revenue and will ultimately result in low tariff discovery in the auction. Further, since the RE plant will be oversized, this will also reduce the impact of a low wind season on the CUF committed under the PPA.
- (3) Remove the mandatory ESS capacity:** The tender mandates minimum ESS installation of X/2MWh of the PPA capacity. Since meeting the peak compliance is on account of the successful bidder, we request GUVNL to allow bidders to decide the ESS capacity based on the design of the bidder and remove the mandatory X/2 MWh condition. This may enable better tariff discovery.



ReNew Power Private Limited
CIN: U40300DL2011PTC291527

Corporate Office ReNew.Hub, Commercial Block-1, Zone-B, Golf Course Road, DLF City Phase-V, Gurugram - 122009,
Registered Office 138, Ansal Chambers-II, Bhikaji Cama Place, Delhi - 110066,

W www.renew.com T +91 124 489 6670, F +91 124 489 6699

- (4) **Alternate use of ESS:** After fulfilling the peak compliance of the PPA, we request GUVNL to allow the ESS to be utilized for any other alternate use outside the PPA as per developer's choice.
- (5) **Early commissioning on a technology-wise basis instead of pro-rata** – In large projects, the wind component is commissioned in parts. We request GUVNL to allow HPDs to commission the project early on a technology-wise basis rather than allowing for pro-rata early commissioning as per the combination chosen by the HPD. This will incentivize the project by utilization of RE components prior to the project readiness for complete commercial operation and will encourage the developer to plan early construction of the project.
- (6) **Alternate sources to meet peak hour compliance**— RE sources vary over months and years and to avoid penalty for non-compliance, we request GUVNL to allow developer to arrange power via alternate sources through MTOA / bilateral STOA/ Power Exchange or any other arrangement to meet peak hour compliances. The energy from alternate source should be from RE sources or must be balanced with an equivalent REC's or any other mechanism so that the same can be treated as Renewable energy. The quantum of alternative sources can be restricted to maximum of 10% of annual contracted energy. This will help in lowering the risk of wind intermittency and levy of double LDs under the PPA.

In view of the above submissions, we request the Hon'ble Commission to kindly consider our comments/ suggestions while finalizing the IA. No. 02 of 2023 in Petition No. 2098 of 2022 by GUVNL.

Thanking You.

Yours Sincerely,

For, ReNew Power Pvt. Ltd.



(Authorized Signatory)

Copy to:

General Manager (RE & Commerce)

Gujarat Urja Vikas Nigam Ltd. (GUVNL)

Sardar Patel Vidyut Bhavan, Near Race Course Circle, Alkapuri, Vadodara – 390007.



ReNew Power Private Limited

CIN: U40300DL2011PTC291527

Corporate Office ReNew.Hub, Commercial Block-1, Zone-6, Golf Course Road, DLF City Phase-V, Gurugram - 122009,
Registered Office 138, Ansal Chambers-II, Bhikaji Cama Place, Delhi - 110066.

W www.renew.com T +91 124 489 6670, F +91 124 489 6699